

THE UNIVERSITY OF CHICAGO

LATE CRETACEOUS TO PLEISTOCENE CLIMATES: NATURE OF THE
TRANSITION FROM A 'HOT-HOUSE' TO AN 'ICE-HOUSE' WORLD

VOLUME TWO

A DISSERTATION SUBMITTED TO
THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
IN CANDIDACY FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
DEPARTMENT OF THE GEOPHYSICAL SCIENCES

BY
PAUL J. MARKWICK

CHICAGO, ILLINOIS
JUNE, 1996

Copyright © 1996 by Paul J. Markwick

All rights reserved

REFERENCES

- Ali, M. T., 1976, The significance of a mid-Cretaceous cobble conglomerate, Beer District, south Devon: *The Geological Magazine*, v. 113, p. 151-158.
- Allen, P., 1949, Wealden Petrology: The top Ashdown Pebble Bed and the top Ashdown Sandstone: *Quarterly Journal of the Geological Society of London*, v. 104, p. 257-321.
- Allen, P., 1960, Strand-line pebbles in the mid-Hastings Beds and the Geology of the London Uplands. General Features. Jurassic Pebbles: *Proceedings of the Geological Association*, v. 71, p. 156-168.
- Allen, P., 1967, Origin of the Hastings Facies in North-Western Europe: *Proceedings of the Geological Association*, v. 78, p. 27-105.
- Allen, P., 1969, Lower Cretaceous Sourcelands and the North Atlantic: *Nature*, v. 222, p. 657-658.
- Allen, P., 1972, Wealden detrital tourmaline: implications for northwestern Europe: *Journal of the Geological Society, London*, v. 128, p. 273-294.
- Allen, P., 1981, Pursuit of Wealden models: *Journal of the Geological Society, London*, v. 138, p. 375-405.
- Alley, N. F., 1988, Age and correlation of palynofloras from the type Cadna-owie Formation, southwestern Eromanga Basin: *Memoir of the Association of Australasian Palaeontologists*, v. 5, p. 187-194.
- Almandarz, E., 1975, The use of chilled water to transfer adult crocodilians: *International Zoo Yearbook*, v. 15, p. 171-172.
- Alroy, J., 1992, Conjunction among taxonomic distributions and the Miocene mammalian biochronology of the Great Plains: *Paleobiology*, v. 18, p. 326-343.
- Alroy, J., 1994, Appearance event ordination: a new biochronologic method: *Paleobiology*, v. 20, p. 191-207.
- Anderson, C., and H. S. Jevons, 1905, Opal pseudomorphs from White Cliffs, New South Wales: *Records of the Australian Museum*, v. 6, p. 30-37.
- Anderson, J., 1898, Zoology of Egypt. Reptilia and Batrachia, v. 1: London, Bernard Quaritch, 371 p.
- Anderson, J. B., E. W. Domack, and D. D. Kurtz, 1980, Observations of sediment-laden icebergs in Antarctic waters: Implications to glacial erosion and transport: *Journal of Glaciology*, v. 25, p. 387-396.

- Anderton, R., P. H. Bridges, M. R. Leeder, and B. W. Sellwood, 1979, A Dynamic Stratigraphy of the British Isles: London, George Allen & Urwin, 301 p.
- Andrews, J. T., 1975, Glacial Systems. An approach to glaciers and their environments: North Scituate, Duxbury Press, 191 p.
- Archibald, J. D., 1991, Comments and reply on "Equable' climates during Earth history?": *Geology*, v. 19, p. 539.
- Arnold, E. N., and J. A. Burton, 1978, A field guide to the reptiles and amphibians of Britain and Europe: London, Collins, 272 p.
- Arthur, M. A., W. E. Dean, and L. M. Pratt, 1988, Geochemical and climatic effects of increased marine organic burial at the Cenomanian/Turonian boundary: *Nature*, v. 335, p. 714-717.
- Arthur, M. A., S. O. Schlanger, and H. C. Jenkyns, 1987, The Cenomanian-Turonian Oceanic Anoxic Event, II. Palaeoceanographic controls on organic-matter production and preservation, *in* J. Brooks, and A. J. Fleet, eds., Marine Petroleum Source Rocks: Geological Society Special Publication, Oxford, Blackwell Scientific Publishers, p. 401-420.
- Avery, R. A., 1982, Field studies of body temperatures and thermoregulation, *in* C. Gans, ed., Biology of the Reptilia. Volume 12. Physiology C Physiological Ecology, London, Academic Press, p. 94-166.
- Axelrod, D. I., 1992, What is an equable climate?: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 91, p. 1-12.
- Bailey, E. B., 1924, The desert shores of the Chalk seas: *The Geological Magazine*, v. 59, p. 102-116.
- Ball, V., 1888, On the probable mode of transport of the fragments of granite and other rocks which are found imbedded in the Carboniferous Limestone of the neighbourhood of Dublin: *Quarterly Journal of the Geological Society of London*, v. 44, p. 371-375.
- Barber, H. N., H. E. Dadswell, and H. D. Ingle, 1959, Transport of driftwood from South America to Tasmania and Macquarie Island: *Nature*, v. 184, p. 203-204.
- Barrera, E., and B. T. Huber, 1991, Paleogene and early Neogene oceanography of the southern Indian Ocean: Leg 119 foraminifer stable isotope results, *in* J. Barron, B. Larson, and et al., eds., Proceedings of the Ocean Drilling Program, Scientific Results, College Station, Texas, Ocean Drilling Program, p. 693-717.
- Barrera, E., B. T. Huber, S. M. Savin, and P.-N. Webb, 1987, Antarctic marine temperatures: late Campanian through early Paleocene: *Paleoceanography*, v. 2, p. 21-47.

- Barrett, P. J., 1986, Antarctic Cenozoic history from the MSSTS-1 drillhole, McMurdo Sound, DSIR Bulletin, Wellington, Science Information Publishing Centre, 254 p.
- Barron, E. J., 1981, Paleogeography as a climatic forcing factor: *Geologische Rundschau*, v. 70, p. 737-747.
- Barron, E. J., S. L. Thompson, and W. W. Hay, 1984, Continental distribution as a forcing factor for global-scale temperature: *Nature*, v. 310, p. 574-575.
- Barron, J., B. Larsen, and J. G. Baldau, 1991, Evidence for Late Eocene to Early Oligocene Antarctic glaciation and observations on late Neogene glacial history of Antarctica: results from Leg 119, *in* J. Barron, and B. Larson, eds., *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX, v.119, p. 869-891.
- Barry, R. G., and R. J. Chorley, 1987, *Atmosphere, Weather and Climate*: London, Routledge, 460 p.
- Barry, R. G., 1992, *Mountain weather and climate*: London, Routledge, 402 p.
- Barton, A. J., 1955, Prolonged survival of a released alligator in Pennsylvania: *Herpetologica*, v. 11, p. 210.
- Beaumont, M. E. d., 1836, On the temperature of the Earth's surface during the Tertiary Period: *The Edinburgh New Philosophical Journal*, v. 21, p. 206-209.
- Beck, C., 1978, Breeding the West African dwarf crocodile at Memphis Zoo: 1978 International Zoo Yearbook, v. 18, p. 89-91.
- Behrensmeyer, A. K., 1982, Time resolution in fluvial vertebrate assemblages: *Paleobiology*, v. 8, p. 211-227.
- Behrensmeyer, A. K., 1991, Terrestrial vertebrate accumulations, *in* P. A. Allison, and D. E. G. Briggs, eds., *Taphonomy: releasing the data locked in the fossil record: Topics in Geobiology*. Volume 9, New York, Plenum Press, p. 291-335.
- Behrensmeyer, A. K., and R. E. Chapman, 1993, Models and simulations of time-averaging in terrestrial vertebrate accumulations, *in* S. M. Kidwell, and A. K. Behrensmeyer, eds., *Taphonomic approaches to time resolution in fossil assemblages: Short courses in paleontology*. Number 6, Knoxville, The University of Tennessee, p. 125-149.
- Behrensmeyer, A. K., J. D. Damuth, W. A. DiMichele, R. Potts, H.-D. Sues, and S. L. Wing, eds., 1992, *Terrestrial Ecosystems through Time, Evolutionary Paleoecology of Terrestrial Plants and Animals*, Chicago, The University of Chicago Press, 568 p.

- Behrensmeyer, A. K., and R. W. Hook, 1992, Paleoenvironmental contexts and taphonomic modes, *in* A. K. Behrensmeyer, J. D. Damuth, W. A. DiMichele, R. Potts, H.-D. Sues, and S. L. Wing, eds., *Terrestrial ecosystems through Time. Evolutionary paleoecology of terrestrial plants and animals*, Chicago, The University of Chicago Press, p. 15-136.
- Behrensmeyer, A. K., D. Western, and D. E. D. Boaz, 1979, New perspectives in vertebrate paleoecology from a recent bone assemblage: *Paleobiology*, v. 5, p. 12-21.
- Bellairs, A., 1970, *The life of reptiles*: New York, Universe Books, 590 p.
- Belyaeva, Y. I., 1962, Catalogue of Tertiary fossil sites of land mammals in the U.S.S.R.: Washington, D.C., The American Geological Institute, 114 p.
- Bennett, A. F., and J. A. Ruben, 1979, Endothermy and activity in vertebrates: *Science*, v. 206, p. 649-654.
- Benton, M. J., 1985, Patterns in the diversification of Mesozoic non-marine tetrapods and problems in historical diversity analysis: *Special Papers in Palaeontology*, v. 33, p. 185-202.
- Benton, M. J., and J. M. Clark, 1988, Archosaur phylogeny and the relationships of the Crocodylia, *in* M. J. Benton, ed., *The Phylogeny and Classification of the Tetrapods, Volume 1: Amphibians, Reptiles, Birds: Systematics Association Special Volume*, Oxford, Clarendon Press, p. 295-338.
- Berg, D. E., 1965, Krokodile als Klimazeugen: *Geologische Rundschau*, v. 54, p. 328-333.
- Berggren, W. A., D. V. Kent, J. J. Flynn, and J. A. V. Couvering, 1985, Cenozoic geochronology: *Bulletin of the Geological Society of America*, v. 96, p. 1407-1418.
- Betzer, P. R., K. L. Carder, R. A. Duce, J. T. Merrill, N. W. Tindale, M. Uematsu, D. K. Costello, R. W. Young, R. A. Feely, J. A. Breland, R. E. Bernstein, and A. M. Greco, 1988, Long-range transport of giant mineral aerosol particles: *Nature*, v. 336, p. 568-571.
- Bilello, M. A., 1961, Formation, growth, and decay of sea-ice in the Canadian Arctic Archipelago: *Arctic*, v. 14, p. 3-24.
- Birkenmajer, K., 1987, Tertiary glaciation in the South Shetland Islands, West Antarctica: evaluation of data, *in* M. R. A. Thomson, J. A. Crame, and J. W. Thomson, eds., *Geological Evolution of Antarctica*, Cambridge, Cambridge University Press, p. 629-632.
- Birkenmajer, K., J. Fedorowski, and W. Smulikowski, 1972, Igneous and fossiliferous sedimentary drift pebbles in marine Tertiary of Torell Land, Spitsbergen: *Norsk Polarinstitutt Årbok*, v. 1970, p. 146-165.

- Birkenmajer, K., E. S. Jr., and K. Kawashita, 1989, Geochronology of Tertiary glaciations on King George Island, West Antarctica: Bulletin of the Polish Academy of Sciences Earth Sciences, v. 37, p. 27-48.
- Birkenmajer, K., and W. Narebski, 1963, Dolerite drift blocks in marine Tertiary of Sørkapp Land and some remarks on the geology of the eastern part of this area: Norsk Polarinstitutt Årbok, v. 1962, p. 68-79.
- Bischoff, J. L., J. A. Fitzpatrick, and R. J. Rosenbauer, 1993, The solubility and stabilization of ikaite ($\text{CaCO}_3 \cdot 6\text{H}_2\text{O}$) from 0° to 25°C : environmental and paleoclimatic implication for thinolite tufa: The Journal of Geology, v. 101, p. 21-33.
- Bjørlykke, K., 1985, Glaciations, preservation of their sedimentary record and sea level changes - A discussion based on the Late Precambrian and lower Palaeozoic sequence in Norway: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 51, p. 197-207.
- Blake, D. K., and J. P. Loveridge, 1975, The role of commercial crocodile farming in crocodile conservation: Biological Conservation, v. 8, p. 261-272.
- BMR, P. G., 1990, Australia: evolution of a continent: Canberra, Bureau of Mineral Resources, 97 p.
- Bogert, C. M., 1959, How reptiles regulate body temperature: Scientific American, v. 200, p. 105-120.
- Boggs Jr., S., 1972, Petrography and geochemistry of rhombic, calcite pseudomorphs from mid-Tertiary mudstones of the Pacific Northwest, U.S.A.: Sedimentology, v. 19, p. 219-235.
- Bonney, R. T. G., 1872, On the Upper Greensand or Chloritic Marl of Cambridgeshire: Proceedings of the Geological Association, v. 3, p. 1-20.
- Bonney, R. T. G., 1873, On the occurrence of a quartzite boulder in a coal-seam in South Staffordshire: The Geological Magazine, v. 109, p. 289-291.
- Bottjer, D. J., and D. Jablonski, 1988, Paleoenvironmental patterns in the evolution of post-Paleozoic benthic marine invertebrates: Palaios, v. 3, p. 540-560.
- Bouchardy, C., and F. Moutou, 1989, Observing British and European mammals: London, British Museum (Natural History), 240 p.
- Boulter, M. C., and H. C. Fisher, 1994, Cenozoic plants and climates of the Arctic, NATO ASI Series, Berlin, Springer-Verlag, 401 p.
- Boulton, G. S., and M. Deynoux, 1981, Sedimentation in glacial environments and the identification of tills and tillites in ancient sedimentary sequences: Precambrian Research, v. 15, p. 397-422.

- Bowler, J. K., 1977, Longevity of Reptiles and Amphibians in North American Collections as of 1 November, 1975, The Society for the Study of Amphibians and Reptiles, 32 p.
- Branch, B., 1988, Field guide to the snakes and other reptiles of southern Africa: London, New Holland, 328 p.
- Brandt, K., 1986, Glacioeustatic cycles in the Early Jurassic?: Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1986, p. 257-274.
- Brass, G. W., J. R. Southam, and W. H. Peterson, 1982, Warm saline bottom water in the ancient ocean: Nature, v. 296, p. 620-623.
- Brattstrom, B. H., 1965, Body Temperatures of reptiles: The American Midland Naturalist, v. 73, p. 376-422.
- Brisbin Jr., I. L., E. A. Standora, and M. J. Vargo, 1982, Body temperatures and behavior of American alligators during cold winter weather: The American Midland Naturalist, v. 107, p. 209-218.
- Brodzikowski, K., and A. J. v. Loon, 1991, Glacigenic sediments: Developments in Sedimentology, v. 49: Amsterdam, Elsevier, 674 p.
- Broom, R., 1911, On the occurrence of water-worn pebbles in the Lower Beaufort Shales: Transactions of the Geological Society of South Africa, v. 14, p. 84-86.
- Brown, H. Y. L., 1885, Report on the geological character of country passed over from Port Augusta to Eucla: Adelaide, C.E. Bristow, 7 p.
- Brown, H. Y. L., 1892a, Further geological examination of Leigh's Creek and Hergott districts: Adelaide, C.E Bristow, 2 p.
- Brown, H. Y. L., 1892b, Report on country in neighborhood of Lake Eyre: Adelaide, C.E. Bristow, 5 p.
- Brown, H. Y. L., 1894, From Strangeways to Mount Paisley: Annual Report of the Government Geologist, p. 10.
- Brown, H. Y. L., 1895, Report on Northern Territory explorations: Adelaide, C.E. Bristow, 32 p.
- Brown, H. Y. L., 1898a, Government Geologists report on explorations in western part of South Australia: Adelaide, C.E. Bristow, 6 p.
- Brown, H. Y. L., 1898b, Report on the explorations in the western part of South Australia: Parliamentary Paper, v. 56, p. 5.
- Brown, H. Y. L., 1905, Report on the Geological Explorations in the West and North West of South Australia: South Australia Government Paper: Adelaide, C.E. Bristow, 1-12 p.

- Brown, I. A., 1925, Notes on the occurrence of glendonites and glacial erratics in Upper Marine beds at Ulladulla, N.S.W.: The Proceedings of the Linnean Society of New South Wales, v. 50, p. 25-31.
- Brown, J. H., 1995, Macroecology: Chicago, The University of Chicago Press, 269 p.
- Bruce, P. C., 1995, Resampling Stats. The "New Statistics", Arlington, VA, Resampling Stats, Inc.
- Buchardt, B., and P. Fritz, 1980, Environmental isotopes as environmental and climatological indicators, in P. Fritz, and J. C. Fontes, eds., Handbook of Environmental Isotope Geochemistry. Volume 1. The Terrestrial Environment, A., Amsterdam, Elsevier Scientific Publishing Company, p. 473-504.
- Buffetaut, E., 1988, The ziphodont mesosuchian crocodile from Messel: a reassessment: Courier Forschungsinstitut Senckenberg, v. 107, p. 211-221.
- Bull, J. J., 1987, Temperature-sensitive periods of sex determination in a lizard: similarities with turtles and crocodilians: The Journal of Experimental Zoology, v. 241, p. 143-148.
- Camuffo, D., 1987, Freezing of the Venetian Lagoon since the 9th century A.D. in comparison to the climate of western Europe and England: Climatic Change, v. 10, p. 43-66.
- Carr, P. F., B. G. Jones, and R. G. Middleton, 1989, Precursor and formation of glendonites in the Sydney Basin: Australian Mineralogist, v. 4, p. 3-12.
- Carr, S. G., J. G. Olivier, C. H. H. Conor, and D. C. Scott, 1979, Andamooka opal fields. The geology of the precious stones field and the results of the subsidised mining program: Department of Mines and Energy Geological Survey of South Australia Report of Investigation, v. 51, p. 1-68.
- Carroll, R. L., 1988, Vertebrate Paleontology and Evolution: New York, W.H. Freeman and Company, 698 p.
- Carter, R. M., S. T. Abbott, C. S. Fulthorpe, D. W. Haywick, and R. A. Henderson, 1991, Application of global sea-level and sequence-stratigraphic models in southern hemisphere Neogene strata from New Zealand: Special Publication of the International Association of Sedimentologists, v. 12, p. 41-65.
- Case, J. A., M. O. Woodburne, and F. S. Chaney, 1987, A gigantic phororhacoid (?) bird from Antarctica: Journal of Paleontology, v. 61, p. 1280-1284.
- Case, T. J., 1976, Seasonal aspects of thermoregulatory behavior in the chuckawalla, *Sauromalus obesus* (Reptilia, Lacertilia, Iguanidae): Journal of Herpetology, v. 10, p. 85-95.
- Cayeux, L., 1897, Contribution a l'étude micrographique des terrains sédimentaires. II. Craie du Bassin de Paris, Université de Lille.

- Cecioni, G. O., 1957, Cretaceous flysch and molasse in Departamento Ultima Esperanza, Magallanes Province, Chile: The American Association of Petroleum Geologists Bulletin, v. 41, p. 538-564.
- Chamberlin, T. C., 1906, On a possible reversal of deep-sea circulation and its influence on geological climates: The Journal of Geology, v. 14, p. 363-373.
- Charlesworth, J. K., 1957, The Quaternary Era with special reference to its glaciation, v. 1: London, Edward Arnold Ltd., 1700 p.
- Chatwin, C. P., 1960, British Regional Geology. The Hampshire Basin and Ajoining areas: London, Her Majesty's Stationary Office, 99 p.
- Chatwin, C. P., 1961, British Regional Geology. East Anglia and adjoining areas: London, Her Majesty's Stationary Office, 100 p.
- Chiappe, L. M., 1988, Un nuevo *Caiman* (Crocodylia, Alligatoridae) de la Formación Tremembé (Oligocene), Estado de São Paulo, Brasil, y su significado paleoclimático: Paula-Coutiana, v. 3, p. 49-66.
- Child, G., 1987, The management of crocodiles in Zimbabwe, in G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., Wildlife Management: Crocodiles and Alligators, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 49-62.
- Christie-Blick, N., G. S. Mountain, and K. G. Miller, 1989, Seismic stratigraphic record of sea-level change, Sea level change: Studies in Geophysics, Washington, D.C., p. 116-140.
- Chumakov, N. M., 1981, C7 Scattered stones in Mesozoic deposits of North Siberia, U.S.S.R., in M. J. Hambrey, and W. B. Harland, eds., Earth's pre-Pleistocene glacial record, Cambridge, Cambridge University Press, p. 264.
- Church, A. H., 1919, Weighing moorings: The Journal of Botany, v. 57, p. 35-37.
- Cihlar, J., L. St.-Laurent, and J. A. Dyer, 1991, Relation between the Normalized Difference Vegetation Index and ecological variables: Remote Sensing of Environment, v. 35, p. 279-298.
- Clark, D. L., and A. Hanson, 1983, Central Arctic Ocean sediment texture: a key to ice transport mechanisms, in B. F. Molnia, ed., Glacial-Marine Sedimentation, New York, Plenum Press, p. 301-330.
- Clark, J. M., 1986, Phylogenetic Relationship of the Crocodylomorph Archosaurs: Unpublished Doctor of Philosophy thesis, University of Chicago.
- Clarke, R. F., 1953, Alligator escapees in southeastern Virginia: Herpetologica, v. 9, p. 71-72.
- CLIMAP, 1976, The surface of the ice-age Earth: Science, v. 191, p. 1131-1137.

- Cockbain, A. E., and P. E. Playford, 1972, Stratigraphic nomenclature of Cretaceous rocks in the Perth Basin: Geological Survey of Western Australia Annual Report for the Year 1971, p. 26-31.
- Cogger, H. G., 1992, Reptiles and Amphibians of Australia: Cornell, Comstock, 775 p.
- Cogley, J. G., 1985, Hypsometry of the continents: Zeitschrift für Geomorphologie supplement, v. 53, p. 1-48.
- Colbert, E. H., 1953, The record of climatic changes as revealed by vertebrate paleoecology, in H. Shapley, ed., Climatic change: evidence, causes, and effects, Cambridge, Mass., Harvard University Press, p. 249-271.
- Colbert, E. H., 1964a, Climatic zonation and terrestrial faunas, in A. E. M. Nairn, ed., Problems in Palaeoclimatology, London, Interscience Publishers, p. 617-638.
- Colbert, E. H., 1964b, The relevance of palaeontological data concerning evidence of aridity and hot climates in past geologic ages, in A. E. M. Nairn, ed., Problems in Palaeoclimatology, London, Interscience Publishers, p. 378-381.
- Colbert, E. H., 1991, Mesozoic and Cainozoic tetrapod fossils from Antarctica, in R. J. Tingey, ed., The Geology of Antarctica, Oxford, Clarendon Press, p. 568-587.
- Colbert, E. H., R. B. Cowles, and C. M. Bogert, 1946, Temperature tolerances in the American alligator and their bearing on the habits, evolution, and extinction of the Dinosaurs: Bulletin of the American Museum of Natural History, v. 86, p. 327-374.
- Coleman, A. P., 1926, Ice Ages Recent and Ancient: New York, The Macmillan Company, 296 p.
- Conant, R., and J. T. Collins, 1991, A Field Guide to Reptiles and Amphibians: Boston, Houghton Mifflin Company, 450 p.
- Conybeare, W. D., 1829, Answer to Dr Fleming's view of the evidence from the animal kingdom, as to the former temperature of the northern regions: The Edinburgh New Philosophical Journal, v. 7, p. 142-152.
- Cook, F. R., 1984, Introduction to Canadian Amphibians and Reptiles: Ottawa, National Museums of Canada, 200 p.
- Corvinus, G., and Q. B. Hendey, 1978, A new Miocene vertebrate locality at Arrisdrift in South West Africa (Namibia): Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1978, p. 193-205.
- Cott, H. B., 1961, Scientific results of an inquiry into the ecology and economic status of the Nile Crocodile (*Crocodilus niloticus*) in Uganda and Northern Rhodesia: Transactions of the Zoological Society of London, v. 29, p. 211-356.
- Coulson, R. A., J. D. Herbert, and T. D. Coulson, 1989, Biochemistry and physiology of alligator metabolism *in vivo*: American Zoologist, v. 29, p. 921-934.

- Coulson, R. A., and T. Hernandez, 1964, Biochemistry of the Alligator. A Study of Metabolism in Slow Motion: Baton Rouge, Lousiana State University Press, 138 p.
- Coulson, T. D., R. A. Coulson, and T. Hernandez, 1973, Some observations on the growth of captive alligators: *Zoologica*, v. 58, p. 47-52.
- Cowles, R. B., and C. M. Bogert, 1944, A preliminary study of the thermal requirements of desert reptiles: *Bulletin of the American Museum of Natural History*, v. 83, p. 261-296.
- Crichton, A., 1825, On the climate of the antediluvian world, and its independence of solar influence; and on the formation of granite: *The Annals of Philosophy. New Series*, v. 9, p. 97-108, 207-217.
- Croll, J., 1875, Climate and Time in Their Geological Relations: A Theory of Secular Changes of the Earth's Climate: New York, D. Appleton and Company, 577 p.
- Crowell, J. C., 1957, Origin of pebbly mudstones: *Bulletin of the Geological Society of America*, v. 68, p. 993-1010.
- Crowell, J. C., and E. L. Winterer, 1953, Pebbley mudstones and tillites: *Geological Society of America Bulletin*, v. 64, p. 1502.
- Crowley, T. J., and G. R. North, 1991, Paleoclimatology: New York, Oxford University Press, 339 p.
- Currie, D. J., 1991, Energy and large-scale patterns of animal- and plant- species richness: *The American Naturalist*, v. 137, p. 27-49.
- Dalland, A., 1977, Erratic clasts in the Lower Tertiary of Svalbard - evidence of transport by winter ice: *Norsk Polarinstitutt Årbok*, v. 1976, p. 151-165.
- Daniel, J. C., 1983, The book of Indian reptiles: Bombay, Bombay Natural History Society, 141 p.
- Darby, D. G., and R. W. Ojakangas, 1980, Gastroliths from an Upper Cretaceous Plesiosaur: *Journal of Paleontology*, v. 54, p. 548-556.
- Darwin, C., 1839, Journal of researches into the geology and natural history of the various countries visited by H.M.S. Beagle: London, Henry Colburn, 496 p.
- Darwin, C., 1896, Journal of Researches into the Natural History and Geology of the Countries visited during the Voyage of H.M.S. Beagle round the World under the command of Capt. Fitz Roy, R.N.: New York, D. Appleton and Company, 519 p.
- David, T. W. E., 1907, Conditions of climate at different geological epochs, with special reference to glacial epochs: *Congrès Géologique International Compte Rendu*, 10th Session, Mexico 1906, p. 437-482.

- David, T. W. E., 1932, Explanatory Notes to accompany A New Geological Map of the Commonwealth of Australia: London, Edward Arnold & Co., 177 p.
- David, T. W. E., and T. G. Taylor, 1905, Occurrence of the pseudomorph glendonite in New South Wales: Records of the Geological Survey of New South Wales, v. 8, p. 161-172.
- Day, R. W., 1969, The Lower Cretaceous of the Great Artesian Basin, *in* K. S. W. Campbell, ed., Stratigraphy and Palaeontology. Essays in Honour of Dorothy Hill, Canberra, Australia, Australian National University Press, p. 140-173.
- Day, R. W., and G. W. Tweedale, 1960, Geology of Queensland. Cretaceous. The Great Artesian Basin. The South-eastern margin: Journal of the Geological Society of Australia, v. 7, p. 310-315.
- De Boer, P. L., 1982, Some remarks about the stable isotope composition of cyclic pelagic sediments from the Cretaceous in the Apennines (Italy), *in* S. O. Schlanger, and M. B. Cita, eds., Nature and origin of Cretaceous carbon-rich facies, London, Academic Press, p. 129-143.
- De Martius, C. F. P., 1825, On certain antediluvian plants susceptible of being illustrated by means of species now living within the tropics: The Edinburgh Philosophical Journal, v. 12, p. 270-281.
- Deeming, D. C., and M. W. J. Ferguson, 1989, The mechanism of temperature dependent sex determination in Crocodilians: A hypothesis: American Zoologist, v. 29, p. 973-985.
- Dettman, M. E., R. E. Molnar, J. G. Douglas, D. Burger, C. Fielding, H. T. Clifford, J. Francis, P. Jell, T. Rich, M. Wade, P. V. Rich, N. Pledge, A. Kemp, and A. Rozefelds, 1992, Australian Cretaceous terrestrial faunas and floras: biostratigraphic and biogeographic implications: Cretaceous Research, v. 13, p. 207-262.
- Dibley, G. E., 1910, Excursion to Merstham and Betchworth: Proceedings of the Geological Association, v. 21, p. 483-486.
- Dibley, G. E., 1918, Additional notes on the Chalk of the Medway Valley, Gravesend, west Kent, north-east Surrey, and Grays (Essex): Proceedings of the Geological Association, v. 29, p. 68-105.
- Diefenbach, C. O. D. C., 1975, Thermal preferences and thermoregulation in *Caiman crocodilus*: Copeia, v. 1975, p. 530-540.
- Dines, H. G., F. H. Edmunds, H. Dewey, C. J. Stubblefield, and C. P. Chatwin, 1933, The Geology of the country around Reigate and Dorking: Memoirs of the Geological Survey England and Wales, v. 286, 204 p.
- Ditchfield, P., and J. D. Marshall, 1989, Isotopic variation in rhythmically bedded chalks: paleotemperature variation in the Upper Cretaceous: Geology, v. 17, p. 842-845.

- Dixon, F., 1850, The Geology and Fossils of the Tertiary and Cretaceous Formations of Sussex: London, Longman, Brown, Green, and Longman, 423 p.
- Dodd, J. R., and R. J. Stanton, 1981, Paleoecology, concepts and applications: New York, John Wiley and Sons, 559 p.
- Domack, E. W., J. B. Anderson, and D. D. Kurtz, 1980, Clast shape as an indicator of transport and depositional mechanisms in glacial marine sediments: George V Continental Shelf, Antarctica: Journal of Sedimentary Petrology, v. 50, p. 813-820.
- Domack, E. W., L. A. Burkley, and C. R. Williams, 1989, Character of modern glacial marine sediments: Antarctic Peninsula and South Shetland Islands: Antarctic Journal of the United States, v. 24, p. 113-115.
- Donn, W. L., 1987, 20: Terrestrial climate change from the Triassic to Recent, in M. R. Rampino, J. E. Sanders, W. S. Newman, and L. K. Königsson, eds., Climate, History, Periodicity, and Predictability, New York, Van Nostrand Reinhold Company, p. 343-352.
- Dorr, J. A., 1964, Tertiary non-marine vertebrates in Alaska - the lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, p. 1198-1203.
- Dott, R. H., 1961, Squantum "Tillite", Massachusetts-evidence of glaciation or subaqueous mass movements: Geological Society of America Bulletin, v. 72, p. 1289-1306.
- Dott, R. H., 1963, Dynamics of subaqueous gravity depositional processes: The American Association of Petroleum Geologists Bulletin, v. 47, p. 194-128.
- Double, I. S., 1931, Some boulders from the Chalk of Betchworth, Surrey: The Geological Magazine, v. 68, p. 65-71.
- Douglas, J. G., and G. E. Williams, 1982, Southern polar forests: the Early Cretaceous floras of Victoria and their palaeoclimatic significance: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 39, p. 171-185.
- Dowdeswell, J. A., and E. K. Dowdeswell, 1989, Debris in icebergs and rates of glaci-marine sedimentation: observations from Spitsbergen and a simple model: The Journal of Geology, v. 97, p. 221-231.
- Dowdeswell, J. A., and J. D. Scourse, 1990, Glacimarine environments: processes and sediments, Geological SOciety Special Publication, London, The Geological Society, p. 423.
- Drake, J. J., and S. B. McCann, 1982, The movement of isolated boulders on tidal flats by ice floes: Canadian Journal of Earth Science, v. 19, p. 748-754.
- Drewry, D., 1986, Glacial Geologic Processes: London, Edward Arnold, 276 p.

- Drewry, D. J., 1983, Antarctica: glaciological and geophysical folio, Cambridge, Scott Polar Research Institute, University of Cambridge, 9 p.
- Drewry, D. J., and A. P. R. Cooper, 1981, Processes and models of Antarctic glaciomarine sedimentation: *Annals of Glaciology*, v. 2, p. 117-122.
- Dunn, R. W., 1981, Breeding the estuarine crocodile at Melbourne Zoo: 1981 International Zoo Yearbook, v. 21, p. 79-81.
- Edgar, G. J., 1987, Dispersal of faunal and floral propagules associated with drifting *Macrocystis pyrifera* plants: *Marine Biology*, v. 95, p. 599-610.
- Edmonds, E. A., M. C. McKeown, and M. Williams, 1975, British Regional Geology. South-West England: London, Her Majesty's Stationery Office, 136 p.
- Efimov, M. B., 1988, The fossil crocodiles and champsosaurids of Mongolia and USSR: The Joint Soviet-Mongolian Paleontological Expedition Transactions, v. 36, p. 1-105.
- Ehrmann, W. U., 1991, Implications of sediment composition on the southern Kerguelen Plateau for paleoclimate and depositional environment, in J. Barron, B. Larson, and e. al, eds., *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, Texas, Ocean Drilling Program, p. 185-210.
- Ehrmann, W. U., and A. Mackensen, 1992, Sedimentological evidence for the formation of an East Antarctic ice sheet in Eocene/Oligocene time: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 93, p. 85-112.
- Eisenberg, J. F., 1989, Mammals of the Neotropics. The northern Neotropics. Volume 1. Panama, Colombia, Venezuela, Guyana, Suriname, French Guiana.: Chicago, The University of Chicago Press, 449 p.
- Emery, K. O., 1941, Transportation of rock particles by sea-mammals: *Journal of Sedimentary Petrology*, v. 11, p. 92-93.
- Emery, K. O., 1955, Transportation of rocks by driftwood: *Journal of Sedimentary Petrology*, v. 25, p. 51-57.
- Emery, K. O., 1963, Organic transportation of marine sediments, in M. H. Hill, ed., *The Sea*, New York, Interscience, p. 776-790.
- Emery, K. O., and R. H. Tschudy, 1941, Transportation of rock by kelp: *Bulletin of the Geological Society of America*, v. 52, p. 855-862.
- Emiliani, C., and N. J. Shackleton, 1974, The Bruhnes Epoch: isotopic paleotemperatures and geochronology: *Science*, v. 183, p. 511-514.
- EndNote, 1990-1991, EndNote plus, Berkeley, CA, Niles and Associates, Inc.
- Epshteyn, O. G., 1978, Mesozoic - Cenozoic climates of northern Asia and glacial-marine deposits: *International Geology Review*, v. 20, p. 49-58.

- Epstein, S., R. Buchsbaum, H. Lowenstam, and H. C. Urey, 1951, Carbonate-water isotopic temperature scale: *Bulletin of the Geological Society of America*, v. 62, p. 417-426.
- Epstein, S., R. Buchsbaum, H. A. Lowenstam, and H. C. Urey, 1953, Revised carbonate-water isotopic temperature scale: *Bulletin of the Geological Society of America*, v. 64, p. 1315-1326.
- Epstein, S., and T. Mayeda, 1953, Variation of O¹⁸ content of waters from natural sources: *Geochimica et Cosmochimica Acta*, v. 4, p. 213-224.
- Esteban, M., and B. Sanchiz, 1986, Paleoclimatic inferences based on fossil ranids: *Studies in Herpetology*, p. 379-382.
- Estes, R., and J. H. Hutchison, 1980, Eocene lower vertebrates from Ellesmere Island, Canadian Arctic Archipelago: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 30, p. 325-347.
- Exon, N. F., and B. R. Senior, 1976, The Cretaceous of the Eromanga and Surat Basins: *Bureau of Mineral Research Journal of Australian Geology and Geophysics*, v. 1, p. 33-50.
- Eyles, N., 1993, Earth's glacial record and its tectonic setting: *Earth-Science Reviews*, v. 35, p. 1-248.
- Field, W. O., 1975, Mountain Glaciers of the Northern Hemisphere: Hanover, New Hampshire, American Geographical Society, p. 698 (v.1), 931 (v.2).
- Fleming, C. A., 1951, Sea Lions as geological agents: *Journal of Sedimentary Petrology*, v. 21, p. 22-25.
- Fleming, R. J., 1829, On the value of the evidence from the animal kingdom, tending to prove that the Arctic regions formerly enjoyed a milder climate than at present: *The Edinburgh New Philosophical Journal*, v. 6, p. 277-286.
- Fleming, R. J., 1830, Additional remarks on the climate of the Arctic regions, in answer to Mr Conybeare: *The Edinburgh New Philosophical Journal*, v. 8, p. 65-74.
- Flint, R. B., G.J.Ambrose, and K.S.W.Campbell, 1980, Fossiliferous Lower Devonian boulders in Cretaceous sediments of the Great Australian Basin: *Transactions of the Royal Society of South Australia*, v. 104, p. 57-65.
- Flint, R. F., 1971, *Glacial and Quaternary Geology*: New York, John Wiley and Sons, Inc., 892 p.
- Flint, R. F., J. E. Sanders, and J. Rodgers, 1960, Diamictite, a substitute term for symmictite: *Bulletin of the Geological Society of America*, v. 71, p. 1809-1810.

- Frakes, L., and P. Rich, 1982, Paleoclimatic setting and paleogeographic links of Australia in the Phanerozoic, *in* P. V. Rich, and E. M. Thompson, eds., The fossil vertebrates of Australia, Clayton, Victoria, Monash University Offset Printing Unit, p. 28-52.
- Frakes, L. A., 1979, Climates Through Geologic Time: Amsterdam, Elsevier Scientific Publishing Company, 310 p.
- Frakes, L. A., and J. E. Francis, 1988, A guide to Phanerozoic cold polar climates from high-latitude ice-rafting in the Cretaceous: *Nature*, v. 333, p. 547-549.
- Frakes, L. A., and J. E. Francis, 1990, Cretaceous Palaeoclimates, *in* R. N. Ginsburg, and B. Beaudoin, eds., Cretaceous Resources, Events and Rhythms, Netherlands, Kluwer Academic Publishers, p. 273-287.
- Frakes, L. A., J. E. Francis, and J. I. Syktus, 1992, Climate Modes of the Phanerozoic: Cambridge, Cambridge University Press, 274 p.
- Frakes, L. A., and A. A. Krassay, 1992, Discovery of probable ice-rafting in the Late Mesozoic of the Northern Territory and Queensland: *Australian Journal of Earth Science*, v. 39, p. 115-119.
- Francis, J. E., 1988, A 50-Million-year-old fossil forest from Strathcona Fiord, Ellesmere Island, Arctic Canada: evidence for a warm polar climate: *Arctic*, v. 41, p. 314-318.
- Gallois, R. W., 1965, British Regional Geology. The Wealden District: London, Her Majesty's Stationery Office, 101 p.
- Gary, M., R. M., and C. L. Wolf, 1972, Glossary of Geology: Washington, D.C., American Geological Institute, p. 805.
- Geitzenauer, K. R., S. V. Margolis, and D. S. Edwards, 1968, Evidence consistent with Eocene glaciation in a South Pacific Deep Sea sedimentary core: *Earth and Planetary Science Letters*, v. 4, p. 173-177.
- Gilbert, R., 1984, The movement of gravel by the alga *Fucus vesiculosus* (L.) on an Arctic intertidal flat: *Journal of Sedimentary Petrology*, v. 54, p. 463-468.
- Gilbert, R., 1990, Rafting in glacimarine environments, *in* J. A. Dowdeswell, and J. D. Scourse, eds., Glacimarine Environments : Processes and Sediments: Geological Society Special Publication, p. 105-120.
- Gilluly, J., 1949, Distribution of mountain building in geological time: *Bulletin of the Geological Society of America*, v. 60, p. 561-590.
- Gilluly, J., 1969, Geological perspective and the completeness of the geological record: *Geological Society of America Bulletin*, v. 80, p. 2303-2312.

- Godwin-Austin, R., 1858, On a boulder of granite found in the "White Chalk" near Croydon; and on the extraneous rocks from that formation: *Quarterly Journal of the Geological Society (London)*, v. 14, p. 252-266.
- Godwin-Austin, R., 1860, On the occurrence of a mass of coal in the Chalk of Kent: *Quarterly Journal of the Geological Society of London*, v. 16, p. 326-327.
- Gorzula, S., 1987, The management of crocodilians in Venezuela, *in* G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., *Wildlife Management: Crocodiles and Alligators*, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 91-101.
- Gottler, P. F., and R. D. Powell, 1989, Processes and deposits of iceberg rafting, Glacier Bay, Alaska: Abstracts with Program 1989. North Central Section Geological Society of America 23rd Annual Meeting, v. 21, p. 12.
- Gould, S. J., 1965, Is Uniformitarianism necessary?: *American Journal of Science*, v. 263, p. 223-228.
- Gow, A. J., and W. B. Tucker, 1990, Sea ice in the polar regions, *in* W. O. Smith Jr., ed., *Polar Oceanography: Part A. Physical Science*, San Diego, Academic Press, Inc., p. 47-122.
- Goward, S. N., and D. G. Dye, 1987, Evaluating North American net primary productivity with satellite observations: *Advances in Space Research*, v. 7, p. 165-174.
- Goward, S. N., C. J. Tucker, and D. G. Dye, 1985, North American vegetation patterns observed with the NOAA-7 advanced very high resolution radiometer: *Vegetatio*, v. 64, p. 3-14.
- Graham, R. W., 1986, Plant-animal interactions and Pleistocene extinctions, *in* D. K. Elliott, ed., *Dynamics of Extinction*, Wiley and Sons, Inc., p. 131-154.
- Grechin, V. I., 1981a, C2 Miocene ice-marine deposits of the Kakert Formation of western Kamchatka, U.S.S.R., *in* M. J. Hambrey, and W. B. Harland, eds., *Earth's pre-Pleistocene glacial record*, Cambridge, Cambridge University Press, p. 250-253.
- Grechin, V. I., 1981b, C5 Oligocene ice-marine deposits of the Utkholok Formation of western Kamchatka, U.S.S.R., *in* M. J. Hambrey, and W. B. Harland, eds., *Earth's pre-Pleistocene glacial record*, Cambridge, Cambridge University Press, p. 258-260.
- Greenough, G. B., 1834, Remarks on the theory of the elevation of mountains: *The Edinburgh New Philosophical Journal*, v. 34, p. 205-227.
- Greenwood, D. R., and S. L. Wing, 1995, Eocene continental climates and latitudinal temperature gradients: *Geology*, v. 23, p. 1044-1048.

- Gregory, J. T., 1955, Vertebrates in the geologic time scale, *in* A. Poldervaart, ed., Crust of the Earth: Geological Society of America Special Paper 62, Geological Society of America, p. 563-608.
- Grenard, S., 1991, Handbook of Alligators and Crocodiles: Malabar, Florida, Krieger Publishing Company, 210 p.
- Gresley, W. S., 1885, On the occurrence of quartzite boulders in a coal-seam in Leicestershire: The Geological Magazine, v. Dec.III, 2, p. 553-555.
- Grigg, G. C., and J. Alchin, 1976, The role of the cardiovascular system in thermoregulation of *Crocodylus johnstoni*: Physiological Zoölogy, v. 49, p. 24-36.
- Groombridge, B., 1987, The distribution and status of world crocodilians, *in* G. J. W. Webb, P. J. Whitehead, and S. C. Manolis, eds., Wildlife Management: Crocodiles and Alligators, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commision of the Northern Territory, p. 9-21.
- Grove, J. M., 1988, The Little Ice Age: London, Methuen, 498 p.
- Groves, A. W., 1931, The unroofing of the Dartmoor Granite and the distribution of its detritus in the sediments of southern England: Quarterly Journal of the Geological Society of London, v. 87, p. 63-96.
- Gustavson, T. C., 1990, Tertiary and Quaternary stratigraphy and vertebrate paleontology of parts of northwestern Texas and eastern New Mexico, Austin, Texas, Bureau of Economic Geology. The University of Texas at Austin, p. 1-128.
- Gyllenhaal, E. D., 1991, How accurately can paleo-precipitation and paleoclimatic change be interpreted from subaerial disconformities?: Unpublished Doctor of Philosophy Thesis, University of Chicago.
- Habicht, J. K. A., 1979, Paleoclimate, Paleomagnetism, and Continental Drift: AAPG Studies in Geology, v. 9: Tulsa, Oklahoma, The American Association of Petroleum Geologists, 31 p.
- Hagan, J. M., P. C. Smithson, and P. D. Doerr, 1983, Behavioral response of the American alligator to freezing weather: Journal of Herpetology, v. 17, p. 402-404.
- Hall, E. R., and K. R. Kelson, 1959, The Mammals of North America, New York, Ronald Press Co., 1083 p.
- Hambrey, M. J., W. U. Ehrmann, and B. Larsen, 1991, Cenozoic glacial record of the Prydz Bay continental shelf, East Antarctica, *in* J. Barron, B. Larsen, and e. al, eds., Proceedings of the Ocean Drilling Program, Scientific results, College Station, Texas, p. 77-132.
- Hambrey, M. J., and W. B. Harland, eds., 1981, Earth's Pre-Pleistocene Glacial Record: Cambridge, England, Cambridge University Press, 1004 p.

- Hambrey, M. J., B. Larsen, W. U. Ehrmann, and O. L. S. S. Party, 1989, Forty million years of Antarctic glacial history yielded by Leg 119 of the Ocean Drilling Program: *Polar Record*, v. 25, p. 99-106.
- Hancock, J. M., 1961, The Cretaceous System in Northern Ireland: *Quarterly Journal of the Geological Society of London*, v. 117, p. 11-36.
- Hancock, J. M., 1975, The petrology of the Chalk: *Proceedings of the Geological Association*, v. 86, p. 499-535.
- Hancock, J. M., 1989, Sea-level changes in the British region during the Late Cretaceous: *Proceedings of the Geological Association*, v. 100, p. 565-594.
- Hancock, J. M., and P. A. Scholle, 1975, Chalk of the North Sea, in A. W. Woodland, ed., *Petroleum and the Continental Shelf of North-West Europe*, New York, John Wiley & Sons, p. 413-427.
- Haq, B. U., 1991, Sequence stratigraphy, sea-level change, and significance for the deep sea: *Special Publication of the International Association of Sedimentology*, v. 12, p. 3-39.
- Haq, B. U., J. Hardenbol, and P. R. Vail, 1987, Chronology of fluctuating sea level since the Triassic: *Science*, v. 235, p. 1156-1167.
- Haq, B. U., J. Hardenbol, and P. R. Vail, 1988, Mesozoic and Cenozoic chronostratigraphy and cycles of sea-level change, in C. K. Wilgus, ed., *Sea-level Changes: An Integrated Approach*: SEPM Special Publication, Tulsa, Society of Economic Paleontologists and Mineralogists, p. 71-108.
- Hara, K., and F. Kikuchi, 1978, Breeding the West African dwarf crocodile at Ueno Zoo, Tokyo: 1978 International Zoo Yearbook, v. 18, p. 84-87.
- Harland, W. B., R. L. Armstrong, A. V. Cox, L. E. Craig, A. G. Smith, and D. G. Smith, 1990, *A Geologic Time Scale 1989*: Cambridge, Cambridge University Press, 263 p.
- Harrington, J. L., 1992, *Riding the Helix Express*: Salt Point, New York, Black Gryphon Press.
- Hawke, J. M., and D. J. Bourke, 1984, 2. Stratigraphy, in J. M. Hawke, and J.N.Cramsie, eds., *Contributions to the Geology of the Great Artesian Basin in New South Wales*: Geological Survey of New South Wales Bulletin, p. 23-124.
- Hawkes, L., 1943, The erratics of the Cambridge Greensand - their nature provenance and mode of transport: *Quarterly Journal of the Geological Society of London*, v. 99, p. 93-104.
- Hawkes, L., 1951, The erratics of the English Chalk: *Proceedings of the Geological Association*, v. 62, p. 257-268.

- Haycock, K., J. Roth, and J. Gagnon, 1992-1993, Statview: Berkeley, California, Abacus Concepts, Inc.
- Hayes-Odum, L. A., and D. Jones, 1993, Effects of drought on American alligators (*Alligator mississippiensis*) in Texas: The Texas Journal of Science, v. 45, p. 182-185.
- Hecht, M. K., and M. Archer, 1977, Presence of xiphodont crocodilians in the Tertiary and Pleistocene of Australia: Alcheringa, v. 1, p. 383-385.
- Heezen, B. C., and C. Hollister, 1964, Turbidity currents and glaciation, in A. E. M. Nairn, ed., Problems in Palaeoclimatology, London, Interscience Publishers, p. 99-109.
- Hibbard, C. W., 1960, An interpretation of Pliocene and Pleistocene climates in North America: Annual report of the Michigan Academy of Science, Arts, and Letters, v. 62, p. 5-30.
- Hicks, L. E., 1879, Bowlders in coal: The American Journal of Science and Arts, v. 117, p. 68-69.
- Hielkema, J. U., S. D. Prince, and W. L. Astle, 1987, Monitoring of global vegetation dynamics for assessment of primary productivity using NOAA Advanced Very High Resolution Radiometer: Advances in Space Research, v. 7, p. 81-88.
- Hollands, M., 1987, The management of crocodiles in Papua New Guinea, in G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., Wildlife Management: Crocodiles and Alligators, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 73-89.
- Horrell, M. A., 1991, Phytogeography and paleoclimatic interpretation of the Maestrichtian: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 86, p. 87-138.
- Hoskin, C. M., and S. M. Valencia, 1976, Sediment transported by ice-rafting in southcentral Alaska, in D. W. Hood, and D. C. Burrell, eds., Assessment of the Arctic Marine Environment: Selected Topics, Fairbanks, Institute of Marine Science, University of Alaska, p. 173-185.
- Hotton, N., 1980, An alternative to dinosaur endothermy. The happy wanderers, in R. D. K. Thomas, and E. C. Olson, eds., A cold look at the warm-blooded dinosaurs: American Association for the Advancement of Science Selected Symposium 28, p. 311-350.
- Hume, D. W. F., 1897, The Cretaceous strata of County Antrim: Quarterly Journal of the Geological Society of London, v. 53, p. 540-606.
- Hutchison, J. H., 1982, Turtle, crocodilian, and champsosaur diversity changes in the Cenozoic of the north-central region of western United States: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 37, p. 149-164.

- Hutchison, J. H., 1992, Western North American reptile and amphibian record across the Eocene/Oligocene boundary and its climatic implications, *in* D. R. Prothero, and W. A. Berggren, eds., Eocene-Oligocene climatic and biotic evolution, Princeton, Princeton University Press, p. 451-463.
- Hutton, J., 1989, Movements, home ranges, dispersal and the separation of size classes in Nile crocodiles: *American Zoologist*, v. 29, p. 1033-1049.
- Iordansky, N. N., 1973, The skull of the Crocodilia, *in* C. Gans, ed., Biology of the Reptilia. Volume 4. Morphology D., London, Academic Press, p. 201-262.
- Jablonski, D., 1986, Causes and consequences fo mass extinctions: a comparative approach, *in* D. K. Elliott, ed., Dynamics of Extinction, New York, John Wiley and Sons, p. 183-229.
- Jack, R. L., 1915, The geology and prospects of the region to the south of the Musgrave Ranges, and the geology of the western portion of the Great Artesian Basin: *Bulletin of the Geological Survey of South Australia*, v. 5, p. 1-53.
- Jack, R. L., 1931, Report on the geology of the region to the north and north-west of Tarcoola: *Bulletin of the Geological Survey of South Australia*, v. 15, p. 1-31.
- Jack, R. L., and R. Etheridge, 1892, The Geology and Palaeontology of Queensland and New Guinea, with Sixty-Eight Plates and a Geological Map of Queensland: Brisbane, James Charles Beal, 768 p.
- Janis, C. M., 1989, A climatic explanation for patterns of evolutionary diversity in ungulate mammals: *Palaeontology*, v. 32, p. 463-481.
- Janis, C. M., 1993, Tertiary mammal evolution in the context of changing climates, vegetation, and tectonic events: *Annual Review of Ecology and Systematics*, v. 24, p. 467-500.
- Jaquet, J. B., 1893, Report on White Cliffs Opal-field: *Annual Report of the Department of Mines and Agriculture*, v. 1892, p. 140-142.
- Jarvis, I., and A. S. Gale, 1984, The Late Cretaceous Transgression in the SW Anglo-Paris Basin: Stratigraphy of the Craie de Villedieu Formation: *Cretaceous Research*, v. 5, p. 195-224.
- Jarvis, I., and P. B. Woodroof, 1984, Stratigraphy of the Cenomanian and basal Turonian (Upper Cretaceous) between Branscombe and Seaton, SE Devon, England: *Proceedings of the Geological Association*, v. 95, p. 193-215.
- Jeans, C. V., D. Long, M. A. Hall, D. J. Bland, and C. Cornford, 1991, The geochemistry of the Plenus Marls at Dover, England: evidence of fluctuating oceanographic conditions and of glacial control during the development of the Cenomanian-Turonian $\delta^{13}\text{C}$ anomaly: *Geological Magazine*, v. 128, p. 603-632.

- Jenkyns, H. C., 1980, Cretaceous anoxic events: from continents to oceans: *Journal of the Geological Society, London*, v. 137, p. 171-188.
- Jerzykiewicz, T., and D. A. Russell, 1991, Late Mesozoic stratigraphy and vertebrates of the Gobi Basin: *Cretaceous Research*, v. 12, p. 345-377.
- Joanen, T., and L. McNease, 1979, Culture of the American alligator: *International Zoo Yearbook*, v. 19, p. 61-66.
- Joanen, T., L. McNease, and M. W. J. Ferguson, 1987, The effects of egg incubation temperature on post-hatching growth of American Alligator, in G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., *Wildlife Management: Crocodiles and Alligators*, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 533-537.
- Joanen, T., and L. L. McNease, 1989, Ecology and physiology of nesting and early development of the American alligator: *American Zoologist*, v. 29, p. 987-998.
- Johnson, C. R., 1973, Behaviour of the Australian crocodiles, *Crocodylus johnstoni* and *C. porosus*: *Zoological Journal of the Linnean Society*, v. 52, p. 315-336.
- Johnson, C. R., 1974, Thermoregulation in crocodilians - I. Head-body temperature control in the Papuan-New Guinean crocodiles, *Crocodylus novaeguineae* and *Crocodylus porosus*: *Comparative Biochemistry and Physiology*, v. 49A, p. 3-28.
- Johnson, C. R., W. G. Voigt, and E. N. Smith, 1978, Thermoregulation in crocodilians - III. Thermal preferenda, voluntary maxima, and heating and cooling rates in the American alligator, *Alligator mississippiensis*: *Zoological Journal of the Linnean Society*, v. 62, p. 179-188.
- Johnson, C. R., G. J. W. Webb, and C. Tanner, 1976, Thermoregulation in crocodilians - II. A telemetric study of body temperature in the Australian crocodiles, *Crocodylus johnstoni* and *Crocodylus porosus*: *Comparative Biochemistry and Physiology*, v. 53A, p. 143-146.
- Jordan, R. R., and R. V. Smith, 1983, Atlantic Coastal Plain: Correlation of stratigraphic units of North America (COSUNA) project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Jukes-Browne, A. J., and W. Hill, 1887, On the lower part of the Upper Cretaceous Series in west Suffolk and Norfolk: *Quarterly Journal of the Geological Society of London*, v. 43, p. 544-598.
- Jukes-Browne, A. J., and W. Hill, 1903, The Cretaceous rocks of Britain. Vol. II. - The Lower Chalk of England: *Memoirs of the Geological Survey of the United Kingdom*: London, Wyman and Sons, 568 p.

- Jutard, G., and B. P. Plauchut, 1973, Cretaceous and Tertiary stratigraphy northern Banks Island, *in* J. D. Aitken, and D. J. Glass, eds., GAC-CSPG Proceedings of the Symposium on the Geology of the Canadian Arctic, Saskatoon, GAC-CSPG, p. 203-219.
- Kaever, M., 1974, Agglutinated foraminifera and other epizoans from an erratic boulder in the Turonian of south-eastern Münsterland (Westphalia, Germany): *Neues Jahrbuch fuer Geologie und Paläontologie Abhandlungen*, v. 146, p. 179-194.
- Kaplan, M. E., 1978, Calcite pseudomorphoses in Jurassic and Lower Cretaceous deposits of the northern area of Eastern Siberia: *Soviet Geology and Geophysics*, v. 19, p. 49-56.
- Kaplan, M. Y., 1977, Calcite pseudomorphs in sedimentary rocks and their paleogeographic significance: *Dokady Akademii Nauk SSSR*, v. 237, p. 167-169.
- Keller, G., T. Herbert, R. Dorsey, S. D'Hondt, M. Johnsson, and W. R. Chi, 1987, Global distribution of late Paleogene hiatuses: *Geology*, v. 15, p. 199-203.
- Kempema, E. W., E. Reimnitz, and P. W. Barnes, 1989, Sea ice sediment entrainment and rafting in the Arctic: *Journal of Sedimentary Petrology*, v. 59, p. 308-317.
- Kemper, E., 1983, Über Kalt- und Warmzeiten der Unterkreide: *Zitteliana*, v. 10, p. 359-369.
- Kemper, E., 1987, Das Klima der Kreide-Zeit: *Geologisches Jahrbuch*, v. A96, p. 5-185.
- Kemper, E., and H. H. Schmitz, 1975, Stellate nodules from the Upper Deer Bay Formation (Valanginian) of arctic Canada: *Geological Survey of Canada Paper*, v. 75-1C, p. 109-119.
- Kemper, V. E., and H. H. Schmitz, 1981, Glendonite - Indikatoren des polarmarinen Ablagerungsmilieus: *Geologische Rundschau*, v. 70, p. 759-773.
- Kennedy, W. J., and R. E. Garrison, 1975, Morphology and genesis of nodular chalks and hardgrounds in the upper Cretaceous of southern England: *Sedimentology*, v. 22, p. 311-386.
- Kennedy, W. J., and P. Juignet, 1974, Carbonate banks and slump beds in the Upper Cretaceous (Upper Turonian-Santonian) of Haute Normandie, France: *Sedimentology*, v. 21, p. 1-42.
- Kidwell, S. M., and A. K. Behrensmeyer, eds., 1993, Taphonomic approaches to time resolution in fossil assemblages: Short courses in paleontology. Number 6, Knoxville, The Univeristy of Tennessee, 302 p.
- King, F. W., and J. S. Dobbs, 1975, Crocodilian propagation in American zoos and aquaria: *International Zoo Yearbook*, v. 15, p. 272-277.
- Kingdon, J., 1990, Arabian Mammals. A Natural History: London, Academic Press, 279 p.

- Kirk, R. L., and L. Hogben, 1946, Studies on temperature regulation. II. Amphibia and Reptiles: *Journal of Experimental Biology*, v. 22, p. 213-220.
- Kirkaldy, J. F., 1947, The provenance of the pebbles in the Lower Cretaceous rocks: *Proceedings of the Geological Association*, v. 58, p. 223-241.
- Kitts, D. B., 1963, The Theory of Geology, *in* C. C. Albritton, ed., *The Fabric of Geology*, Stanford, Freeman, Cooper, & Company, p. 49-68.
- Koch, C. F., 1978, Bias in the published fossil record: *Paleobiology*, v. 4, p. 367-372.
- Kolosov, A. S., A. M. Pustyl'nikov, and V. P. Fedin, 1974, Precipitation of glauberite and conditions of deposition of glauberite-bearing sediments in the Kara Bogaz Gol: *Dokaldy Akademii Nauk SSSR*, v. 219, p. 184-186.
- Korobkov, I. A., 1963, The Eocene-Oligocene boundary: *International Geology Review*, v. 5, p. 321-330.
- Krieg, G. W., 1986, Stratigraphy and tectonics of the Dalhousie Anticline, southwest Eromanga Basin: *Geological Society of Australia Special Publication*, v. 12, p. 175-182.
- Kutzbach, J. E., 1985, Modeling of paleoclimates: *Advances in Geophysics*, v. 28, p. 159-196.
- Kutzbach, J. E., P. J. Guetter, W. F. Ruddiman, and W. L. Prell, 1989, Sensitivity of climate to late Cenozoic uplift in southern Asia and the American West: numerical experiments: *Journal of Geophysical Research*, v. 94, p. 18393-18407.
- Kuvaas, B., and G. Leitchenkov, 1992, Glaciomarine turbidite and current controlled deposits in Prydz Bay, Antarctica: *Marine Geology*, v. 108, p. 365-381.
- Lamb, H. H., 1982, *Climate History and the Modern World*: London, Methuen & Co. Ltd., 387 p.
- Lamb, H. H., 1985, *Climate History and the Future*, v. 2: Princeton, New Jersey, Princeton University Press, 835 p.
- Lamolda, M. A., A. Gorostidi, and C. R. C. Paul, 1994, Quantitative estimates of calcareous nannofossil changes across the Plenus Marls (latest Cenomanian), Dover, England: implications for the generation of the Cenomanian-Turonian boundary event: *Cretaceous Research*, v. 15, p. 143-164.
- Lang, J. W., 1979, Thermophilic response of the American alligator and the American crocodile to feeding: *Copeia*, v. 1979, p. 48-59.

- Lang, J. W., 1987a, Crocodilian behaviour: Implications for management, in G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., *Wildlife Management: Crocodiles and Alligators*, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commision of the Northern Territory, p. 273-294.
- Lang, J. W., 1987b, Crocodilian thermal selection, in G. J. W. Webb, S. C. Manolis, and P. J. Whitehead, eds., *Wildlife Management: Crocodiles and Alligators*, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 301-317.
- Lang, J. W., H. Andrews, and R. Whitaker, 1989, Sex determination and sex ratios in *Crocodylus palustris*: *American Zoologist*, v. 29, p. 935-952.
- Langston, W., 1973, The crocodilian skull in historical perspective, in C. Gans, ed., *Biology of the Reptilia*. Volume 4. Morphology D, London, Academic Press, p. 263-284.
- Langston, W., 1975, Ziphodont crocodiles: *Pristichampsus vorax* (Troxell), new combination, from the Eocene of North America: *Fieldiana. Geology*, v. 33, p. 291-314.
- Latham, R. E., and R. E. Ricklefs, 1993, Global patterns of tree species richness in moist forests: energy-diversity theory does not account for variation in species richness: *OIKOS*, v. 67, p. 325-333.
- Leckie, D. A., and R. J. Cheel, 1989, The Cypress Hills Formatin (Upper Eocene to Miocene): a semi-arid braidplain deposit resulting from intrucive uplift: *Canadian Journal of Earth Science*, v. 26, p. 1918-1931.
- Leite, M. B., and B. H. Breithaupt, 1990, Taphonomy of alligator ponds in the Florida Everglades and the fossil record: *Journal of Vertebrate Paleontology*, v. 10.
- Lieth, H., and R. H. Whittaker, 1975, Primary productivity of the biosphere, *Ecological Studies*, New York, Springer-Verlag, p. 339.
- Lindgrén, S., and J. Neumann, 1982, Crossings of ice-bound sea surfaces in history: *Climatic Change*, v. 4, p. 71-97.
- Lisitzin, A. P., 1958, Types of marine sediments connected with the activity of ice: *Proceedings of the Academy of Sciences of the USSR. Geological Sciences Sections*, v. 118, p. 45-47.
- Liu, Y., and R. A. Gastaldo, 1992, Characteristics and provenance of log-transported gravels in a Carboniferous channel deposit: *Journal of Sedimentary Petrology*, v. 62, p. 1072-1083.
- Lloyd, C. R., 1984, Pre-Pleistocene paleoclimates: The geological and paleontological evidence; modeling strategies, boundary conditions, and some preliminary results: *Advances in Geophysics*, v. 26, p. 35-139.

- Long, D. G. F., 1991, A non-glacial origin for the Ordovician (Middle Caradocian) Cosquer Formation, Veryarc'h, Crozon Peninsula, Brittany, France: Geological Journal, v. 26, p. 279-293.
- Lottes, A. L., and A. M. Ziegler, 1994, World peat occurrence and the seasonality of climate and vegetation: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 106, p. 23-37.
- Lowry, D. C., 1970, Geology of the western Australian part of the Eucla Basin: Geological Survey of Western Australia Bulletin, v. 122, p. 1-201.
- Ludbrook, N. H., 1966, Cretaceous Biostratigraphy of the Great Artesian Basin in South Australia: Geological Survey of South Australia Bulletin, v. 40, p. 1-223.
- Lundelius, E. L., Jr., 1983, Climatic implications of Late Pleistocene and Holocene faunal associations in Australia: Alcheringa, v. 7, p. 125-149.
- Lüning, K., 1990, Seaweeds Their Environment, Biogeography, and Ecophysiology: New York, John Wiley & Sons, Inc., 527 p.
- Lyell, C., 1830, Principles of Geology, being an Attempt to explain the Former Changes of the Earth's Surface, by Reference to Causes now in operation, v. 1: London, John Murray, 511 p.
- Lyell, C., 1837, Principles of Geology: being an Inquiry how far the Former Changes of the Earth's Surface are referable to Causes now in operation, v. 1: Philadelphia, James Kay, Jun. & brother, 546 p.
- Lyell, C., 1841, Elements of Geology, v. 1: London, John Murray, 437 p.
- Lyell, S. C., 1872, Principles of Geology or the Modern Changes of the Earth and its Inhabitants considered as illustrative of Geology: New York, D. Appleton, 671 p.
- Macellari, C. E., 1988, Stratigraphy, sedimentology, and paleoecology of Upper Cretaceous/Paleocene shelf-deltaic sediments of Seymour Island: Geological Society of America Memoir, v. 169, p. 25-53.
- MacGinitie, H. D., 1969, The Eocene Green River flora of northwestern Colorado and northeastern Utah: University of California Publications in Geological Sciences, v. 83, p. 1-202.
- Mackensen, A., and W. U. Ehrmann, 1992, Middle Eocene through Early Oligocene climate history and paleceanography in the Southern Ocean: stable oxygen and carbon isotopes from ODP Sites on Maud Rise and Kerguelen Plateau: Marine Geology, v. 108, p. 1-27.
- Mantell, G., 1833, The Geology of the South-East of England: London, Longman, Rees, Ormew, Brown, Green, & Longman, 415 p.
- Markham, W. E., 1986, The ice cover, *in* I. P. Martini, ed., Canadian Inland Seas, Amsterdam, Elsevier, p. 101-116.

- Markwick, P. J., 1992, Fossil crocodilian distributions, Upper Cretaceous to present: implications for paleoclimate: Fifth North American Paleontological Convention. Abstracts and Program, p. 198.
- Markwick, P. J., 1993a, Crocodilian diversity and distributional responses to climate changes over the last 100 Ma: GSA Abstracts with Programs, v. 25, p. 65.
- Markwick, P. J., 1993b, Fossil crocodilian distributions and the influence of biases on the geological record of Paleoclimate: 1993 SEPM Meeting Abstracts with Program. Stratigraphic Record of Global Change, p. 36.
- Markwick, P. J., 1993, Unpublished, The Vertebrate Database User's Manual, V.3.0, 260 p.
- Markwick, P. J., 1994a, Crocodilian distribution and diversity across the KT boundary event: mass extinction restricted-Tertiary boundary. Implications for climatically induced extinction.: Geological Society of America, Abstracts with Programs, v. 26, p. 395.
- Markwick, P. J., 1994b, 'Equability', continentality and Tertiary 'climate': the crocodilian perspective: Geology, v.22, p. 613-616.
- Markwick, P. J., and Rowley, D. B., In Press, The Geological evidence for Triassic to Pleistocene glaciations: implications for eustacy, *in* J. Pindell, SEPM Special Publication.
- Martin, E. A., 1897, Foreign boulders in the Chalk: The Geological Magazine, v. 4, p. 169-170.
- Matthew, W. D., 1915, Climate and Evolution: Annals of the New York Academy of Science, v. 24, p. 171-318.
- Matthews, R. K., 1984, Oxygen isotope record of ice-volume history: 100 million years of glacio-eustatic sea-level fluctuation, *in* J. S. Schlee, ed., Interregional Unconformities and Hydrocarbon Accumulation, Tulsa, Oklahoma, The American Association of Petroleum Geologists, p. 97-107.
- Matthews, R. K., and R. Z. Poore, 1980, Tertiary $\delta^{18}\text{O}$ record and glacioeustatic sea-level fluctuations: Geology, v. 8, p. 501-504.
- Maxwell, W. D., and M. J. Benton, 1990, Historical tests of the absolute completeness of the fossil record of tetrapods: Paleobiology, v. 16, p. 322-335.
- McKenna, M. C., 1980, Eocene paleolatitude, climate, and mammals of Ellesmere Island: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 30, p. 349-362.

- Mckirdy, D. M., J. K. Emmett, B. A. Mooney, R. E. Cox, and B. L. Watson, 1986, Organic geochemical facies of the Cretaceous Bulldog Shale, western Eromanga Basin, South Australia: Geological Society of Australia Special Publication, v. 12, p. 287-304.
- Melankholina, E. N., 1981a, C3 Scattered stones in the Neogene Maruyama Formation of Sakhalin Island, U.S.S.R., *in* M. J. Hambrey, and W. B. Harland, eds., Earth's Pre-Pleistocene Glacial Record, Cambridge, Cambridge University Press, p. 254-255.
- Melankholina, E. N., 1981b, C6 Scattered stones in the Palaeogene Takaradai Formation of Sakhalin Island, U.S.S.R., *in* M. J. Hambrey, and W. B. Harland, eds., Earth's Pre-Pleistocene Glacial Record, Cambridge, Cambridge University Press, p. 261-263.
- Menard, H. W., 1953, Pleistocene and recent sediment from the floor of the northeastern Pacific Ocean: Bulletin of the Geological Society of America, v. 64, p. 1279-1294.
- Middleton, G. V., and M. A. Hampton, 1973, Sediment gravity flows: mechanics of flow and deposition, *in* G. V. Middleton, and A. H. Bouma, eds., Turbidites and deep-water sedimentation: Society of Economic Paleontologists and Mineralogists Short Course, Los Angeles, Pacific Section, Society of Economic Petrologists and Mineralogists, p. 1-38.
- Miller, H. W., 1956, Correlation of Paleocene and Eocene formations and Cretaceous-Paleocene boundary in New Jersey: American Association of Petroleum Geologists Bulletin, v. 40, p. 722-736.
- Miller, K. G., 1992, Middle Eocene to Oligocene stable isotopes, climate, and deep-water history: the terminal Eocene event?, *in* D. R. Prothero, and W. A. Berggren, eds., Eocene-Oligocene Climatic and Biotic Evolution, Princeton, Princeton University Press, p. 160-177.
- Miller, K. G., and R. G. Fairbanks, 1985, Cenozoic $\delta_{18}\text{O}$ record of climate and sea level: South African Journal of Science, v. 81, p. 248.
- Miller, K. G., R. G. Fairbanks, and G. S. Mountain, 1987, Tertiary oxygen isotope synthesis, sea level history, and continental margin erosion: Paleoceanography, v. 2, p. 1-19.
- Miller, K. G., P. R. Thompson, and D. V. Kent, 1993, Intergrated Late Eocene-Oligocene stratigraphy of the Alabama coastal plain: correlation of hiatuses and stratal surfaces to glacioeustatic lowerings: Paleoceanography, v. 8, p. 313-331.
- Mix, A. C., and R. G. Ruddiman, 1984, Oxygen isotope analysis and Pleistocene ice volumes: Quaternary Research, v. 21, p. 1-20.

- Molenaar, C. M., 1988, Depositional History and seismic stratigraphy of Lower Cretaceous rocks in the National Petroleum Reserve in Alaska and adjacent areas, *in* G. Gryc, ed., Geology and Exploration of the National Petroleum Reserve in Alaska, 1974 to 1982: U.S. Geological Survey Professional Paper, Washington, United States Government Printing Office, p. 593-621.
- Molenaar, C. M., K. J. Bird, and A. R. Kirk, 1988, Cretaceous and Tertiary stratigraphy of northeastern Alaska, *in* I. Tailleur, and P. Weimer, eds., Alaskan North Slope Geology, Bakersfield, California and Anchorage, Alaska, The Pacific Section, Society of Economic Paleontologists and Mineralogists, and The Alaska Geological Society, p. 513-528.
- Molnar, R., 1982, Australian Mesozoic reptiles, *in* P. V. Rich, and E. M. Thompson, eds., The Fossil Vertebrates of Australia, Clayton, Victoria, Monash University Offset Printing Unit, p. 169-225.
- Molnar, R. E., 1980, Procoelous crocodile from Lower Cretaceous of Lightning Ridge: Memoirs of the Queensland Museum, v. 20, p. 65-75.
- Molnia, B. F., 1983, Distal glacial-marine sedimentation: abundance, composition, and distribution of North Atlantic Ocean Pleistocene ice-rafted sediment, *in* B. F. Molnia, ed., Glacial-Marine Sedimentation, New York, Plenum Press, p. 593-626.
- Moore, C., 1870, Australian Mesozoic geology and palaeontology: Quarterly Journal of the Geological Society of London, v. 26, p. 226-260.
- Moore, P. S., and G. M. Pitt, 1985, Cretaceous subsurface stratigraphy of the southwestern Eromanga Basin: a review: Special Publication, South Australia Department of Mines and Energy, v. 5, p. 269-286.
- Morgan, G. S., 1986, The so-called giant Miocene dolphin *Megalodelphis magnidens* Kellogg (Mammalia: Cetacea) is actually a crocodile (Reptilia: Crocodilia): Journal of Paleontology, v. 60, p. 411-417.
- Morgan, G. S., R. Franz, and R. I. Crombie, 1993, The cuban crocodile, *Crocodylus rhombifer*, from Late Quaternary fossil deposits on Grand Cayman: Caribbean Journal of Science, v. 29, p. 153-164.
- Mull, C. G., 1987, Kemik sandstone, Arctic National Wildlife Refuge, northeastern Alaska, *in* I. Tailleur, and P. Weimer, eds., Alaskan North Slope Geology, Bakersfield, CA & Anchorage, AL, The Pacific section, Society of Economic Paleontologists and Mineralogists and The Alaskan Geological Society, p. 405-431.
- Müller, M. J., 1982, Selected Climatic Data for a Global Set of Standard Stations for Vegetation Science: The Hague, Dr W. Junk Publishers, 306 p.
- Nagy, J., 1966, Preliminary report on the geology of Eastern Torell Land, Vestspitsbergen: Norsk Polarinstitutt Årbok, v. 1964, p. 69-72.

- Nagy, J., 1970, Ammonite faunas and stratigraphy of Lower Cretaceous (Albian) rocks in southern Spitsbergen: Norsk Polarinstitutt Skrifter, v. 152, p. 1-58.
- Nakaya, H., 1989, Upper Cretaceous Elasmosaurid (Reptilia, Plesiosauria) from Hobetsu, Hokkaido, northern Japan: Transactions and Proceedings of the Palaeontological Society of Japan, New Series, v. 154, p. 96-116.
- Nathorst, A. G., 1912, On the value of the fossil floras of the Arctic regions as evidence of geological climates: Smithsonian Report for 1911, p. 335-344.
- Neill, W. T., 1948, Hibernation of amphibians and reptiles in Richmond County, Georgia: Herpetologica, v. 4, p. 107-114.
- Neill, W. T., 1971, The Last of the Ruling Reptiles; Alligators, Crocodiles, and Their Kin: New York, Columbia University, 485 p.
- Nentwich, F. W., and R. W. Yole, 1982, Sedimentary petrology and stratigraphic analysis of the subsurface Reindeer Formation (early Tertiary) Mackenzie Delta-Beaufort Sea area, Canada, in A. F. Embry, and H. R. Balkwill, eds., Arctic Geology and Geophysics, Calgary, Canadian Society of Petroleum Geologists, p. 55-81.
- Newberry, J. S., 1872, Geological Survey of Ohio: American Naturalist, v. 6, p. 289-292.
- Niklas, K. J., 1992, Plant Biomechanics. An Engineering Approach to Plant Form and Function: Chicago; The University of Chicago Press, 607 p.
- Noe-Nygaard, A., 1975, Erratics of the Danish Maastrichtian and Danian marine limestones: Bulletin of the Geological Society of Denmark, v. 24, p. 75-81.
- Norell, M. A., 1989, The higher level relationships of the extant Crocodylia: Journal of Herpetology, v. 23, p. 325-335.
- North, G. R., and T. J. Crowley, 1985, Application of a seasonal climate model to Cenozoic glaciation: Journal of the Geological Society, London, v. 142, p. 475-482.
- NorthCon Technologies, 1992, Helix Express: Northbrook, IL, NorthCon Technologies, Inc.
- Oberbeck, V. R., J. R. Marshall, and H. Aggarwal, 1993, Impacts, tillites, and the breakup of Gondwanaland: The Journal of Geology, v. 101, p. 1-19.
- Olsson, R. K., 1963, Latest Cretaceous and earliest Tertiary stratigraphy of New Jersey coastal plain: American Association of Petroleum Geologists Bulletin, v. 47, p. 643-665.
- Osmaston, H., 1989a, Glaciers, glaciations and equilibrium line altitudes on Kilimanjaro, in W. C. Mahaney, ed., Quaternary and Environmental Research on East African Mountains, Rotterdam, A.A. Balkema, p. 7-30.

- Osmaston, H., 1989b, Glaciers, glaciations and equilibrium line altitudes on the Ruwenzori, *in* W. C. Mahaney, ed., Quaternary and Environmental Research on East African Mountains, Rotterdam, A.A. Balkema, p. 31-104.
- Osterkamp, T. E., and J. P. Gosink, 1984, Observations and analyses of sediment-laden sea ice, *in* P. W. Barnes, D. M. Schell, and E. Reimnitz, eds., The Alaskan Beaufort Sea: Ecosystems and Environments, Orlando, Academic Press, Inc, p. 73-93.
- Ostrom, J. H., 1970, Terrestrial vertebrates as indicators of Mesozoic climates: Proceedings of the North American Paleontological Convention, p. 347-376.
- Owen, 1850, On the fossil Crocodilia of England: The Edinburgh New Philosophical Journal, v. 49, p. 248-250.
- Owen, 1851, Monograph on the fossil Reptilia of the Cretaceous Formations: London, The Palaeontological Society, 118 p.
- Parkin, L. W., 1956, Notes on the younger glacial remnants of northern South Australia: Transactions of the Royal Society of South Australia, v. 79, p. 148-151.
- Parrish, J. M., J. T. Parrish, J. H. Hutchison, and R. A. Spicer, 1987, Late Cretaceous vertebrate fossils from the North Slope of Alaska and implications for dinosaur ecology: *Palaios*, v. 2, p. 377-389.
- Paul, C. R. C., 1985, The adequacy of the fossil record reconsidered: Special Papers in Paleontology., v. 33, p. 7-15.
- Pauly, H., 1963, "Ikaite", a new mineral from Greenland: Arctic, v. 16, p. 263-264.
- Pautot, G., and J. C. Fontes, 1979, Gypsum-calcite rosettes in sediments from the Congo deep-sea fan: *Oceanologica Acta*, v. 2, p. 13-18.
- Peltz, M. S., 1992, Equilibrium line altitude variations with latitude, today and during the Late Wisconsin: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 95, p. 41-46.
- Peterson, G. L., and P. L. Abbott, 1979, Mid-Eocene climatic change, southwestern California and northwestern Baja California: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 26, p. 73-87.
- Peterson, J. T., 1973, The climate of cities: a survey of recent literature, *in* G. McBoyle, ed., Climate in Review, Boston, Houghton Mifflin Company, p. 264-285.
- Phillips, 1865, I. Oxford fossils. - No.1.: The Geological Magazine, v. 2, p. 292-293.
- Pianka, E. R., 1966, Latitudinal gradients in species diversity: a review of concepts: *The American Naturalist*, v. 100, p. 33-46.
- Pirrie, D., 1989, Shallow marine sedimentation within an active margin basin, James Ross Island, Antarctica: *Sedimentary Geology*, v. 63, p. 61-82.

- Pitman, W. C., 1978, Relationship between eustasy and stratigraphic sequences of passive margins: Geological Society of America Bulletin, v. 89, p. 1389-1403.
- Pitman, W. C., and X. Golovchenko, 1983, The effect of sealevel change on the shelfedge and slope of passive margins: Society of Economic Petrologists and Mineralogists Special Publication, v. 33, p. 41-58.
- Pittman, E. F., 1901, The mineral resources of New South Wales: Geological Survey of New South Wales: Sydney, William Applegate Gullick, 487 p.
- Playford, P. E., A. E. Cockbain, and G. H. Low, 1976, Geology of the Perth Basin Western Australia: Geological Survey of Western Australia Bulletin, v. 124, p. 1-200.
- Porter, W. P., and D. M. Gates, 1969, Thermodynamic equilibria of animals with environment: Ecological Monographs, v. 39, p. 227-244.
- Pough, F. H., and C. Gans, 1982, The vocabulary of reptilian thermoregulation, in C. Gans, ed., Biology of the Reptilia. Volume 12. Physiology C Physiological Ecology, London, Academic Press, p. 17-23.
- Pratt, R. M., 1970, Granitic rocks from the Blake Plateau: Geological Society of America Bulletin, v. 81, p. 3117-3122.
- Prentice, M. L., and R. K. Matthews, 1988, Cenozoic ice-volume history: development of a composite oxygen isotope record: Geology, v. 16, p. 963-966.
- Preston, R. E., 1979, Late Pleistocene cold-blooded vertebrate faunas from the mid-continent United States: Papers on Paleontology. The Museum of Paleontology University of Michigan, v. 19, p. 1-53.
- Prestwich, J., 1856, On the boring through the Chalk at Kentish Town, London: Proceedings of the Geological Association, v. 12, p. 6-14.
- Prestwich, J., 1888, Geology. Chemical, Physical, and Stratigraphical, v. 2: Oxford, Clarendon Press, 606 p.
- Project, N.-E. G. E. D., 1992, Global Ecosystems Database Version 1.0. User's Guide, Documentation, Reprints, and Digital Data on CD-ROM: Boulder, Colorado, USDOC/NOAA National Geophysical Data Center.
- Prothero, D. R., 1994, The Eocene-Oligocene Transition. Paradise Lost: New York, Columbia University Press, 291 p.
- Prothero, D. R., and W. A. Berggren, 1992, Eocene-Oligocene Climatic and Biotic Evolution: Princeton, Princeton University Press, p. 568.
- Raggatt, H. G., 1938, On the occurrence of glendonites in New South Wales, with notes on their mode of origin: Royal Society of New South Wales, Journal and Proceedings, v. 71, p. 336-349.

- Railsback, L. B., 1990, Influence of changing deep ocean circulation on the Phanerozoic oxygen isotope record: *Geochimica et Cosmochimica Acta*, v. 54, p. 1501-1509.
- Rampino, M. R., 1992, Ancient "glacial" deposits are ejecta of large impacts: the ice age paradox explained: *EOS, Transactions, American Geophysical Union*, v. 73, p. 99.
- Raup, D. M., 1972, Taxonomic diversity during the Phanerozoic: *Science*, v. 177, p. 1065-1071.
- Raup, D. M., 1976, Species diversity in the Phanerozoic: an interpretation: *Paleobiology*, v. 2, p. 289-297.
- Rawson, P. F., 1992, The Cretaceous, *in* P. M. D. Duff, and A. J. Smith, eds., *Geology of England and Wales*, London, The Geological Society, p. 355-388.
- Redford, K. H., and J. F. Eisenberg, 1992, *Mammals of the Neotropics. The Southern Cone. Volume 2. Chile, Argentina, Uruguay, Paraguay*: Chicago, The University of Chicago Press, 430 p.
- Repenning, C. A., 1990, Of mice and ice in the Late Pliocene of North America: *Arctic*, v. 43, p. 314-323.
- Retallack, G. J., 1986, The fossil record of soils, *in* V. P. Wright, ed., *Paleosols: Their Recognition and Interpretation*, Oxford, Blackwell Scientific Publications, p. 1-57.
- Rich, P. V., T. H. Rich, B. E. Wagstaff, J. M. Mason, C. B. Douthitt, R. T. Gregory, and E. A. Felton, 1988, Evidence for low temperatures and biologic diversity in Cretaceous high latitudes of Australia: *Science*, v. 242, p. 1403-1406.
- Rich, T. H. V., and P. V. Rich, 1989, Polar dinosaurs and biotas of the Early Cretaceous of southeastern Australia: *National Geographic Research*, v. 5, p. 15-53.
- Richards, H. G., and W. Gallagher, 1974, The problem of the Cretaceous-Tertiary boundary in New Jersey: *Notulae naturae of the Academy of Natural Sciences of Philadelphia*, v. 449, p. 1-6.
- Richter, F. M., D. B. Rowley, and D. J. DePaolo, 1992, Sr isotope evolution of seawater: the role of tectonics: *Earth and Planetary Science Letters*, v. 109, p. 963-966.
- Robbie, J. A., 1950, The Chalk Rock at Winterborne Abbas, Dorset: *The Geological Magazine*, v. 87, p. 209-213.
- Robin, G. d. Q., 1988, The Antarctic ice sheet, its history and response to sea level and climatic changes over the past 100 million years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 67, p. 31-50.
- Roehler, H. W., 1992, Correlation, composition, areal distribution, and thickness of Eocene stratigraphic units, Greater Green River Basin, Wyoming, Utah, and Colorado: *U.S. Geological Survey Professional Paper*, v. 1506-E, p. 1-49.

- Rogers, R. R., 1993, Systematic patterns of time-averaging in the terrestrial vertebrate record: a Cretaceous case study, *in* S. M. Kidwell, and A. K. Behrensmeyer, eds., Taphonomic approaches to time resolution in fossil assemblages: Short courses in paleontology, Knoxville, The University of Tennessee, p. 228-249.
- Rogers, R. R., In Press, Marine facies of the Judith River Formation (Campanian) in the type area, north-central Montana, 1993 Montana Geological Society Guidebook, Billings, Montana, Montana Geological Society.
- Rohde, K., 1992, Latitudinal gradients in species diversity: the search for the primary cause: *Oikos*, v. 65, p. 514-527.
- Romer, A. S., 1961, Palaeozoological evidence of climate. (1) Vertebrates, *in* A. E. M. Nairn, ed., Descriptive Palaeoclimatology, New York, Interscience Publishers Inc., p. 183-206.
- Romer, A. S., 1971, Vertebrate Paleontology: Chicago, The University of Chicago Press, 468 p.
- Ronov, A. B., 1982, The Earth's sedimentary shell (quantitative patterns of its structure, compositions, and evolution): *International Geology Review*, v. 24, p. 1313-1388.
- Rosenzweig, M. L., 1992, Species diversity gradients: we know more and less than we thought: *Journal of Mammalogy*, v. 73, p. 715-730.
- Rosenzweig, M. L., and Z. Abramsky, 1993, How are diversity and productivity related?, *in* R. E. Ricklefs, and D. Schlüter, eds., Species diversity in ecological communities. Historical and geographical perspectives, Chicago, The University of Chicago Press, p. 52-65.
- Ross, C. A., 1989, Crocodiles and Alligators: New York, Facts on File, 240 p.
- Rowley, D. B., and P. J. Markwick, 1992, Haq et al. eustatic sea level curve: implications for sequestered water volumes: *Journal of Geology*, v. 100, p. 703-715.
- Roy, K., D. Jablonski, and J. W. Valentine, 1994, Eastern Pacific molluscan provinces and latitudinal diversity gradient: no evidence for "Rapoport's rule": *Proceedings of the National Academy of Science U.S.A.*, v. 91, p. 8871-8874.
- Ruben, J., 1995, The evolution of endothermy in mammals and birds: from physiology to fossils: *Annual Reviews of Physiology*, v. 57, p. 69-95.
- Ruddiman, W. F., and J. E. Kutzbach, 1989, Forcing of late Cenozoic northern hemisphere climate by plateau uplift in southern Asia and the American West: *Journal of Geophysical Research*, v. 94, p. 18409-18427.
- Ruddiman, W. F., W. L. Prell, and M. E. Raymo, 1989, Late Cenozoic uplift in southern Asia and the American West: rationale for general circulation modelin experiments: *Journal of Geophysical Research*, v. 94, p. 19379-18391.

- Running, S. W., and R. R. Nemani, 1988, Relating seasonal patterns of the AVHRR Vegetation Index to simulated photosynthesis and transpiration of forests in different climates: *Remote Sensing of Environment*, v. 24, p. 347-367.
- Sable, E. G., and G. D. Stricker, 1987, Coal in the National Petroleum Reserve in Alaska (NPRA): framework geology and resources, in I. Tailleur, and P. Weimer, eds., *Alaskan North Slope Geology, Bakersfield and Anchorage, The Pacific Section, Society of Economic Paleontologists and Mineralogists. The Alaska Geological Society*, p. 195-215.
- Sahni, A., R. S. Rana, and G. V. R. Prasad, 1984, SEM studies of thin egg shell fragments from the intertrappeans (Cretaceous-Tertiary transition) of Nagpur and Asifabad, Peninsular India: *Journal of the Palaeontological Society of India*, v. 29, p. 26-33.
- Saltzman, B., 1990, Three basic problems of paleoclimatic modeling: a personal perspective and review: *Climate Dynamics*, v. 5, p. 67-78.
- Savage, T. E., and J. R. Griffin, 1928, Significance of crystalline boulders in Pennsylvannian Limestone in Illinois: *Bulletin of the Geological Society of America*, v. 39, p. 421-428.
- Savin, S. M., R. G. Douglas, and F. G. Stehli, 1975, Tertiary marine paleotemperatures: *Geological Society of America Bulletin*, v. 86, p. 1499-1510.
- Savrda, C. E., 1991, *Teredolites*, wood substrates, and sea-level dynamics: *Geology*, v. 19, p. 905-908.
- Schaal, S., and W. Ziegler, 1992, *Messel. An Insight into the History of Life and of the Earth*: Oxford, Clarendon Press, 322 p.
- Scheibnerová, V., 1971, Palaeoecology and palaeogeography of Cretaceous deposits of the Great Artesian Basin (Australia): *Records of the Geological Survey of New South Wales*, v. 13, p. 1-48.
- Schlanger, S. O., M. A. Arthur, H. C. Jenkyns, and P. A. Scholle, 1987, The Cenomanian-Turonian Oceanic Anoxic Event, I. Stratigraphy and distribution of organic carbon-rich beds and the marine $\delta^{13}\text{C}$ excursion, in J. Brooks, and A. J. Fleet, eds., *Marine Petroleum Source Rocks: Geological Society Special Publication*, Oxford, Blackwell Scientific Publishers, p. 371-399.
- Schleich, H. H., 1986, Reflections upon the changes of local Tertiary herpetofaunas to global events, in O. Walliser, ed., *Global Bio-Events: Lecture Notes in Earth Sciences*, Berlin, Springer-Verlag, p. 429-442.
- Schmidt, K., and E. D. Schreyer, 1973, Erratische Gerölle im Turon (Soester Grünsand des südöstlichen Münsterlandes (Westfalen): *Neues Jahrbuch für Geologie und Paläontologie Monatshefte*, v. 1973, p. 297-312.

- Schultz, G. E., 1990, Stop 5: Blanco Local Fauna and the Blancan land mammal age, *in* T. C. Gustavson, ed., Tertiary and Quaternary Stratigraphy and Vertebrate Paleontology of Parts of Northwestern Texas and Eastern New Mexico, Austin, Texas, Bureau of Economic Geology. The University of Texas at Austin, p. 44-51.
- Scott, K. M., 1966, Sedimentology and dispersal pattern of a Cretaceous flysch sequence, Patagonian Andes, southern Chile: The American Association of Petroleum Geologists Bulletin, v. 50, p. 72-107.
- Seal, R. R., and R. O. Rye, 1993, Stable isotope study of fluid inclusions in fluorite from Idaho: implications for continental climates during the Eocene: Geology, v. 21, p. 219-222.
- Seeley, H. G., 1877, On *Mauisaurus gardneri* (Seeley), an Elasmosaurian from the base of the Gault at Folkestone: Quarterly Journal of the Geological Society of London, v. 33, p. 541-547.
- Sellars, P. J., 1987, Relations between canopy reflectance, photosynthesis and transpiration: links between optics, biophysics and canopy architecture: Advances in Space Research, v. 7, p. 27-44.
- Seltzer, G. O., 1994, Climatic interpretation of alpine snowline variations on millennial time scales: Quaternary Research, v. 41, p. 154-159.
- Sepkoski, J. J., 1991, Population biology models in macroevolution, *in* N. L. Gilinsky, and P. W. Signor, eds., Analytical Paleobiology: Short Courses in Paleontology. Number 4, Paleontological Society, p. 136-156.
- Sepkoski, J. J., 1991, Diversity in the Phanerozoic Oceans: a partisan review, *in* E. C. Dudley, ed., The Unity of Evolutionary Biology. Proceedings of ICSEB IV, Portland, Dioscorides Press, p. 210-236.
- Sepkoski, J. J., 1996, Competition in macroevolution: the double wedge revisited, unpublished manuscript.
- Seward, A. C., 1892, Fossil Plants as Tests of Climate: London, C.J.Clay and Sons, 151 p.
- Shackleton, N. J., 1984, Oxygen isotope evidence for Cenozoic climate change, *in* P. Brenchley, ed., Fossil and Climate, Chichester, John Wiley & Sons, p. 27-34.
- Shackleton, N. J., and J. P. Kennett, Paleotemperature history of the Cenozoic and the initiation of Antarctic glaciation: oxygen and carbon isotope analyses in DSDP sites 277, 279, and 281: Initial Reports of the Deep Sea Drilling Project, v. 29, p. 743-755.

- Shackleton, N. J., and J. P. Kennett, 1975, Late Cenozoic oxygen and carbon isotopic changes at DSDP site 284: implications for glacial history of the northern hemisphere and Antarctica, in J. P. Kennett, R. E. Houtz, P. B. Andrews, A. R. Edwards, V. A. Gostin, M. Hajós, M. A. Hampton, D. G. Jenkins, S. V. Margolis, A. T. Ovenshine, and K. Perch-Nielsen, eds., Initial Reports of the Deep Sea Drilling Project, Washington, D. C., National Science Foundation, p. 801-807.
- Shaikh, A. M., and D. J. Shearman, 1987, On ikaite and the morphology of its pseudomorphs, in R. Rodríguez-Clemente, and Y. Tardy, eds., Geochemistry and Mineral Formation in the Earth Surface, Madrid, Consejo superior de investigaciones científicas, p. 791-803.
- Sharma, G. D., 1979, The Alaskan Shelf. Hydrographic, Sedimentary, and Geochemical Environment: New York, Springer-Verlag, 498 p.
- Shearman, D. J., and A. J. Smith, 1985, Ikaite, the parent mineral of jarowite-type pseudomorphs: Proceedings of the Geological Association, v. 96, p. 305-314.
- Simon, J. L., 1992, Resampling: The New Statistics: Arlington, VA, Julian L. Simon, 261 p.
- Skwarko, S. K., 1966, Cretaceous stratigraphy and palaeontology of the Northern Territory: Australian Bureau of Mineral Resources, Geology and Geophysics Bulletin, v. 73, p. 1-47.
- Skwarko, S. K., 1969, A correlation chart for the Cretaceous system in Australia: BMR Bulletin Palaeontological Papers, v. 1969, p. 55-63.
- Sladen, C. P., and D. J. Batten, 1984, Source-area environments of Late Jurassic and Early Cretaceous sediments in Southeast England: Proceedings of the Geological Association, v. 95, p. 149-163.
- Sloan, L. C., and E. J. Barron, 1990, 'Equable' climates during Earth history?: Geology, v. 18, p. 489-492.
- Sloan, L. C., and E. J. Barron, 1991, Reply on "'Equable' climates during Earth history?": Geology, v. 19, p. 540-542.
- Sloan, L. C., and E. J. Barron, 1992, A comparison of Eocene climate model results to quantified paleoclimatic interpretations: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 93, p. 183-202.
- Smith, E. N., 1975, Thermoregulation of the American alligator, *Alligator mississippiensis*: Physiological Zoölogy, v. 48, p. 177-194.
- Smith, E. N., 1976, Heating and cooling rates of the American alligator, *Alligator mississippiensis*: Physiological Zoölogy, v. 49, p. 37-48.
- Smith, E. N., 1978, Thermoregulation of small American alligators: Herpetologica, v. 34, p. 406-408.

- Smith, E. N., 1979, Behavioral and physiological thermoregulation of crocodilians: *American Zoologist*, v. 19, p. 239-247.
- Smith, W. E., 1961, The detrital mineralogy of the Cretaceous rocks of south-east Devon, with particular reference to the Cenomanian: *Proceedings of the Geological Association*, v. 72, p. 303-332.
- Sollas, W. J., and A. J. Jukes-Browne, 1873, On the included rock-fragments of the Cambridge Upper Greensand: *Proceedings of the Geological Association*, v. 29, p. 11-16.
- Sonnenfeld, P., 1984, *Brines and Evaporites*: Orlando, Academic Press, Inc., 613 p.
- Sonnenfeld, P., and J.-P. Perthuisot, 1989, *Brine and Evaporites: Short Course in Geology*, v. 3: Washington, D.C., American Geophysical Union, 126 p.
- Southam, J. R., W. H. Peterson, and G. W. Brass, 1982, Dynamics of anoxia: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 40, p. 183-198.
- Spencer, J., 1887, On boulders found in seams of coal: *Quarterly Journal of the Geological Society of London*, v. 43, p. 734-735.
- Spicer, R. A., 1987, The significance of the Cretaceous flora of northern Alaska for the reconstruction of the climate of the Cretaceous: *Geologisches Jahrbuch*, v. A96, p. 265-291.
- Spicer, R. A., 1989, 3 - Reconstructing high-latitude Cretaceous vegetation and climate: Arctic and Antarctic compared, in T. N. Taylor, and E. L. Taylor, eds., *Antarctic Paleobiology. Its Role in the Reconstruction of Gondwana*, New York, Springer-Verlag, p. 27-36.
- Spicer, R. A., and R. M. Corfield, 1992, A review of terrestrial and marine climates in the Cretaceous with implications for modelling the 'Greenhouse Earth': *Geological Magazine*, v. 129, p. 169-180.
- Spicer, R. A., and J. T. Parrish, 1990, Late Cretaceous - early Tertiary palaeoclimates of northern high latitudes: a quantitative view: *Journal of the Geological Society, London*, v. 147, p. 329-341.
- Spotila, J. R., P. W. Lommen, G. S. Bakken, and D. M. Gates, 1973, A mathematical model for body temperatures of large reptiles: implications for dinosaur ecology: *The American Naturalist*, v. 107, p. 391-404.
- Spotila, J. R., O. H. Soule, and D. M. Gates, 1972, The biophysical ecology of the alligator: heat energy budgets and climate spaces: *Ecology*, v. 53, p. 1094-1102.
- Spotila, J. R., and E. A. Standora, 1985, Energy budgets of ectothermic vertebrates: *American Zoologist*, v. 25, p. 973-986.
- Spyglass, 1990-1993, Spyglass Transform, Savoy, Illinois, Spyglass, Inc.

- Stanley, D. J., 1969, Lecture 8: Sedimentation in slope and base-of-slope environments, in D. J. Stanley, ed., The new concepts of continental margin sedimentation Application to the geological record, Washington, D.C., American Geological Institute, p. 1-25.
- Stebbing, W. P. D., 1897, On two boulders of granite from the Middle Chalk of Betchworth, Surrey: Quarterly Journal of the Geological Society of London, v. 53, p. 213-220.
- Stebbins, R. C., 1985, A Field Guide to Western Reptiles and Amphibians: Boston, Houghton Mifflin Company, 336 p.
- Steel, R., 1973, Crocodylia: Handbuch der Paläoherpetologie, v. 16: Stuttgart, Gustav Fischer Verlag, 116 p.
- Stevens, G. C., 1989, The latitudinal gradient in geographical range: how so many species coexist in the tropics: The American Naturalist, v. 133, p. 240-256.
- Storey, K. B., 1990, Life in a frozen state: adaptive strategies for natural freeze tolerance in amphibians and reptiles: American Journal of Physiology, v. 258, p. R559-R568.
- Storey, K. B., and J. M. Storey, 1988, Freeze tolerance in animals: Physiological Reviews, v. 68, p. 27-84.
- Strahan, A., 1906, Proceedings of the Geological Society: The Quarterly Journal of the Geological Society of London, v. 62, p. cxxxiii.
- Strahan, R., 1992, Encyclopaedia of Australian Animals. Mammals: Pymble, N.S.W., Angus and Robertson, 184 p.
- Suess, E., W. Balzer, K.-F. Hesse, P. J. Müller, C. A. Ungerer, and G. Wefer, 1982, Calcium carbonate hexahydrate from organic-rich sediments of the Antarctic shelf: precursors of glendonites: Science, v. 216, p. 1128-1131.
- Süssmilch, C. A., 1914, An Introduction to the Geology of New South Wales: Sydney, Angus & Robertson Ltd., 269 p.
- Tang, X., and M.-z. Zhou, 1965, The vertebrate-bearing early Tertiary of South China: a review: International Geology Review, v. 7, p. 1338-1352.
- Taplin, L. E., and G. C. Grigg, 1989, Historical zoogeography of the eusuchian crocodilians: a physiological perspective: American Zoologist, v. 29, p. 885-901.
- Teichner, O., 1978, Breeding the West African dwarf crocodile at Metro Toronto Zoo: 1978 International Zoo Yearbook, v. 18, p. 88-89.
- Ter Braak, C. J. F., 1987-1992, CANOCO - a FORTRAN program for Canonical Community Ordination., Ithaca, NY, Microcomputer Power.

- Thackeray, J. F., 1987, Late Quaternary environmental changes inferred from small mammalian fauna, southern Africa: *Climatic Change*, v. 10, p. 285-305.
- Thornton, R. C. N., 1974, Hydrocarbon potential of western Murray Basin and infrabasins: Department of Mines Geological Survey of South Australia Report of Investigations, v. 41, p. 1-43.
- Thornwaite, C. W., 1948, An approach toward a rational classification of climate: *Geographical Review*, v. 38, p. 55-89.
- Troedsson, G. T., 1924, On crocodilian remains from the Danian of Sweden: *Lunds Universitets Årsskrift Ny Föld*, v. 20, p. 1-75.
- Truswell, E. M., 1991, Antarctica: a history of terrestrial vegetation, in R. J. Tingey, ed., *The Geology of Antarctica*, Oxford, Clarendon Press, p. 499-537.
- Turner, F. B., 1977, Dynamics of populations, in C. Gans, ed., *Biology of the Reptilia*. Volume 7. *Ecology and Behaviour A*, London, Academic Press.
- Uhen, M. D., 1992, Size trends of *Coryphodon* in relation to Paleocene-Eocene climate: *Journal of Vertebrate Paleontology*, v. 12, p. 56A-57A.
- Upchurch, G. R., and J. A. Wolfe, 1993, Cretaceous vegetation of the Western Interior and adjacent regions of North America, in W. G. E. Caldwell, and E. G. Kauffman, eds., *Evolution of the Western Interior Basin*: Geological Association of Canada Special Paper 39, Geological Association of Canada, p. 243-281.
- Urey, H. C., H. A. Lowenstam, S. Epstein, and C. R. McKinney, 1951, Measurement of paleotemperatures and temperatures of the Upper Cretaceous of England, Denmark, and the southeastern United States: *Bulletin of the Geological Society of America*, v. 62, p. 399-416.
- Vail, P. R., R. M. M. Jr, and S. T. III, 1977, Seismic stratigraphy and global changes of sea level, Part 4: Global cycles of relative changes of sea level: *Association of Petroleum Geologists Memoir*, v. 26, p. 83-97.
- Vakhrameev, V. A., 1991, *Jurassic and Cretaceous floras and climates of the Earth*: Cambridge, Cambridge University Press, 318 p.
- Van der Brink, F. H., 1967, *A Field Guide to the Mammals of Britain and Europe*: London, Collins, 221 p.
- Van Houten, F. B., 1965, Crystal casts in Upper Triassic Lockatong and Brunswick Formations: *Sedimentology*, v. 4, p. 301-313.
- Van Houten, F. B., 1967, Appraisal of Ridgway and Gunnison "tillites" southwestern Colorado: *Geological Society of America Bulletin*, v. 68, p. 383-388.
- Walkom, A. B., 1929, Note on a fossil wood from central Australia: *Proceedings of the Linnean Society of New South Wales*, v. 54, p. 147-149.

Wallace, A. R., 1876, The Geographical Distribution of Animals, v. 1: London, MacMillan and company, 503 p.

Walpole, B. P., P. R. Dunn, M. A. Randal, S. K. Skwarko, and J. Hays, 1968, Geology of the Katherine-Darwin region, Northern Territory: Australian Bureau of Mineral Resources, Geology and Geophysics Bulletin, v. 82, p. 1-170.

Ward, L. K., 1925, Notes on the geological structure of central Australia: Transactions and Proceedings of the Royal Society of South Australia, v. 49, p. 61-84.

Ward, L. K., 1927, A new Edition of the Geological Map of South Australia: Appendix to The Annual Report of the Director of Mines and Government Geologist for 1927., 16 p.

Warren, J. K., 1989, Evaporite Sedimentology: Importance in Hydrocarbon Accumulation: London, Prentice-Hall International (UK) Limited, 285 p.

Waterhouse, J. B., and P. G. Flood, 1981, D1 Poorly sorted conglomerates, breccias and diamictites in Late Palaeozoic, Mesozoic and Tertiary sediments of New Zealand, in M. J. Hambrey, and W. B. Harland, eds., Earth's Pre-Pleistocene Glacial Record, Cambridge, Cambridge University Press, p. 438-446.

Watts, W. W., 1881, Pebble from the Cambridge Greensand: The Geological Magazine, v. 8, p. 95.

Webb, G. J. W., and H. Cooper-Preston, 1989, Effects of incubation temperature on crocodiles and the evolution of reptilian oviparity: American Zoologist, v. 29, p. 953-971.

Webb, G. J. W., S. C. Manolis, and P. J. Whitehead, eds., 1987a, Wildlife Management: Crocodiles and Alligators, Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, 552 p.

Webb, G. J. W., P. J. Whitehead, and S. C. Manolis, 1987b, Crocodile management in the Northern Territory of Australia, in G. J. W. Webb, P. J. Whitehead, and S. C. Manolis, eds., Wildlife Management: Crocodiles and Alligators, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 107-124.

Welles, S. P., and J. D. Bump, 1949, *Alzadasaurus pembertoni*, a new elasmosaur from the Upper Cretaceous of South Dakota: Journal of Paleontology, v. 23, p. 521-535.

Wells, A. K., and F. Gossling, 1947, A study of the Pebble Beds in the Lower Greensand in East Surrey and West Kent: Proceedings of the Geological Association, v. 58, p. 194-222.

Werner, Y. L., 1988, Herpetofaunal survey of Israel (1950-85), with comments on Sinai and Jordan and on zoogeographical heterogeneity, in Y. Yom-Tov, and E. Tchernov, eds., The Zoogeography of Israel, Dordrecht, Dr W. Junk Publishers, p. 355-387.

- West, R. M., 1973, Geology and mammalian paleontology of the New Fork-Big Sandy area, Sublette County, Wyoming: *Fieldiana. Geology*, v. 29, p. 1-176.
- West, R. M., M. R. Dawson, and J. H. Hutchison, 1977, Fossils from the Paleogene Eureka Sound Formation, N.W.T., Canada: occurrence, climatic and paleogeographic implications, *in* R. M. West, ed., *Paleontology and Plate Tectonics with Special Reference to the History of the Atlantic Ocean*: Milwaukee Public Museum Special Publications in Biology and Geology, Milwaukee, Milwaukee Public Museum, p. 77-93.
- Whitaker, R., 1987, The management of crocodilians in India, *in* G. J. W. Webb, P. J. Whitehead, and S. C. Manolis, eds., *Wildlife Management: Crocodiles and Alligators*, Chipping Norton, N.S.W., Surrey Beatty & Sons Pty Limited in association with the Conservation Commission of the Northern Territory, p. 63-72.
- White, H. J. O., 1924, The geology of the country near Brighton and Worthing: *Memoirs of the Geological Survey England and Wales*, v. 318 & 333, p. 1-114.
- Wilde, P., and W. B. N. Berry, 1982, Progressive ventilation of the oceans - potential for return to anoxic conditions in the post-Paleozoic, *in* S. O. Schlanger, and M. B. Cita, eds., *Nature and Origin of Cretaceous Carbon-Rich Facies*, London, Academic Press, p. 209-224.
- Wilde, V., 1989, Untersuchungen zur Systematik der Blattreste aus dem Mitteleozän der Grube Messel bei Darmstadt (Hessen, Bundesrepublik Deutschland): *Courier Forschungsinstitut Senckenberg*, v. 115.
- Wilson, H. E., 1972, *Regional Geology of Northern Ireland*: Belfast, Her Majesty's Stationery Office, 115 p.
- Wing, S. L., 1991, Comment and reply on "'Equable' climates during Earth history?": *Geology*, v. 19, p. 539-540.
- Wing, S. L., and D. R. Greenwood, 1993, Fossils and fossil climate: the case for equable continental interiors in the Eocene: *Philosophical Transactions of the Royal Society of London. Series B.*, v. 341, p. 243-252.
- Wing, S. L., and H.-D. Sues, 1992, Mesozoic and early Cenozoic terrestrial ecosystems, *in* A. K. Behrensmeyer, J. D. Damuth, W. A. DiMichele, R. Potts, H.-D. Sues, and S. L. Wing, eds., *Terrestrial Ecosystems Through Time. Evolutionary Paleoecology of Terrestrial Plants and Animals*, Chicago, The University of Chicago Press, p. 327-416.
- Winterer, E. L., 1964, Late Precambrian pebbly mudstone in Normandy, France: Tillite or tilloid?, *in* A. E. M. Nairn, ed., *Problems in Palaeoclimatology*, London, Interscience Publishers, p. 159-178.
- Wolfe, J. A., 1971, Tertiary climatic fluctuations and methods of analysis of Tertiary floras: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 9, p. 27-57.

- Wolfe, J. A., 1979, Temperature parameters of humid to mesic forests of eastern Asia and relation to forests of other regions of the northern hemisphere and Australasia: United States Geological Survey Professional Paper, v. 1106, p. 1-37.
- Wolfe, J. A., 1985, Distribution of major vegetational types during the Tertiary, The Carbon Cycle and atmospheric CO₂: natural variations Archean to Present: Geophysical Monograph 32, American Geophysical Union, p. 357-375.
- Wolfe, J. A., 1993, A method of obtaining climatic parameters from leaf assemblages: United States Geological Survey Bulletin, v. 2040, p. 1-71.
- Wolfe, J. A., and R. Z. Poore, 1982, Tertiary Marine and nonmarine climatic trends, Climate in Earth History: Studies in Geophysics, Washington, D.C., National Academic Press, p. 154-158.
- Wolfe, J. A., and G. R. Upchurch, 1987, North American nonmarine climates and vegetation during the Late Cretaceous: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 61, p. 33-77.
- Wolfe, J. J., 1994, Tertiary climatic changes at middle latitudes of western North America: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 108, p. 195-205.
- Wollenburg, I., S. Pfirman, and M. Lange, 1988, Sediment in Eurasian Arctic sea ice: EOS, v. 69, p. 1263.
- Wood, R. C., 1973, A possible correlation between the ecology of living african pelomedusid turtles and their relative abundance in the fossil record: Copeia, v. 3, p. 627-629.
- Woodard, G. D., 1955, The stratigraphic succession in the vicinity of Mt.Babbage Station, South Australia: Transactions of the Royal Society of South Australia, v. 78, p. 8-17.
- Woodcock, D. W., 1992, Climate reconstruction based on biological indicators: The Quarterly Review of Biology, v. 67, p. 457-477.
- Woods, H., 1895, Boulders in a coprolite bed at Stanbridge: The Geological Magazine, v. 2, p. 377-378.
- Woodward, A. S., 1887, The history of fossil crocodiles: Proceedings of the Geological Association, v. 9, p. 288-344.
- Woolnough, W. G., and T. W. E. David, 1926, Cretaceous glaciation in Central Australia: Quarterly Journal of the Geological Society of London, v. 82, p. 332-351.
- Wopfner, H., I.B.Freytag, and G.R.Heath, 1970, Basal Jurassic-Cretaceous Rocks of Western Great Artesian Basin, South Australia: Stratigraphy and Environment: The American Association of Petroleum Geologists Bulletin, v. 54, p. 383-416.

- Wright Jr., C., 1981, Breeding the American alligator *Alligator mississippiensis* at the Tulsa Zoological Park: International Zoo Yearbook, v. 21, p. 73-75.
- Wright, R., J. B. Anderson, and P. P. Fisco, 1983, Distribution and association of sediment gravity flow deposits and glacial/glacial-marine sediments around the continental margin of Antarctica, in B. F. Molnia, ed., Glacial-Marine Sedimentation, New York, Plenum Press, p. 265-300.
- Zachos, J. C., J. R. Breza, and S. W. Wise, 1992, Early Oligocene ice-sheet expansion on Antarctica: stable isotope and sedimentological evidence from Kerguelen Plateau, southern Indian Ocean: Geology, v. 20, p. 569-573.
- Zachos, J. C., L. D. Stott, and K. C. Lohmann, 1994, Evolution of early Cenozoic marine temperatures: Paleoceanography, v. 9, p. 353-387.
- Ziegler, A. M., 1990, Phytogeographic patterns and continental configurations during the Permian Period, in W. S. McKerrow, and C. R. Scotese, eds., Palaeogeography and Biogeography: Geological Society Memoir, London, The Geological Society of London, p. 363-377.
- Ziegler, A. M., M. L. Hulver, A. L. Lottes, and W. F. Schmachtenberg, 1984, Uniformitarianism and paleoclimates: inferences from the distribution of carbonate rocks, in P. Brenchly, ed., Fossil and Climate, Chichester, John Wiley & Sons Ltd., p. 3-25.
- Ziegler, A. M., J. M. Parrish, Y. Jiping, E. D. Gyllenhaal, D. B. Rowley, J. T. Parrish, N. Shangyou, and A. Bekker, 1993, Early Mesozoic phytogeography and climate: Philosophical Transactions of the Royal Society, series B, v. 341, p. 297-305.
- Ziegler, A. M., A. L. Raymond, T. C. Gierlowski, M. A. Horrell, D. B. Rowley, and A. L. Lottes, 1987, Coal, climate and terrestrial productivity: the Present and Early Cretaceous compared, in A. C. Scott, ed., Coal and Coal-bearing Strata: Recent Advances: Geological Society Special Publication 32, London, Geological Society, p. 25-49.
- Ziegler, A. M., D. B. Rowley, A. L. Lottes, D. L. Sahagian, M. L. Hulver, and T. C. Gierlowski, 1985, Paleogeographic interpretation: with an example from the Mid-Cretaceous: Annual Review of Earth and Planetary Sciences, v. 13, p. 385-425.