

THE UNIVERSITY OF CHICAGO

LATE CRETACEOUS TO PLEISTOCENE CLIMATES: NATURE OF THE
TRANSITION FROM A 'HOT-HOUSE' TO AN 'ICE-HOUSE' WORLD

VOLUME FOUR

A DISSERTATION SUBMITTED TO
THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
IN CANDIDACY FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY

DEPARTMENT OF THE GEOPHYSICAL SCIENCES

BY
PAUL J. MARKWICK

CHICAGO, ILLINOIS
JUNE, 1996

Copyright © 1996 by Paul J. Markwick

All rights reserved

APPENDIX A - REFERENCE KEY

- 1 - Weishampel et al., 1990
 2 - Mook, 1934
 3 - Jerzykiewicz and Russell, 1991
 4 - Efimov, 1988
 5 - Li, 1985
 6 - Dong, 1974
 7 - Bohlin, 1953
 8 - Hou et al., 1975
 9 - Buffetaut and Taquet, 1979
 10 - Buffetaut and Taquet, 1977
 11 - Flynn et al., 1987
 12 - Reyment, 1965
 13 - Bertini et al., 1993
 14 - Marshall et al., 1983
 15 - Muizon et al., 1983
 16 - Neto et al., 1991
 17 - Steel, 1973
 18 - Gasparini, 1981
 19 - Steininger et al., 1990
 20 - Gasparini, 1971
 21 - Gasparini et al., 1991
 22 - Mathur and Pant, 1986
 23 - Saez, 1957
 24 - Sahni et al., 1984
 25 - Broin and Fuente, 1993
 26 - Long, 1991
 27 - Gaffney, 1981
 28 - Molnar, 1980
 29 - Molnar, 1982c
 30 - Nakaya, 1989
 31 - Ai-lin, 1958
 32 - Russell and Ren-jie, 1987
 33 - Khosatzky and Mlynarski, 1971
 34 - Vaughn, 1956
 35 - Adler, 1987
 36 - Koken, 1888
 37 - Nesov, 1981
 38 - Nessov, 1977
 39 - Bouaziz et al., 1988
 40 - Young, 1964
 41 - Yeh, 1974a
 42 - Nesov and Trofimov, 1979
 43 - Efimov, 1975
 44 - Efimov, 1982a
 45 - Zangerl, 1953a
 46 - Mankin, 1987
 47 - Baird, 1986b
 48 - Daly, 1992
 49 - Carpenter, 1983
 50 - Cheng et al., 1973
 51 - Yeh, 1966
 52 - Langston, 1965
 53 - Buffetaut, 1976
 54 - Buffetaut, 1985
 55 - Buffetaut et al., 1990
 56 - Gasparini and Buffetaut, 1980
 57 - Powell, 1979
 58 - Russell et al., 1976
 59 - Jain, 1986
 60 - Berman and Jain, 1982
 61 - Prasad and Sahni, 1987
 62 - Hooker et al., 1991
 63 - Fordyce, 1982
 64 - Wiffen, 1981
 65 - Olivero et al., 1991
 66 - Brouwers et al., 1987
 67 - Nelms, 1989
 68 - Weimer, 1987
 69 - Schleich, 1990
 70 - Krause and Baird, 1979
 71 - Nilsen, 1993
 72 - Bergstrom and Morey, 1985
 73 - Zangerl and Sloan, 1960
 74 - Ballard et al., 1983
 75 - Narmandakh, 1985
 76 - Mlynarski and Narmandach, 1972
 77 - Kusnetzov, 1976
 78 - Bendix-Almgreen, 1976
 79 - Nicholls, 1992
 80 - Gaffney and Zangerl, 1968
 81 - Jordan and Smith, 1983
 82 - Bardack, 1968
 83 - Douglas, 1970
 84 - Vindogradov et al., 1968
 85 - Kent et al., 1988
 86 - Williamson and Lucas, 1990
 87 - Gradzinski and Jerzykiewicz, 1972
 88 - Gaffney, 1977
 89 - Miller, 1955
 90 - Schmidt, 1940
 91 - Nesov, 1987
 92 - Russell, 1967
 93 - Nicholls et al., 1990
 94 - Mook, 1942b
 95 - Storer, 1993
 96 - Langston, 1967
 97 - Russell, 1935
 98 - Fox, 1975
 99 - Brinkman and Nicholls, 1991
 100 - Brinkman, 1990
 101 - Eberth, 1990
 102 - Russell, 1934
 103 - Hutchison and Archibald, 1986
 104 - Sahni, 1972
 105 - Fiorillo, 1989
 106 - Armstrong-Ziegler, 1980

- 107 - Wolberg et al., 1988
 108 - Persson, 1961
 109 - Schmidt, 1944
 110 - Hills and Kottlowski, 1983
 111 - Gallagher et al., 1986
 112 - Lauginiger, 1986
 113 - Ferrusquía-Villafranca and Torres-Roldán,
 1980
 114 - Lauginiger, 1984
 115 - Osmólska, 1972
 116 - Lefeld, 1971
 117 - Gradzinski et al., 1968
 118 - Colbert and Bird, 1954
 119 - Bergquist, 1943
 120 - Mlynarski, 1972
 121 - King and Beikman, 1974
 122 - Zangerl, 1948
 123 - Langston, 1960
 124 - Schwimmer, 1986a
 125 - Schwimmer, 1981
 126 - Schwimmer, 1986b
 127 - Buffetaut, 1980
 128 - Seeley, 1881
 129 - Nopsca, 1923
 130 - Matheron, 1869
 131 - Buscalioni et al., 1986
 132 - Clemens and Nelms, 1993
 133 - Russell, 1984
 134 - Langston, 1975b
 135 - Russell, 1968a
 136 - Fox, 1989
 137 - Lupton et al., 1980
 138 - Riggs, 1906
 139 - Bryant, 1989
 140 - Estes and Berberian, 1970
 141 - Gaffney and Hiatt, 1971
 142 - Carpenter and Lindsey, 1980
 143 - Mook, 1941
 144 - Estes, 1964
 145 - Breithaupt, 1982
 146 - Lawton, 1986
 147 - Carpenter, 1979
 148 - Gregory, 1950
 149 - Baird, 1984
 150 - Braunstein et al., 1988
 151 - Parris et al., 1986
 152 - Baird and Case, 1966
 153 - Manning, 1990
 154 - Grigorescu and Hahn, 1987
 155 - Grigorescu et al., 1985
 156 - Kerourio, 1987
 157 - Astiba et al., 1987
 158 - Pol et al., 1992
 159 - Moody and Sutcliffe, 1991
 160 - Lingham-Soliar, 1991
 161 - Rage et al., 1993
 162 - Fox, 1988
 163 - Johnston and Fox, 1984
 164 - Savage and Russell, 1983
 165 - Hartman, 1986
 166 - McKenna et al., 1987
 167 - Sullivan and Lucas, 1986
 168 - Simpson, 1930
 169 - Woodburne, 1987
 170 - Mook, 1931
 171 - Russell, 1929
 172 - Russell, 1974
 173 - Estes, 1976
 174 - Wolberg, 1979
 175 - O'Neill et al., 1981
 176 - Mook, 1930
 177 - Simpson, 1959
 178 - Schleich et al., 1988
 179 - Groessens-Van Dyck, 1984
 180 - Weems, 1988
 181 - Ye, 1979b
 182 - Zhang, 1981
 183 - Chen, 1983
 184 - Vindogradov et al., 1967
 185 - Tang and Zhou, 1965
 186 - Buffetaut, 1978a
 187 - Weems, 1974
 188 - Madden and Whitmore, 1983
 189 - Wood, 1970
 190 - Gingerich et al., 1979
 191 - Muizon and Brito, 1993
 192 - Gasparini, 1984
 193 - Simpson, 1937b
 194 - Fordyce, 1979
 195 - Erickson, 1982a
 196 - Erickson, 1982b
 197 - Bartels, 1983
 198 - Estes, 1975
 199 - Dorr, 1952
 200 - Dorr, 1978
 201 - Schmidt, 1945
 202 - Schmidt, 1938
 203 - Hooker et al., 1980
 204 - Harland et al., 1990
 205 - Moody, 1980
 206 - Nessov, 1986
 207 - Loyal, 1990
 208 - Gasparini et al., 1993
 209 - Willis and Molnar, 1991b
 210 - Estes and Hutchison, 1980
 211 - McKenna, 1980
 212 - McKenna, 1983
 213 - West et al., 1977
 214 - Estes, 1988
 215 - Yeh, 1965

- 216 - Gingerich, 1989
 217 - Dorr, 1969
 218 - Molnar, 1979
 219 - Berg, 1967
 220 - Moody, 1968
 221 - Cooper, 1977
 222 - Walker and Moody, 1974
 223 - Walker and Moody, 1985
 224 - Moody and Walker, 1970
 225 - Bone, 1989
 226 - Prichinello, 1971
 227 - McKenna, 1960
 228 - Hirsch, 1985
 229 - Lucas, 1988
 230 - Rage, 1984
 231 - Yeh, 1962
 232 - Kotsakis, 1986
 233 - Kotsakis, 1977
 234 - Ye, 1985
 235 - Arambourg, 1934
 236 - Antunes, 1975
 237 - Chow, 1959
 238 - Mook, 1955
 239 - Beard and Tabrum, 1991
 240 - Young and Chow, 1962
 241 - Moody and Buffetaut, 1981
 242 - Mahboubi et al., 1986
 243 - Buffetaut, 1989
 244 - Mahboubi et al., 1984
 245 - Cooke, 1972
 246 - Broin, 1987
 247 - Sahni et al., 1981
 248 - Patterson, 1936-1940
 249 - Anderson, 1923-26
 250 - Wilson, 1977
 251 - Frey et al., 1987
 252 - Berg, 1964
 253 - Schaal and Ziegler, 1992
 254 - Mustoe and Pevear, 1982
 255 - Russell and Wickenden, 1933
 256 - Storer, 1978
 257 - Ginsburg et al., 1977
 258 - Wheeler, 1955
 259 - Torres, 1985
 260 - Li, 1991a
 261 - Chow et al., 1973
 262 - Eaton, 1982
 263 - Yu, 1976
 264 - West and Hutchison, 1981
 265 - Wang and Shiquan, 1982
 266 - Buffetaut, 1982
 267 - West, 1973
 268 - Gaffney, 1979b
 269 - Mook, 1959b
 270 - Mook, 1961
 271 - Mook, 1962
 272 - Gilmore, 1946
 273 - Langston and Rose, 1978
 274 - Esu and Kotsakis, 1983
 275 - Young, 1944
 276 - Brattstrom, 1961
 277 - Bishop and Davis, 1984
 278 - Golz and Lillegraven, 1977
 279 - Andrews, 1905
 280 - Holman and Case, 1988
 281 - Andrews, 1906
 282 - Said, 1990
 283 - Busbey, 1991
 284 - West and Lukacs, 1979
 285 - Westgate and Gee, 1990
 286 - Westgate, 1988
 287 - Sahni et al., 1978
 288 - Suteethorn et al., 1988
 289 - Ducrocq et al., 1992
 290 - Buffetaut, 1983
 291 - Sah and Schleich, 1990
 292 - Donovan et al., 1990
 293 - Walker, 1966
 294 - Porta, 1969
 295 - Schmidt, 1931
 296 - Gaffney, 1975
 297 - Zangerl, 1947a
 298 - Novacek et al., 1989
 299 - Zangerl, 1947b
 300 - Tao, 1990
 301 - Huang, 1974
 302 - Cray, 1973
 303 - Daley and Edwards, 1974
 304 - Holman, 1972
 305 - Clark et al., 1967
 306 - Tabrum and Fields, 1980
 307 - Ringeade and Yvard, 1985
 308 - Remy, 1985
 309 - Pearson and Hoganson, 1995
 310 - Bonis et al., 1973
 311 - Rage, 1988a
 312 - Rage, 1988b
 313 - Bjork, 1967
 314 - Buffetaut, 1986
 315 - Patterson, 1931
 316 - Macdonald, 1982
 317 - Mook, 1960
 318 - Auffenberg, 1962
 319 - Wang and Yuping, 1983
 320 - Westgate and Emry, 1985
 321 - Yeh, 1958
 322 - Li, 1975
 323 - Applegate, 1970
 324 - Bergquist, 1942
 325 - Tchernov, 1986

- 326 - Andrews, 1901a
 327 - Andrews, 1901b
 328 - Wight, 1980
 329 - Case et al., 1987
 330 - Sadler, 1988
 331 - Zinsmeister, 1982
 332 - Buscalioni et al., 1992
 333 - Belyaeva, 1962
 334 - Mellett, 1968
 335 - Gramann, 1958
 336 - Mlynarski, 1959b
 337 - Mlynarski, 1984
 338 - Mlynarski, 1968
 339 - Gilmore, 1934
 340 - Wang et al., 1981
 341 - Orr and faulhaber, 1975
 342 - Brunet et al., 1977
 343 - Cheng, 1961
 344 - Paunovic, 1992
 345 - Arata and Jackson, 1965
 346 - Zhao, 1981
 347 - Patton, 1964
 348 - Wood, 1972
 349 - Thomas et al., 1989
 350 - Chiappe, 1988
 351 - Simpson, 1942
 352 - Rich et al., 1983
 353 - Warren, 1989
 354 - Ginsburg et al., 1991
 355 - Fuentes, 1984
 356 - Repenning and Vedder, 1961
 357 - Erickson, 1990
 358 - Olsen, 1964b
 359 - Graham, 1986
 360 - Mook, 1927
 361 - Cox, 1962
 362 - Willis et al., 1990
 363 - Whitlock and Dawson, 1990
 364 - Szyndlar, 1991a
 365 - Schleich, 1981
 366 - Schleich, 1984
 367 - Yasuno, 1992
 368 - Holman and Tim, 1987
 369 - Holman, 1971a
 370 - Holman, 1970
 371 - Ginsburg et al., 1982
 372 - Dorr and Wheeler, 1964
 373 - Green, 1965
 374 - Buffetaut et al., 1984
 375 - Case, 1927
 376 - Holman, 1978a
 377 - Buffetaut and Cornée, 1982
 378 - Munthe, 1988
 379 - Schmidt, 1941
 380 - Holman, 1973
 381 - Chantell, 1971
 382 - Skinner and Johnson, 1984
 383 - Zangerl, 1945
 384 - Galusha, 1975
 385 - Voorhies, 1971
 386 - Skinner, 1977
 387 - Karasawa, 1983
 388 - Cassiliano, 1980
 389 - Paicheler et al., 1978
 390 - Okazaki, 1992
 391 - Ohe et al., 1981
 392 - Kohno, 1992
 393 - Yasuno, 1984
 394 - Yasuno, 1982
 395 - Kodera and Nomura, 1988
 396 - Nakajima, 1988
 397 - Holman and Corner, 1985
 398 - Berry, 1937
 399 - Zbyszewski, 1954
 400 - Richmond, 1963
 401 - Zbyszewski, 1957
 402 - Chow and Banyue, 1964
 403 - Sena and Thomas, 1989
 404 - Merriam, 1919
 405 - Auffenberg, 1957
 406 - Schiebout, 1994
 407 - Holman, 1977
 408 - Bryant, 1991
 409 - Pratt, 1990
 410 - Hussain et al., 1977
 411 - Savage and Hamilton, 1973
 412 - Ginsburg and Buffetaut, 1978
 413 - Eames, 1950
 414 - Thomas et al., 1981
 415 - Buffetaut, 1984
 416 - Whybrow, 1987
 417 - Whybrow et al., 1987
 418 - Ginsburg et al., 1992
 419 - Sabale and Vijayasarathi, 1986
 420 - Ginsburg et al., 1988
 421 - Roger et al., 1994
 422 - Brown et al., 1989
 423 - Madden, 1972
 424 - Anyonge, 1991
 425 - Meylan and Auffenberg, 1986
 426 - Buffetaut, 1979a
 427 - Tchernov and Couvering, 1978
 428 - Andrews, 1914
 429 - Newton, 1914
 430 - Bristow and Parodiz, 1982
 431 - Willis, 1993
 432 - Buckeridge, 1981
 433 - Stirton et al., 1968
 434 - West et al., 1991
 435 - Harington, 1977

- 436 - Strauch, 1972
 437 - Zerova, 1992
 438 - Szyndlar and Zerova, 1992
 439 - Chkhikvadze, 1968
 440 - Ginsburg et al., 1979
 441 - Oelrich, 1950
 442 - Packard, 1940
 443 - Khozatsky et al., 1974
 444 - Hay, 1903
 445 - Fulgosi, 1977
 446 - Gregory, 1942
 447 - Green, 1956
 448 - Jullien et al., 1979
 449 - Holman and Sullivan, 1981
 450 - Holman, 1987b
 451 - Mook, 1946
 452 - Mook, 1923
 453 - Jackson, 1988
 454 - Voorhies et al., 1987
 455 - Mazza, 1986
 456 - Shikama and Yanagisawa, 1971
 457 - Holman, 1975
 458 - Li and Baozhong, 1987
 459 - Defa et al., 1983
 460 - Hibbard, 1953
 461 - Hibbard, 1964
 462 - Yasuno, 1989
 463 - Gustavson, 1990
 464 - Woodburne, 1959
 465 - Oelrich, 1957
 466 - Schultz, 1965
 467 - Ohe and Hayata, 1984
 468 - Ohe et al., 1986
 469 - Johnston and Savage, 1955
 470 - Ujihara and Shibata, 1982
 471 - Winkler, 1990
 472 - Brunet and Heintz, 1983
 473 - Gupta and Verma, 1988
 474 - Gaur and Chopra, 1983
 475 - Boaz et al., 1979
 476 - Auffenberg, 1966
 477 - Morgan, 1986
 478 - Lull, 1944
 479 - Bocquentin, 1984
 480 - Wood and Gamero, 1971
 481 - Medina, 1976
 482 - Wood, 1976b
 483 - Wood and Patterson, 1973
 484 - Linares, 1991
 485 - Hirschfeld and Marshall, 1976
 486 - Busbey, 1986
 487 - Langston, 1966
 488 - Pickford, 1989
 489 - Pickford, 1975
 490 - Bishop and Chapman, 1970
 491 - Bishop and Pickford, 1975
 492 - Glaessner, 1942
 493 - Glaessner and Rao, 1954
 494 - Gayet and Meunier, 1991
 495 - Senut et al., 1992
 496 - Megirian, 1989
 497 - Corvinus and Hendey, 1978
 498 - Long, 1993
 499 - Gasparini, 1968
 500 - Gasparini, 1985
 501 - Hendey, 1980
 502 - Burke et al., 1983
 503 - MacDonald, 1949
 504 - Merriam, 1916
 505 - Marshall and Patterson, 1979
 506 - Mlynarski, 1956
 507 - Bailon, 1989
 508 - Borselli et al., 1980
 509 - Canocchi, 1987
 510 - Borselli et al., 1988
 511 - Ficcarelli and Mazza, 1990
 512 - Skinner and Hibbard, 1972
 513 - Huene and Nikoloff, 1963
 514 - Made, 1988
 515 - Tsoukala, 1992
 516 - Rage and Sen, 1976
 517 - Pakhomov and Bayguzina, 1987
 518 - Hibbard et al., 1978
 519 - Azzaroli, 1986
 520 - Hsu et al., 1973
 521 - Jiang and Wu, 1978
 522 - Hager, 1975
 523 - Hibbard, 1949
 524 - Hibbard, 1954
 525 - Kobatake and Kamei, 1966
 526 - Kamei, 1971
 527 - Shikama, 1972
 528 - Kobayakawa and Okuyama, 1984
 529 - Nakajima, 1984
 530 - Nakajima et al., 1983
 531 - Nakajima, 1986
 532 - Czaplewski, 1987
 533 - Norton, 1954
 534 - Schultz, 1990
 535 - Parmley, 1988
 536 - Preston, 1966
 537 - Preston, 1979
 538 - Gaur and Kotlia, 1987
 539 - Frick, 1921
 540 - Golz et al., 1977
 541 - Rogers, 1976
 542 - Haas, 1966
 543 - Brattstrom, 1955
 544 - Hurst, 1966
 545 - Andrews, 1902

- 546 - Sahni and Khan, 1988
 547 - Mook, 1933
 548 - Jackson, 1975
 549 - Auffenberg, 1954
 550 - Hirsch and Lopez-Jurado, 1987
 551 - Corvinus, 1988
 552 - West et al., 1988
 553 - Shikama et al., 1975a
 554 - Ting-Pong, 1956
 555 - Yeh, 1981
 556 - Miller, 1980
 557 - Broin, 1969
 558 - Sill, 1970
 559 - Wood, 1979
 560 - Patterson et al., 1970
 561 - Patterson, 1943
 562 - Marshall et al., 1984
 563 - Flannery, 1984
 564 - Glauert, 1920
 565 - Molnar, 1981
 566 - Lees, 1986
 567 - Wells and Cooke, 1956
 568 - Toerien, 1955
 569 - Bartholomai and Woods, 1968
 570 - Williams, 1980
 571 - Hecht and Archer, 1977
 572 - Gow, 1980
 573 - Marshall, 1973
 574 - Hamilton et al., 1993
 575 - Harrington and Clulow, 1973
 576 - Coxon et al., 1980
 577 - Hallock et al., 1990
 578 - Holman et al., 1990
 579 - Mlynarski and Ullrich, 1977
 580 - Bouchard et al., 1993
 581 - Lundelius et al., 1983
 582 - Paunovic, 1984
 583 - Malez, 1980
 584 - Wilson, 1967
 585 - Holman et al., 1990
 586 - Barbato et al., 1990
 587 - Clot et al., 1976
 588 - Kotsakis and Gregori, 1985
 589 - McGrew, 1944
 590 - Azzaroli, 1978
 591 - Dubrovo, 1990
 592 - Shikama and Takayasu, 1971
 593 - Rogers, 1982
 594 - Mazo et al., 1990
 595 - King and Saunders, 1986
 596 - Parmalee and Oesch, 1972
 597 - Emslie, 1986
 598 - Semken, 1966
 599 - Parmalee et al., 1969
 600 - Bonfiglio and Berdar, 1986
 601 - Bonfiglio and Riccobono, 1990
 602 - Savage, 1951
 603 - Hibbard, 1951
 604 - Hibbard, 1955a
 605 - Hibbard, 1963
 606 - Holman, 1986
 607 - Hasegawa, 1981
 608 - Stephens, 1960
 609 - Guilday et al., 1978
 610 - Hasegawa, 1957
 611 - Graham, 1987
 612 - Yeh, 1961
 613 - Jefferson et al., 1992
 614 - Shikama and Kanno, 1970
 615 - Tang and Zhou, 1965
 616 - Shikama and Hasegawa, 1958
 617 - Tomida, 1978
 618 - Holman, 1964
 619 - Dalquest, 1965
 620 - Holman, 1976
 621 - Hasegawa and Ota, 1980
 622 - Shikama and Okafuji, 1958
 623 - Stock and Hodges, 1989
 624 - Dalquest, 1962
 625 - Jackson and Kaye, 1974b
 626 - Jackson and Kaye, 1975
 627 - Jackson and Kaye, 1974a
 628 - Slaughter, 1966
 629 - Dobie and Jackson, 1979
 630 - Xu and Chuchien, 1984
 631 - Tewari and Badam, 1969
 632 - Parmley, 1986
 633 - Zhang, 1984
 634 - Ye, 1983
 635 - Martin, 1978
 636 - Wei et al., 1975
 637 - Tomida and Otsuka, 1993
 638 - Morgan and Ottenwalder, 1993
 639 - Mooser, 1980
 640 - Morgan et al., 1993
 641 - Franz and Woods, 1983
 642 - Gaffney et al., 1984
 643 - Balouet and Buffetaut, 1987
 644 - Thackeray, 1987
 645 - Gaffney, 1983
 646 - Gaffney, 1985
 647 - Anderson, 1941-47
 648 - Etheridge, 1892-1896
 649 - Hasegawa and Nohara, 1982
 650 - Sen and Banerjee, 1984
 651 - Driver, 1988
 652 - Yeh, 1963
 653 - Hooijer, 1954
 654 - Mlynarski et al., 1984
 655 - Molnar, 1982a

656 - Molnar, 1982b	670 - Mook, 1959a
657 - Yeh, 1974b	671 - Mlynarski, 1959a
658 - Efimov, 1982b	672 - Olsen, 1964a
659 - Zangerl, 1953b	673 - Szyndlar, 1991b
660 - Baird, 1986a	674 - Holman, 1971b
661 - Mook, 1942a	675 - Holman, 1978b
662 - Langston, 1975a	676 - Holman, 1987c
663 - Russell, 1968b	677 - Holman, 1987a
664 - Ye, 1979a	678 - Buffetaut, 1979b
665 - Buffetaut, 1978b	679 - Hibbard, 1955b
666 - Simpson, 1937a	680 - Wood, 1976a
667 - Willis and Molnar, 1991a	681 - Shikama et al., 1975b
668 - Li, 1991b	
669 - Gaffney, 1979a	

APPENDIX A - REFERENCES

Adler, F. J., 1987, Mid-Continent Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.

Ai-lin, S., 1958, A new species of *Paralligator* from Sungarian Plain: Vertebrata Palasiatica, v. 2, p. 280.

Anderson, C., 1923-26, Notes on the Extinct Chelonian *Meiolania*, with a record of a new occurrence: Records of the Australian Museum, v. 14, p. 223-242.

Anderson, C., 1941-47, *Meiolania platyceps* Owen and *Varanus (Megalania) priscus* (Owen): Records of the Australian Museum, v. 21, p. 309-315.

Andrews, C. A., 1901a, Preliminary note on some recently discovered extinct vertebrates from Egypt (Part II): Geological Magazine (London), v. 8, p. 436-444.

Andrews, C. W., 1901b, Preliminary note on some recently discovered extinct vertebrates from Egypt (Part I): Geological Magazine (London), v. 8, p. 400-409.

Andrews, C. W., 1902, Note on a Pliocene vertebrate fauna from the Wadi-Natrun, Egypt: The Geological Magazine, v. 9, p. 432-439.

Andrews, C. W., 1905, Notes on some new Crocodilia from the Eocene of Egypt: The Geological Magazine, v. 11, p. 481-484.

Andrews, C. W., 1906, The Extinct Mammals of Egypt. A descriptive catalogue of the Tertiary Vertebrata of the Fayum, Egypt, Based on the Collection of the Egyptian Government in the Geological Museum, Cairo, and on the Collection of the British Museum (Natural History): London, Trustees of the British Museum, 324 p.

- Andrews, C. W., 1914, On the Lower Miocene Vertebrates from British East Africa collected by Dr. Felix Oswald: Quarterly Journal of the Geological Society of London, v. 70, p. 163-186.
- Antunes, M. T., 1975, Iberosuchus, crocodile Sebecosuchien nouveau, l'Eocène ibérique au Nord de la Chaine Centrale, et l'origine du canyon de Nazaré: Comunicacoes Servicos Geologicos Portugal, v. 59, p. 285-330.
- Anyonge, W., 1991, Fauna from a new lower Miocene locality west of Lake Turkana, Kenya: Journal of Vertebrate Paleontology, v. 11, p. 378-390.
- Applegate, S. P., 1970, Digging fossil whales in Mississippi with southern hospitality: Quarterly of the Los Angeles County Museum of Natural History, v. 8, p. 26-31.
- Arambourg, C., 1934, Sur la présence d'un crocodilien du genre *Crocodilus* dans les gisements de phosphates du Maroc: Comptes rendu sommaire et bulletin Société géologiques de France, v. 1934, p. 108-110.
- Arata, A. A., and C. G. Jackson, 1965, Cenozoic vertebrates from the Gulf Coastal Plain - 1: Tulane Studies in Geology, v. 3, p. 175-177.
- Armstrong-Ziegler, J. G., 1980, Amphibia and reptilia from the Campanian of New Mexico: Fieldiana. Geology. New Series, v. 4, p. 1-39.
- Astiba, H., F. Garcia-Garmilla, X. Orue-Etxebarria, J. Rodriguez-Lazaro, A. D. Buscalioni, J. L. Sanz, and E. Jimenez-Fuentes, 1987, The Cretaceous-Tertiary Boundary in a sector of the south limb of the Miranda-Trevino synclinal: the first appearance of Chelonia and Archosauria in the Basque country.: Cretaceous Research, v. 8, p. 15-27.
- Auffenberg, W., 1954, Additional specimens of *Gavialosuchus americanus* (Sellards) from a new locality in Florida: The Quarterly Journal of the Florida Academy of Sciences, v. 17, p. 185-209.
- Auffenberg, W., 1957, Notes on fossil crocodilians from southeastern United States: Quarterly Journal of the Florida Academy of Science, v. 20, p. 107-113.
- Auffenberg, W., 1962, *Testudo amphithorax* Cope Referred to *Stylemys*.: American Museum Novitates, v. 2120, p. 10.
- Auffenberg, W., 1966, A new species of Pliocene tortoise, Genus *Geochelone*, from Florida: Journal of Paleontology, v. 40, p. 877-882.
- Azzaroli, A., 1978, Fossil Mammals from the island Pianosa in the northern Tyrrhenian sea: Bollettino della Società Paleontologica Italiana, v. 17, p. 15-27.
- Azzaroli, A., 1986, On the occurrence of *Equus stenonis* in China: Bollettino della Società Paleontologica Italiana, v. 25, p. 199-201.
- Bailon, S., 1989, Les amphibiens et les reptiles du Pliocene supérieur de Balaruc II (Hérault, France): Palaeovertebrata, v. 19, p. 7-28.

- Baird, D., 1984, Evidence of giant Protostegid sea-turtles in the Cretaceous of New Jersey: *Mosasaur*, v. 2, p. 135-140.
- Baird, D., 1986a, A skull fragment of the Cretaceous Cheloniid turtle *Osteopygis* from Atlantic Highlands, New Jersey: *Mosasaur*, v. 3, p. 47-52.
- Baird, D., 1986b, Upper Cretaceous reptiles from the Severn Formation of Maryland: The *Mosasaur*, v. 3, p. 63-85.
- Baird, D., and G. R. Case, 1966, Rare marine reptiles from the Cretaceous of New Jersey: *Journal of Paleontology*, v. 40, p. 1211-1215.
- Ballard, W. W., J. P. Bluemle, and L. C. Gerhard, 1983, Northern Rockies / Williston Basin Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Balouet, J.-C., and E. Buffetaut, 1987, *Mekonosuchus onexpectatus*, n. sp., a new crocodilian from the Holocene of New Caledonia: *Comptes rendu de l'Academie des Sciences Serie II*, v. 304, p. 853-856.
- Barbato, L. C., M. R. Minieri, C. Petronio, and A. V. Taglianti, 1990, Strutture dentarie di *Ursus arctos* e di *Ursus spelaeus* della grotta di Monte Cucco (Sigillo, Perugia, Italia): *Bollettino della Società Paleontologica Italiana*, v. 29, p. 335-356.
- Bardack, D., 1968, Fossil vertebrates from the marine Cretaceous of Manitoba: *Canadian Journal of Earth Sciences*, v. 5, p. 145-153.
- Bartels, W. S., 1983, A transitional Paleocene-Eocene reptile fauna from the Bighorn Basin, Wyoming: *Herpetologica*, v. 39, p. 359-374.
- Bartholomai, A., and J. T. Woods, 1968, Appendix 2. Notes on the vertebrate fauna of the Chinchilla Sand: *Bureau of Mineral Resources Bulletin*, v. 166, p. 151-152.
- Beard, K. C., and A. R. Tabrum, 1991, The first early Eocene mammal from eastern North America: an omomyid primate from the Bashi Formation, Lauderdale County, Mississippi: *Mississippi Geology*, v. 11, p. 1-6.
- Belyaeva, Y. I., 1962, Catalogue of Tertiary fossil sites of land mammals in the U.S.S.R.: Washington, D.C., The American Geological Institute, 114 p.
- Bendix-Almgreen, S. E., 1976, Palaeovertebrate faunas of Greenland, in A. Escher, and W. S. Watt, eds., *Geology of Greenland*, The Geological Survey of Greenland, p. 565-573.
- Berg, D., 1964, Die Krokodile aus dem Eozän von Messe, bei Darmstadt/Hessen: *Berichte der Naturforschenden Gesellschaft zu Freiburg*, v. 58, p. 45-46.
- Berg, D. E., 1967, Neue Krokodile aus dem Geiseltal und von anderen Fundstellen: *Berichte Deutsche Gesellschaft für Geologische Wissenschaften*, v. 12.

- Bergquist, H. R., 1942, Scott County geology: Mississippi Geological Survey Bulletin, v. 49, p. 13-102.
- Bergquist, H. R., 1943, Clay County geology: Mississippi Geological Survey Bulletin, v. 53, p. 11-71.
- Bergstrom, D. J., and G. B. Morey, 1985, Northern Mid-Continent Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Berman, D. S., and S. L. Jain, 1982, The braincase of a small sauropod dinosaur (Reptilia: Saurischia) from the Upper Cretaceous Lameta Group, central India, with review of Lameta Group localities: Annals of Carnegie Museum, v. 51, p. 405-422.
- Berry, C. T., 1937, More complete remains of a chelonian, *Syllophus crispatus* Cope, from the Miocene of Virginia: American Museum Novitates, v. 953, p. 1-12.
- Bertini, R. J., L. G. Marshall, M. Gayet, and P. Brito, 1993, Vertebrate faunas from the Adamantina and Marília formations (Upper Baurú Group, late Cretaceous, Brazil) in their stratigraphic and paleobiogeographic context: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 188, p. 71-101.
- Bishop, C. C., and J. F. Davis, 1984, Southern California Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Bishop, W. W., and G. R. Chapman, 1970, Early Pliocene sediments and fossils from the northern Kenya Rift Valley: Nature, v. 226, p. 914-918.
- Bishop, W. W., and M. H. L. Pickford, 1975, Geology, fauna and palaeoenvironments of the Ngorora Formation, Kenya Rift Valley: Nature, v. 254, p. 185-192.
- Bjork, P. R., 1967, Latest Eocene vertebrates from northwestern South Dakota: Journal of Paleontology, v. 41, p. 227-236.
- Boaz, N., A. W. Gaziry, and A. El-Arnauti, 1979, New fossil finds from the Libyan Upper Neogene site of Sahabi: Nature, v. 280, p. 137-139.
- Bocquentin, J., 1984, Un nuevo Nettosuchidae (Crocodylia, Eusuchia) Proviene de la Formación Urumaco (Mioceno Superior), Venezuela: Ameghiniana, v. 21, p. 3-8.
- Bohlin, B., 1953, Fossil reptiles from Mongolia and Kansu: The Sino-Swedish Expedition, v. 37, p. 1-133.
- Bone, D. A., 1989, Temporary exposures in the Lower Palaeogene of the eastern Hampshire Basin (Chichester to Havant): Proceedings of the Geological Association, v. 100, p. 147-159.
- Bonfiglio, L., and A. Berdar, 1986, Gli elefanti del Pleistocene superiore di Archi (RC): nuove evidenze di insularità della Calabria meridionale durante il ciclo Tirreniano: Bollettino della Società Paleontologica Italiana, v. 25, p. 9-34.

- Bonfiglio, L., and F. Riccobono, 1990, Il deposito a *Hippopotamus* sp. del Pleistocene superiore presso la grotta di S. Teodora in Acquedolci (Messina, Sicilia), un progetto di museo paleontologico *in situ*: Bollettino della Società Paleontologica Italiana, v. 29, p. 109-115.
- Bonis, L. de, J.-Y. Crochet, J.-C. Rage, B. Sigé, J. Sudre, and M. Vianey-Liaud, 1973, Nouvelles faunes de Vertébrés oligocènes des phosphorites du Quercy: Bulletin du Muséum National d'Histoire Naturelle, series 3, v. 174, p. 105-113.
- Borselli, V., C. D. Giuli, G. Ficcarelli, and M. Mazzini, 1980, Casa Frata : una località fossilifera del Villafranchiano Superiore presso Terranova Bracciolini (Arezzo) nel Valdarno Superiore: Bollettino della Società Paleontologica Italiana, v. 19, p. 254-258.
- Borselli, V., M. Magnatti, G. Ficcarelli, G. Napoleone, F. Landucci, and G. Pambianchi, 1988, Segnalazione di mammiferi pleistocenici nell'area di Colfiorito (Appennino umbro-marchigiano) e valutazione della potenzialità del giacimento con metodi geofisici: Bollettino della Società Paleontologica Italiana, v. 27, p. 253-257.
- Bouaziz, S., E. Buffetaut, M. Ghanmi, J.-J. Jaeger, M. Martin, J.-M. Mazin, and H. Tong, 1988, Novelles découvertes de vertébrés fossiles dans l'Albien du Sud tunisien: Bulletin de la Société géologique France, v. 4, p. 335-339.
- Bouchard, M. A., C. R. Harington, and J.-P. Guilbault, 1993, First evidence of walrus (*Odobenus rosmarus*, L.) in Late Pleistocene Champlain Sea sediments, Quebec: Canadian Journal of Earth Science, v. 30, p. 1715-1719.
- Brattstrom, B. H., 1955, Pliocene and Pleistocene amphibians and reptiles from southeastern Arizona: Journal of Paleontology, v. 29, p. 150-154.
- Brattstrom, B. H., 1961, Some new fossil tortoises from western North America with remarks on the zoogeography and paleoecology of tortoises: Journal of Paleontology, v. 35, p. 543-560.
- Braunstein, J., P. Huddlestone, and R. Biel, 1988, Gulf Coast Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Breithaupt, B. H., 1982, Paleontology and paleoecology of the Lance Formation (Maastrichtian), east flank of Rock Springs Uplift, Sweetwater County, Wyoming: Contributions to Geology, University of Wyoming, v. 21, p. 123-151.
- Brinkman, D. B., 1990, Paleoecology of the Judith River Formation (Campanian) of Dinosaur Provincial Park, Alberta, Canada: evidence from vertebrate microfossil localities: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 78, p. 37-54.
- Brinkman, D. B., and E. L. Nicholls, 1991, Anatomy and relationships of the turtle *Boremys pulchra* (Testudines: Baenidae): Journal of Vertebrate Paleontology, v. 11, p. 302-315.

- Bristow, C. R., and J. J. Parodiz, 1982, The stratigraphical paleontology of the Tertiary non-marine sediments of Ecuador: Bulletin of Carnegie Museum of Natural History, v. 19, p. 1-53.
- Broin, F. de, 1969, Sur la présence d'une Tortue, *Pelusios sinuatus* (A.Smith) au Villafranchien inférieur du Tchad: Bulletin Societe géologique de France, v. 7, p. 909-916.
- Broin, F. de, 1987, Lower vertebrates from the early-middle Eocene Kuldana Formation of Kohat (Pakistan): Chelonia: Contributions of the Museum of Paleontology University of Michigan, v. 27, p. 169-181.
- Broin, F. de, and M. d. l. Fuente, 1993, Les Tortues fossiles d'Argentine: Synthèse: Annales de Paléontologie, v. 79, p. 169-232.
- Brouwers, E. M., W. A. Clemens, R. A. Spicer, T. A. Ager, L. D. Carter, and W. V. Sliter, 1987, Dinosaurs on the North Slope, Alaska: High latitude, latest Cretaceous environments: Science, v. 237, p. 1608-1610.
- Brown, G. F., D. L. Schmidt, and J. A. Curtis Huffman, 1989, Geology of the Arabian Peninsula. Shield area of western Saudi Arabia: United States Geological Survey Professional Paper, v. 560-A, p. 188.
- Brunet, M., and E. Heintz, 1983, Interpretation paleoecologique et relations biogeographiques de la faune de vertebres du Miocene Supérieur D'Injana, Irak.: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 44, p. 283-293.
- Brunet, M., Y. Jehenne, and M. Ringeade, 1977, Note préliminaire concernant la découverte d'une faune et d'une flore du Niveau de Ronzon dans l'Oligocène Inférieur du Bassin d'Aquitaine.: Géobios, v. 10, p. 109-112.
- Bryant, J. D., 1991, New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, eastern Florida Panhandle: Journal of Vertebrate Paleontology, v. 11, p. 472-489.
- Bryant, L. J., 1989, Non-dinosaurian lower vertebrates across the Cretaceous-Tertiary boundary in northeastern Montana: University of California Publication. Geological Science, v. 134, p. 1-107.
- Buckeridge, J. S., 1981, A marine turtle (Cheloniidae) from the lower Miocene of Port Waikato, New Zealand: New Zealand Journal of Geology and Geophysics, v. 24, p. 435-437.
- Buffetaut, E., 1976, Ostéologie et affinités de *Trematochamps taqueti* (Crocodylia, Mesosuchia) du Sénonian inférieur d'In Beceten (République du Niger): Geobios, v. 9, p. 143-198.
- Buffetaut, E., 1978a, Crocodilian remains from the Eocene of Pakistan: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 156, p. 262-283.

- Buffetaut, E., 1978b, A dyrosaurid (Crocodylia, Mesosuchia) from the Upper Eocene of Burma: Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1978, p. 273-281.
- Buffetaut, E., 1979a, Présence du Crocodilien *Phosphatosaurus* (Mesosuchia, Dyrosauridae) dans le Paléocène du Niger et du Mali: Paläontologische Zeitschrift, v. 53, p. 323-333.
- Buffetaut, E., 1980, Crocodylians from the continental Upper Cretaceous of Europe: new finds and interpretations: Mesozoic Vertebrate Life, v. 1, p. 5-14.
- Buffetaut, E., 1983, Wounds on the jaw of an Eocene mesosuchian crocodilian as possible evidence for the antiquity of crocodilian intraspecific fighting behaviour: Paläontologische Zeitschrift, v. 57, p. 143-145.
- Buffetaut, E., 1984, On the occurrence of *Crocodylus pigotti* in the Miocene of Saudi Arabia, with remarks on the origin of the Nile crocodile: Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1984, p. 513-520.
- Buffetaut, E., 1985, Présence de Trematochampsidae (Crocodylia, Mesosuchia) dans le Crétacé supérieur du Brésil. Implications paléobiogéographiques: Comptes Rendus Academie des Sciences, Paris, v. 301, p. 1221-1224.
- Buffetaut, E., 1989, A new ziphodont mesosuchian crocodile from the Eocene of Algeria: Palaeontographica Abteilung A, v. 208, p. 1-10.
- Buffetaut, É., 1979b, Présence du Crocodilien *Euthecodon* dans le Miocène inférieur d'Ombo (Golfe de Kavirondo, Kenya): Bulletin de la Société géologique France, (7) v. 21, p. 321-322.
- Buffetaut, É., 1982, Un problème de paléobiogéographie continentale: les Crocodiliens mésosuchiens ziphodontes de l'Éocène européen: Bulletin Societe géologique de France, (7) v. 24, p. 1101-1107.
- Buffetaut, É., 1986, Un Mésosuchiens ziphodonte dans l'Éocène supérieur de la Livinière (Hérault, France): Géobios, v. 19, p. 101-108.
- Buffetaut, E., R. Bussert, and W. Brinkman, 1990, A new nonmarine vertebrate fauna in the upper Cretaceous of northern Sudan: Berliner geowissenschaftliche Abhandlungen Reihe A, v. 120, p. 183-202.
- Buffetaut, É., and J.-J. Cornée, 1982, Le crocodilien *Diplocynodon* (Eusuchia, Alligatoridae) dans la "Série du Gypse D'Aix" à Venelles (Bouches-du-Rhône, France): Geobios, v. 15, p. 209-215.
- Buffetaut, E., F. Crouzel, F. Juillard, and F. Stigliani, 1984, Le crocodilien longirostre *Gavialosuchus* dans le Miocene Moyen de Polastron (Gers, France): Geobios, v. 17, p. 113-117.
- Buffetaut, E., and P. Taquet, 1977, The giant crocodilian *Sarcosuchus* in the Early Cretaceous of Brazil and Niger: Palaeontology, v. 20, p. 203-208.

- Buffetaut, E., and P. Taquet, 1979, An early Cretaceous terrestrial crocodilian and the opening of the South Atlantic: Nature, v. 280, p. 486-487.
- Burke, A. C., E. S. Gaffney, and T. H. Rich, 1983, Miocene turtles from Lake Tarkarooloo, South Australia: Alcheringa, v. 7, p. 151-154.
- Busbey, A. B., 1986, New material of *Sebecus* cf. *huilensis* (Crocodylia: Sebecosuchidae) from the Miocene La Venta Formation of Colombia: Journal of Vertebrate Paleontology, v. 6, p. 20-27.
- Busbey, A. B., 1991, A small pristichampsine crocodilian from the Eocene of west Texas: Journal of Vertebrate Paleontology, v. 11, p. 19A.
- Buscalioni, A. D., J. L. Sanz, and M. L. Casanovas, 1992, A new species of the eusuchian crocodile *Diplocynodon* from the Eocene of Spain: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 187, p. 1-29.
- Buscalioni, A. D., J. L. Sanz, M. L. Casanovas, and J. V. Santafe, 1986, An eusuchian crocodile from the Upper Cretaceous of Spain (Vilamitjana, Province of Lerida): Journal of Vertebrate Paleontology, v. 6, p. 209-214.
- Canocchi, D., 1987, On a skull of a sirenian from the early Pliocene of Siena, Tuscany: Rívista Italiana di Paleontologia e Stratigrafia, v. 92, p. 497-514.
- Carpenter, K., 1979, Vertebrate fauna of the Laramie Formation (Maestrichtian), Weld County, Colorado: Contributions to Geology, University of Wyoming, v. 17, p. 37-49.
- Carpenter, K., 1983, *Thoracosaurus neocesariensis* (De Kay, 1842) (Crocodylia: Crocodylidae) from the Late Cretaceous Ripley Formation of Mississippi: Mississippi Geology, v. 4, p. 1-10.
- Carpenter, K., and D. Lindsey, 1980, The dentary of *Brachychampsia montana* Gilmore (Alligatorinae; Crocodylidae), a late Cretaceous turtle-eating alligator: Journal of Paleontology, v. 54, p. 1213-1217.
- Case, E. C., 1927, A new species of Trionychid turtle, *Amyda nelsoni*, from the Eocene beds of southwestern Wyoming: Contributions of the Museum of Paleontology University of Michigan, v. 2, p. 223-226.
- Case, J. A., M. O. Woodburne, and F. S. Chaney, 1987, A gigantic phororhacoid (?) bird from Antarctica: Journal of Paleontology, v. 61, p. 1280-1284.
- Cassiliano, M., 1980, Stratigraphy and vertebrate paleontology of the Horse Creek-Trail Creek area, Laramie County, Wyoming: Contributions to Geology. University of Wyoming, v. 19, p. 25-68.
- Chantell, C. J., 1971, Fossil amphibians from the Egelhoff Local Fauna in north-central Nebraska: Contributions of the Museum of Paleontology University of Michigan, v. 23, p. 239-246.

- Chen, G., 1983, Chelonian fossils from Xinzhou Basin of Hubei Province: *Vertebrata Palasiatica*, v. 21, p. 42-48.
- Cheng, C.-c., Y.-j. Tang, C.-s. Chiu, and H.-k. Yeh, 1973, Notes on the Upper Cretaceous - Lower Tertiary of the Nanhsiung Basin, N. Kwangtung: *Vertebrata Palasiatica*, v. 11, p. 27-28.
- Cheng, Z.-w., 1961, A new Anosterine turtle from Linchu, Shantung: *Vertebrata Palasiatica*, v. 3, p. 276.
- Chiappe, L. M., 1988, Un nuevo *Caiman* (Crocodylia, Alligatoridae) de la Formación Tremembé (Oligocene), Estado de São Paulo, Brasil, y su significado paleoclimático: *Paula-Coutiana*, v. 3, p. 49-66.
- Chkhikvadze, V. M., 1968, Sakyidae, new family of fossil turtles: *Paleontological Journal*, v. 1968, p. 228-233.
- Chow, M., and W. Banyue, 1964, Fossil vertebrates from the Miocene of northern Kiangsu: *Vertebrata Palasiatica*, v. 8, p. 348-351.
- Chow, M.-c., 1959, Eocene vertebrates from Sinyu, Kiangsi Province: *Vertebrata Palasiatica*, v. 3, p. 106.
- Chow, M. M., C.-k. Li, and C. Yu-ping, 1973, Late Eocene Mammalian Faunas of Honan and Shansi with notes on some vertebrate fossils collected therefrom: *Vertebrata Palasiatica*, v. 11, p. 165-181.
- Clark, J., J. R. Beerbower, and K. K. Kietzke, 1967, Oligocene sedimentation, stratigraphy, paleoecology and paleoclimatology in the Big Badlands of South Dakota: *Fieldiana: Geology Memoirs*, v. 5, p. 1-158.
- Clemens, W. A., and L. G. Nelms, 1993, Paleoecological implications of Alaskan terrestrial vertebrate fauna in latest Cretaceous time at high paleolatitudes: *Geology*, v. 21, p. 503-506.
- Clot, A., J. Chaline, E. Heintz, D. Jammot, C. Mourer-Chauvire, and J.-C. Rage, 1976, Montoussé 5 (Hautes-Pyrénées), un nouveau remplissage de fissure à fauna de vertébrés du Pléistocène inférieur: *Géobios*, v. 9, p. 511-514.
- Colbert, E. H., and R. T. Bird, 1954, A gigantic crocodile from the Upper Cretaceous beds of Texas: *American Museum Novitates*, v. 1688, p. 1-22.
- Cooke, H. B. S., 1972, The fossil mammal fauna of Africa, in A. Keast, F. C. Erk, and B. Glass, eds., *Evolution, Mammals, and Southern Continents*, Albany, State University of New York Press, p. 89-139.
- Cooper, J., 1977, The palaeontology of the London Clay (Lower Eocene) of the Herne Bay coastal section, Kent, England: *Proceedings of the Geological Association*, v. 88, p. 163-179.

- Corvinus, G., 1988, Plio-Pleistocene fauna and flora from the Siwalik Group of sediments in Nepal and their environmental implications: a preliminary report, in P. Whyte, J. S. Aigner, N. G. Jablonski, G. Taylor, D. Walker, W. Pinxian, and S. Chak-Lam, eds., The Palaeoenvironment of East Asia from the Mid-Tertiary, Hong Kong, Centre of Asian Studies, University of Hong Kong, p. 908-915.
- Corvinus, G., and Q. B. Hendey, 1978, A new Miocene vertebrate locality at Arrisdrift in South West Africa (Namibia): Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1978, p. 193-205.
- Cox, R. L., 1962, Age and correlation of the Sooke Formation with a section on its palynology: Journal of the Alberta Society of Petroleum Geologists, v. 10, p. 494.
- Coxon, P., A. R. Hall, A. Lister, and A. J. Stuart, 1980, New evidence on the vertebrate fauna, stratigraphy and palaeobotany of the interglacial deposits at Swanton Morley, Norfolk: Geological Magazine (London), v. 117, p. 525-546.
- Cray, P. E., 1973, Marsupialia, Insectivora, Primates, Creodonta and Carnivora from the Headon Beds (Upper Eocene) of Southern England: Bulletin of the British Museum of Natural History (Geology), v. 23, p. 1-102.
- Czaplewski, N. J., 1987, Middle Blancan vertebrate assemblage from the Verde Formation, Arizona: Contributions to Geology. University of Wyoming, v. 25, p. 133-155.
- Daley, B., and N. Edwards, 1974, Week-end field meeting: the Upper Eocene - Lower Oligocene beds of the Isle of Wight: Proceedings of the Geological Association, v. 85, p. 281-292.
- Dalquest, W. W., 1962, The Good Creek Formation, Pleistocene of Texas, and its fauna: Journal of Paleontology, v. 36, p. 568-582.
- Dalquest, W. W., 1965, New Pleistocene Formation and local fauna from Hardman County, Texas: Journal of Paleontology, v. 39, p. 63-79.
- Daly, E., 1992, A list, bibliography and index of the fossil vertebrates of Mississippi: Mississippi Department of Environment Quality Office of Geology Bulletin, v. 128, p. 1-47.
- Defa, Y., Z. Qiu, and Z. Meng, 1983, Miocene stratigraphy and mammals of Shanwang, Shandong: Vertebrata Palasiatica, v. 21, p. 220-222.
- Dobie, J. L., and D. R. Jackson, 1979, First fossil record for the Diamondback Terrapin, *Malaclemys terrapin* (Emydidae), and comments on the fossil record of *Chrysemys nelsoni* (Emydidae): Herpetologica, v. 35, p. 139-145.
- Dong, Z.-m., 1974, Some fossil crocodiles of Sinkiang: Vertebrata Palasiatica, v. 12, p. 187-188.
- Donovan, S. K., D. P. Domning, F. A. Garcia, and H. L. Dixon, 1990, A bone bed in the Eocene of Jamaica: Journal of Paleontology, v. 64, p. 660-662.

- Dorr, J. A., 1952, Early Cenozoic stratigraphy and vertebrate paleontology of the Hoback Basin, Wyoming: Geological Society of America Bulletin, v. 63, p. 59-94.
- Dorr, J. A., 1969, Mammalian and other fossils, early Eocene Pass Peak Formation, central western Wyoming: Contributions from the Museum of Paleontology. The University of Michigan, v. 22, p. 207-219.
- Dorr, J. A., 1978, Revised and amended fossil vertebrate faunal lists, early Tertiary, Hoback Basin, Wyoming: Contributions to Geology, University of Wyoming, v. 16, p. 79-84.
- Dorr, J. A., and W. H. Wheeler, 1964, Cenozoic paleontology, stratigraphy, and reconnaissance geology of the Upper Ruby River Basin, southwestern Montana: Contributions of the Museum of Paleontology University of Michigan, v. 13, p. 297-339.
- Douglas, R. J. W., 1970, Geology and Economic Minerals of Canada: Ottawa, Geological Survey of Canada, 838 p.
- Driver, J. C., 1988, Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, northeast British Columbia: Canadian Journal of Earth Sciences, v. 25, p. 1545-1553.
- Dubrovo, I. A., 1990, Plio-Pleistocene fossil vertebrate localities of south-western Turkmenia, U.S.S.R.: Quartärpalaontologie, v. 8, p. 35-39.
- Ducrocq, S., E. Buffetaut, H. Buffetaut-Tong, R. Helmcke-Ingavat, J.-J. Jaeger, Y. Jongkanjanasoonorn, and V. Suteethorn, 1992, A Lower Tertiary vertebrate fauna from Krabi (South Thailand): Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 184, p. 101-122.
- Eames, F. E., 1950, On the age of the fauna of the Bugti Bone Beds, Baluchistan: Geological Magazine, v. 87, p. 53-56.
- Eaton, J. G., 1982, Paleontology and correlation of Eocene volcanic rocks in the Carter Mountain area, Park County, southeastern Absaroka Range, Wyoming: Contributions to Geology, University of Wyoming, v. 21, p. 153-194.
- Eberth, D. A., 1990, Stratigraphy and sedimentology of vertebrate microfossil sites in the uppermost Judith River Formation (Campanian), Dinosaur Provincial Park, Alberta, Canada: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 78, p. 1-36.
- Efimov, M. B., 1975, Late Cretaceous crocodiles of Soviet central Asia and Kazakhstan: Paleontology Journal, v. 1975, p. 417-420.
- Efimov, M. B., 1982a, New fossil crocodiles from the USSR: Paleontological Journal, v. 1982, p. 140-145.

- Efimov, M. B., 1982b, A two-fanged crocodile from the Upper Cretaceous in Tadzhikstan: Paleontological Journal, v. 1982, p. 103-105.
- Efimov, M. B., 1988, The fossil crocodiles and champsosaurides of Mongolia and USSR: The Joint Soviet-Mongolian Paleontological Expedition Transactions, v. 36, p. 1-105.
- Emslie, S. D., 1986, Late Pleistocene vertebrates from Gunnison County, Colorado: Journal of Paleontology, v. 60, p. 170-176.
- Erickson, B. R., 1982a, The Wannagan Creek Quarry and its reptilian fauna (Bullion Creek Formation, Paleocene) in Billings County, North Dakota: Report of Investigation. North Dakota Geological Survey, v. 72, p. 1-17.
- Erickson, B. R., 1982b, *Wannaganosuchus*, a new alligator from the Paleocene of North America: Journal of Paleontology, v. 56, p. 492-506.
- Erickson, B. R., 1990, Paleoecology of crocodile and whale-bearing strata of Oligocene age in North America: Historical Biology, v. 4, p. 1-14.
- Estes, R., 1964, Fossil vertebrates from the Late Cretaceous Lance Formation eastern Wyoming: University of California Publication. Geological Science, v. 49, p. 1-180.
- Estes, R., 1975, Lower vertebrates from the Fort Union Formation, Lower Paleocene, Big Horn Basin, Wyoming: Herpetologica, v. 31, p. 365-385.
- Estes, R., 1976, Middle Paleocene lower vertebrates from the Tongue River Formation, southeastern Montana: Journal of Paleontology, v. 50, p. 500-520.
- Estes, R., 1988, Lower vertebrates from the Golden Valley Formation, Early Eocene of North Dakota: Acta Zoologica Cracoviensis, v. 31, p. 541-562.
- Estes, R., and P. Berberian, 1970, Paleoecology of a late Cretaceous vertebrate community from Montana: Breviora, v. 343, p. 1-35.
- Estes, R., and J. H. Hutchison, 1980, Eocene lower vertebrates from Ellesmere Island, Canadian Arctic Archipelago: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 30, p. 325-347.
- Esu, D., and T. Kotsakis, 1983, Les vertebres et les mollusques continentaux du Tertiaire de la Sardaigne: paleobiogeographie et biostratigraphie: Geologica Romana, v. 22, p. 177-206.
- Etheridge, R., 1892-1896, On further traces of *Meiolania* in N. S. Wales: Records of the Australian Museum, v. 2, p. 39-41.
- Ferrusquía-Villafranca, I., and V. Torres-Roldán, 1980, El registro de mamíferos terrestres del Mesozoico y Cenozoico de Baja California: Universidad Nacional Autónoma de México. Instituto de Geología. Revista, v. 4, p. 56-62.

- Ficcarelli, G., and P. Mazza, 1990, New fossil findings from the Colfiorito Basin (Umbria-Marchen Apennine): *Bollettino della Società Paleontologica Italiana*, v. 29, p. 245-247.
- Fiorillo, A. R., 1989, The vertebrate fauna from the Judith River Formation (Late Cretaceous) of Wheatland and Golden Valley counties, Montana: *The Mosasaur*, v. 4, p. 127-142.
- Flannery, T. F., 1984, Re-examination of the Quanbun Local Fauna, a late Cenozoic vertebrate fauna from Western Australia: *Records of the Western Australian Museum*, v. 11, p. 119-128.
- Flynn, L. J., A. Brillanceau, M. Brunet, Y. Coppens, J. Dejax, M. Duperon-Laudoueneix, G. Ekodeck, K. M. Flanagan, E. Heintz, J. Hell, L. L. Jacobs, D. R. Pilbeam, S. Sen, and S. Djallo, 1987, Vertebrate fossils from Cameroon, West Africa: *Journal of Vertebrate Paleontology*, v. 7, p. 469-471.
- Fordyce, E., 1982, The fossil vertebrate record of New Zealand, in P. V. Rich, and E. M. Thompson, eds., *The Fossil Vertebrates of Australia*, Clayton, Victoria, Monash University Offset Printing Unit, p. 630-698.
- Fordyce, R. E., 1979, Records of two Paleogene turtles and notes on other Tertiary reptilian remains from New Zealand: *New Zealand Journal of Geology and Geophysics*, v. 22, p. 737-741.
- Fox, R. C., 1975, Fossil snakes from the Upper Milk River Formation (Upper Cretaceous), Alberta: *Canadian Journal of Earth Sciences*, v. 12, p. 1557-1563.
- Fox, R. C., 1988, Late Cretaceous and Paleocene mammal localities of southern Alberta: *Occasional Paper of the Tyrrell Museum of Palaeontology*, v. 6, p. 1-37.
- Fox, R. C., 1989, The Wounded Knee Local Fauna and mammalian evolution near the Cretaceous-Tertiary boundary, Saskatchewan, Canada: *Palaeontographica Abteilung A*, v. 208, p. 11-59.
- Franz, R., and C. A. Woods, 1983, A fossil tortoise from Hispaniola: *Journal of Herpetology*, v. 17, p. 79-81.
- Frey, E., A. Laemmert, and J. Rieß, 1987, *Baryphracta deponiae* n.g.n.sp. (Reptilia, Crocodylia), ein neues Krokodil aus der Grube Messel bei Darmstadt (Hessen, Bundesrepublik Deutschland): *Neues Jahrbuch für Geologie und Paläontologie Monatshefte*, v. 1987, p. 15-26.
- Frick, C., 1921, Extinct vertebrate faunas of the Badlands of Bautista Creek and San Timoteo Cañon, southern California: *University of California Publications Geological Sciences*, v. 12, p. 277-424.
- Fuentes, E. J., 1984, Chéloniens Géants fossiles de l'Espagne: *Stvdia Geologica Salmanticensia*, v. 1, p. 159-167.

- Fulgosi, F. C., 1977, *Heptranchias perlo* (Bonnaterre) (Selachii, Hexanchidae) nel Serravalliano di Visiano (Medesano, Parma, Emilia Occidentale): considerazioni tassonomiche e filogenetiche: Bollettino della Società Paleontologica Italiana, v. 16, p. 245-256.
- Gaffney, E. S., 1975, A Revision of the Side-Necked Turtle *Taphrosphys sulcatus* (Leidy) from the Cretaceous of New Jersey: American Museum Novitates, v. 2571, p. 1-24.
- Gaffney, E. S., 1977, An endocranial cast of the Side-Necked Turtle, *Bothremys*, with a new reconstruction of the palate: American Museum Novitates, v. 2639, p. 1-12.
- Gaffney, E. S., 1979a, Description of a large trionychid turtle shell from the Eocene Bridger Formation of Wyoming: Contributions to Geology. University of Wyoming, v. 17, p. 53-57.
- Gaffney, E. S., 1979b, Fossil Chelid turtles of Australia: American Museum Novitates, v. 2681, p. 1-23.
- Gaffney, E. S., 1981, A review of the fossil turtles of Australia: American Museum Novitates, v. 2720, p. 1-38.
- Gaffney, E. S., 1983, The cranial morphology of the extinct horned turtle, *Meiolania platyceps*, from the Pleistocene of Lord Howe Island, Australia: Bulletin of the American Museum of Natural History, v. 175, p. 361-480.
- Gaffney, E. S., 1985, The cervical and caudal vertebrae of the Cryptodiran Turtle, *Meiolania platyceps*, from the Pleistocene of Lord Howe Island, Australia: American Museum Novitates, v. 2805, p. 1-29.
- Gaffney, E. S., J. C. Balouet, and F. D. Broin, 1984, New occurrences of extinct Meiolaniid Turtles in New Caledonia: American Museum Novitates, v. 2800, p. 1-6.
- Gaffney, E. S., and R. Hiatt, 1971, A new Baenid turtle from the Upper Cretaceous of Montana: American Museum Novitates, v. 2443, p. 1-9.
- Gaffney, E. S., and R. Zangerl, 1968, A revision of the Chelonian genus *Bothremys* (Pleurodira: Pelomedusidae): Fieldiana: Geological Memoir, v. 16, p. 193-239.
- Gallagher, W. B., D. C. Parris, and E. E. Spamer, 1986, Paleontology, biostratigraphy, and depositional environments of the Cretaceous-Tertiary transition in the New Jersey Plain: The Mosasaur, v. 3, p. 1-35.
- Galusha, T., 1975, Stratigraphy of the Box Butte Formation Nebraska: Bulletin of the American Museum of Natural History, v. 156, p. 1-68.
- Gasparini, Z. de, 1981, Los crocodylia fosiles de la Argentina: Ameghiniana, v. 18, p. 177-205.

- Gasparini, Z. de, 1984, New Tertiary Sebecosuchia (Crocodylia: Mesosuchia) from Argentina: *Journal of Vertebrate Paleontology*, v. 4, p. 85-95.
- Gasparini, Z. de, L. M. Chiappe, and M. Fernandez, 1991, A new Senonian Peirosaurid (Crocodylomorpha) from Argentina and a synopsis of the South American Cretaceous crocodilians: *Journal of Vertebrate Paleontology*, v. 11, p. 316-333.
- Gasparini, Z. de, M. Fernandez, and J. Powell, 1993, New Tertiary Sebecosuchians (Crocodylomorpha) from South America: phylogenetic implications: *Historical Biology*, v. 7, p. 1-19.
- Gasparini, Z. B. de, 1968, Nuevos restos de *Rhamphostomopsis neogaeus* (Burm.) Rusconi 1933, (Reptilia, Crocodia) del "Mesopotamense" (Plioceno medio-superior) de Argentina: *Ameghiniana*, v. 5, p. 299-311.
- Gasparini, Z. B. de, 1971, Los Notosuchia del Cretacico de America del Sur Como un nuevo infraorden de los Mesosuchia (Crocodilia): *Ameghiniana*, v. 8, p. 83-103.
- Gasparini, Z. B. de, 1985, Un nuevo cocodrilo (Eusuchia) Cenozoico de America del Sur: Série Geologia. Seção Paleontologia e Stratigrafia, v. 27, p. 51-53.
- Gasparini, Z. B. de, and E. Buffetaut, 1980, *Dolichochampsia minima*, n.g.n.sp., a representative of a new family of eusuchian crocodiles from the late Cretaceous of northern Argentina: *Neues Jahrbuch für Geologie und Paläontologie Monatshefte*, v. 1980, p. 257-271.
- Gaur, R., and S. R. K. Chopra, 1983, Palaeoecology of the Middle Miocene Sivalik sediments of a part of Jammu and Kashmir State (India): *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 43, p. 313-327.
- Gaur, R., and B. S. Kotlia, 1987, Palaeontology, age, palaeoenvironment and palaeoecology of the Karewa intermontane basin of Kashmir (J&K, India): *Rivista Italiana di Paleontologia e Stratigrafia*, v. 93, p. 237-250.
- Gayet, M., and F. J. Meunier, 1991, Première découverte de Gymnotiformes fossiles (Pisces, Ostariophysi) dans le Miocène supérieur de Bolivie: *Comptes rendu de l'Academie des Sciences Serie II*, v. 313, p. 471-476.
- Gilmore, C. W., 1934, Fossil turtles of Mongolia: second contribution: *American Museum Novitates*, v. 689, p. 1-14.
- Gilmore, C. W., 1946, A new crocodilian from the Eocene of Utah: *Journal of Paleontology*, v. 20, p. 62-67.
- Gingerich, P. D., 1989, New Earliest Wasatchian Mammalian Fauna from the Eocene of Northwestern Wyoming: composition and diversity in a rarely sampled high-floodplain assemblage: *University of Michigan. Papers on Paleontology*, v. 28, p. 1-97.

- Gingerich, P. D., D. E. Russell, D. Sigogneau-Russell, J.-L. Hartenberger, S. M. I. Shah, M. Hassan, K. D. Rose, and R. H. Ardrey, 1979, Reconnaissance survey and vertebrate paleontology of some Paleocene and Eocene formations in Pakistan: Contributions from the Museum of Paleontology. The University of Michigan, v. 25, p. 105-116.
- Ginsburg, L., J. Arques, F. de Broin, Y. L. Calvez, J. Mouton, D. Obert, C. Privé-Gill, and J.-P. Roucan, 1977, Découverte d'une faune de Mammifères dans le Lutétian supérieur de la Défense, à Putaeux, près Paris (Hauts-de-Seine): Bulletin Societe Géologique de France, v. 6, p. 311-313.
- Ginsburg, L., M. Bonneau, H. Bucher, E. Buge, H. Dineur, P. Janvier, P. Tassy, and M.-T. Vénec-Peyré, 1982, Les faunes de Mammifères des sables continentaux miocènes inférieurs du synclinal d'Esvres au Nord de la Loire: Bulletin Societe Géologique de France, (7) v. 24, p. 403-406.
- Ginsburg, L., F. de Broin, F. Crouzel, F. Duranthon, F. Escuillié, F. Juillard, and S. Lasssaure, 1991, Les vertébrés du Miocène inférieur de Barbotan-les-Thermes (Gers): Annales de Paléontologie, v. 77, p. 161-216.
- Ginsburg, L., and E. Buffetaut, 1978, *Euthecodon arambourgi* n. sp., et l'évolution du genre *Euthecodon*, Crocodilien du Néogène d'Afrique: Géologie Méditerranéenne, v. 5, p. 291-302.
- Ginsburg, L., P. Janvier, J. Mornand, and D. Pouit, 1979, Découverte d'une faune de Mammifères terrestres d'âge vallésien dans le falun miocène de Doué-la-Fontaine (Maine-et-Loire): Bulletin Societe Géologique de France, v. 5-6, p. 223-227.
- Ginsburg, L., P. Mein, and H. Thomas, 1988, The Miocene of Thailand: recent contributions to vertebrate palaeontology and stratigraphy, in P. Whyte, J. S. Aigner, N. G. Jablonski, G. Taylor, D. Walker, and W. Pinxian, eds., The palaeoenvironment of East Asia from the Mid-Tertiary. Proceedings of the Second Conference. Volume II. Oceanography, Palaeozoology and Palaeoanthropology, Hong Kong, Centre for Asian Studies. University of Hong Kong, p. 897-907.
- Ginsburg, L., L. v. Minh, K. Q. Nam, and D. v. Thuan, 1992, Premières découvertes de vertébrés continentaux dans le Néogène du Nord du Vietnam: Comptes Rendu Academie Science. Paris, v. 314, p. 627-630.
- Glaessner, M. F., 1942, The occurrence of the New Guinea turtle (*Carettochelys*) in the Miocene of Papua: Records of the Australian Museum, v. 21, p. 106.
- Glaessner, M. F., and V. R. Rao, 1954, Lower Cretaceous plant remains from the vicinity of Mount Babbage, South Australia: Transactions of the Royal Society of South Australia, v. 77, p. 134-140.
- Glauert, L., 1920, Pleistocene fossil vertebrates from the Fitzroy River, West Kimberley, W.A.: Journal Proceedings of the Royal Society of Western Australia, v. 7, p. 85-86.

- Golz, D. J., G. T. Jefferson, and M. P. Kennedy, 1977, Late Pliocene vertebrate fossils from the Elsinore fault zone, California: *Journal of Paleontology*, v. 51, p. 864-866.
- Golz, D. J., and J. A. Lillegraven, 1977, Summary of known occurrences of terrestrial vertebrates from Eocene strata of southern California: *Contributions to Geology*. University of Wyoming, v. 15, p. 43-65.
- Gow, C. E., 1980, Faunal remains from Hot Pot Cave, Bredasdorp: *Paleontologica Africana*, v. 23, p. 105-108.
- Gradzinski, R., and T. Jerzykiewicz, 1972, Additional geographical and geological data from the Polish-Mongolian Palaeontological Expeditions: *Palaeontologia Polonica*, v. 27, p. 17-30.
- Gradzinski, R., J. Kazmierczak, and J. Lefeld, 1968, Geographical and geological data from the Polish-Mongolian palaeontological expeditions: *Palaeontologia Polonica*, v. 19, p. 33-82.
- Graham, R. W., 1986, Plant-animal interactions and Pleistocene extinctions, *in* D. K. Elliott, ed., *Dynamics of Extinction*, Wiley and Sons, Inc., p. 131-154.
- Graham, R. W., 1987, Late Quaternary mammalian faunas and paleoenvironments of the southwestern Plains of the United States, *in* R. W. Graham, H. A. S. Jr., and M. A. Graham, eds., *Late Quaternary Mammalian Biogeography and Environments of the Great Plains and Prairies*: Illinois State Museum Scientific Papers, Springfield, Illinois, Illinois State Museum, p. 24-86.
- Gramann, F., 1958, Der Crocobilide *Diplocynodon hantoniensis* (Wood) aus dem unteroligozänen Melanienton Niederhessens: *Abhandlung de Hessischen Landesamtes fur Bodenforschung*, v. 86, p. 77-78.
- Green, M., 1956, The lower Pliocene Ogallala-Wolf Creek vertebrate fauna, South Dakota: *Journal of Paleontology*, v. 30, p. 146-169.
- Green, M., 1965, New Late Miocene locality in South Dakota: *Journal of Paleontology*, v. 39, p. 103-107.
- Gregory, H. E., 1950, Geology and geography of the Zion Park Region, Utah and Arizona: *United States Geological Survey Professional Paper*, v. 220, p. 1-200.
- Gregory, J. T., 1942, Pliocene vertebrates from Big Spring Canyon South Dakota: *University of California Publication. Geological Science*, v. 26, p. 307-445.
- Grigorescu, D., and G. Hahn, 1987, The first multituberculate teeth from the Upper Cretaceous of Europe (Romania): *Geologica et Palaeontologica*, v. 21, p. 237-243.
- Grigorescu, D., J.-L. Hartenberger, C. Radulescu, P. Samson, and J. Sudre, 1985, Découverte de Mammifères et Dinosaures dans le Crétacé supérieur de Pui (Roumanie): *Comptes Rendu Academie Sceance Série II*, v. 301, p. 1365-1368.

- Groessens-Van Dyck, M.-C., 1984, Les Tortues du Paléocène continental de Hainin et Vinalmont (Belgique): *Stvdia Geologica Salmanticensia*, v. 1, p. 133-139.
- Guilday, J. E., H. W. Hamilton, E. Anderson, P. W. Parmalee, C. H. Faulkner, F. C. Hill, and G. H. van Dam, 1978, The Baker Bluff Cave deposit, Tennessee, and the late Pleistocene faunal gradient: *Bulletin of Carnegie Museum of Natural History*, v. 11, p. 1-67.
- Gupta, S. S., and B. C. Verma, 1988, Stratigraphy and vertebrate fauna of the Siwalik Group, Mansar-Uttarbani Section, Jammu District, J & K: *Journal of the Palaeontological Society of India*, v. 33, p. 117-124.
- Gustavson, T. C., 1990, Tertiary and Quaternary stratigraphy and vertebrate paleontology of parts of northwestern Texas and eastern New Mexico, Austin, Texas, Bureau of Economic Geology. The University of Texas at Austin, p. 1-128.
- Haas, G., 1966, On the vertebrate fauna of the Lower Pleistocene site 'Ubeidiya: Jerusalem, The Israel Academy of Sciences and Humanities, 68 p.
- Hager, M. W., 1975, Late Pliocene and Pleistocene history of the Donnelly Ranch vertebrate site, southeastern Colorado: *Contributions to Geology*. University of Wyoming Special Paper, v. 2, p. 1-62.
- Hallock, L. A., J. A. Holman, and M. R. Warren, 1990, Herpetofauna of the Ipswichian Interglacial Bed (Late Pleistocene) of the Itteringham Gravel Pit, Norfolk, England: *Journal of Herpetology*, v. 24, p. 33-39.
- Hamilton, T. D., G. M. Ashley, K. M. Reed, and C. E. Schweger, 1993, Late Pleistocene vertebrates and other fossils from Epiguruk, Northwestern Alaska: *Quaternary Research*, v. 39, p. 381-389.
- Harington, C. R., 1977, Quaternary vertebrate faunas of Canada and Alaska and their suggested chronological sequence: *Syllogeus*, v. 15, p. 1-105.
- Harington, C. R., and F. V. Clulow, 1973, Pleistocene mammals from Gold Run Creek, Yukon Territory: *Canadian Journal of Earth Science*, v. 10, p. 697-744.
- Harland, W. B., R. L. Armstrong, A. V. Cox, L. E. Craig, A. G. Smith, and D. G. Smith, 1990, A geologic time scale 1989: Cambridge, Cambridge University Press, 263 p.
- Hartman, J. E., 1986, Paleontology and biostratigraphy of lower part of Polecat Bench Formation, southern Bighorn Basin, Wyoming: *Contributions to Geology*. University of Wyoming, v. 24, p. 11-63.
- Hasegawa, Y., 1957, On a new insectivora from the Upper Kuzuü Formation in Japan: *Science reports of the Yokohama National University, Section II Biology and Geology*, v. 6, p. 65-69.

Hasegawa, Y., 1981, Pleistocene hinged terrapin from the Tsukumi Limestone Quarry, Oita-ken, Japan: Science reports of the Yokohama National University, Section II Biology and Geology, v. 28, p. 19-23.

Hasegawa, Y., and T. Nohara, 1982, Two large tusks of *Dugong* from Okinawa and Iriomote Islands, Ryukyu Islands: Science reports of the Yokohama National University, Section II Biology and Geology, v. 29, p. 29-31.

Hasegawa, Y., and M. Ota, 1980, Report on a Pleistocene terrapine, *Cyclemys* from Katayama Marble Quarry, Mine City, Japan: Science reports of the Yokohama National University, Section II Biology and Geology, v. 27, p. 47-52.

Hay, O. P., 1903, Two new species of fossil turtles from Oregon: University of California Publications Geological Sciences, v. 3, p. 237-241.

Hecht, M. K., and M. Archer, 1977, Presence of xiphodont crocodilians in the Tertiary and Pleistocene of Australia: *Alcheringa*, v. 1, p. 383-385.

Hendey, Q. B., 1980, Palaeoecology of the late Tertiary fossil occurrences in 'E' Quarry, Langebaanweg, South Africa, and a reinterpretation of their geological context: *Annales of the South African Museum*, v. 84, p. 1-104.

Hibbard, C. W., 1949, Pliocene Saw Rock Canyon Fauna in Kansas: Contributions of the Museum of Paleontology University of Michigan, v. 7, p. 91-105.

Hibbard, C. W., 1951, Vertebrate fossils from the Pleistocene Stump Arroyo Member, Meade County, Kansas: Contributions of the Museum of Paleontology University of Michigan, v. 9, p. 227-245.

Hibbard, C. W., 1953, The Saw Rock Canyon Fauna and its stratigraphic significance: *Papers of the Michigan Academy of Sciences, Arts and Letters*, v. 38, p. 387-411.

Hibbard, C. W., 1954, A new Pliocene Vertebrate Fauna from Oklahoma: *Papers of the Michigan Academy of Sciences, Arts and Letters*, v. 39, p. 339-359.

Hibbard, C. W., 1955a, The Jinglebob Interglacial (Sangamon?) fauna from Kansas and its climatic significance: Contributions of the Museum of Paleontology University of Michigan, v. 12, p. 179-228.

Hibbard, C. W., 1955b, Pleistocene vertebrates from the Upper Becerra (Becerra superior) Formation, Valley of Tequixquiac, Mexico, with notes on other Pleistocene Forms: Contributions of the Museum of Paleontology University of Michigan, v. 12, p. 47-96.

Hibbard, C. W., 1963, A late Illinoian fauna from Kansas and its climatic significance: *Papers of the Michigan Academy of Sciences, Arts and Letters*, v. 48, p. 187-221.

Hibbard, C. W., 1964, A contribution to the Saw Rock Canyon Local Fauna of Kansas: *Papers of the Michigan Academy of Sciences, Arts and Letters*, v. 49, p. 115-126.

- Hibbard, C. W., R. J. Zakrzewski, R. E. Eshelman, G. Edmund, C. D. Griggs, and C. Griggs, 1978, Mammals from the Kanopolis Local Fauna, Pleistocene (Yarmouth) of Ellsworth County, Kansas: Contributions of the Museum of Paleontology University of Michigan, v. 25, p. 11-44.
- Hills, J. M., and F. E. Kottlowski, 1983, Southwest/Southwest Mid Continent Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Hirsch, K. F., 1985, Fossil crocodilian eggs from the Eocene of Colorado: Journal of Paleontology, v. 59, p. 531-542.
- Hirsch, K. F., and L. F. Lopez-Jurado, 1987, Pliocene chelonian fossil eggs from Gran Canaria, Canary Islands: Journal of Vertebrate Paleontology, v. 7, p. 76-99.
- Hirschfeld, S. E., and L. G. Marshall, 1976, Revised faunal list of the La Venta fauna (Friasian-Miocene) of Colombia, South America: Journal of Paleontology, v. 50, p. 433-436.
- Holman, J. A., 1964, Pleistocene amphibians and reptiles from Texas: Herpetologica, v. 20, p. 73-83.
- Holman, J. A., 1970, Herpetofauna of the Wood Mountain Formation (Upper Miocene) of Saskatchewan: Canadian Journal of Earth Science, v. 7, p. 1317-1325.
- Holman, J. A., 1971a, Climatic significance of giant tortoises from the Wood Mountain Formation (Upper Miocene) of Saskatchewan: Canadian Journal of Earth Sciences, v. 8, p. 1148-1151.
- Holman, J. A., 1971b, Herpetofauna of the Sandahl Local Fauna (Pleistocene: Illinoian) of Kansas: Contributions of the Museum of Paleontology University of Michigan, v. 23, p. 349-355.
- Holman, J. A., 1972, Herpetofauna of the Calf Creek Local Fauna (Lower Oligocene: Cypress Hills Formation) of Saskatchewan: Canadian Journal of Earth Science, v. 9, p. 1612-1631.
- Holman, J. A., 1973, Reptiles of the Egelhoff local Fauna (Upper Miocene) of Nebraska: Contributions of the Museum of Paleontology University of Michigan, v. 24, p. 125-134.
- Holman, J. A., 1975, Herpetofauna of the Wakeeney Local Fauna (Lower Pliocene: Clarendonian) of Trego County, Kansas: Papers in Paleontology. University of Michigan, v. 12, p. 49-66.
- Holman, J. A., 1976, Paleoclimatic implications of "ecologically incompatible" herpetological species (Late Pleistocene: southeastern United States): Herpetologica, v. 32, p. 290-295.
- Holman, J. A., 1977, Amphibians and reptiles from the Gulf Coast Miocene of Texas: Herpetologica, v. 33, p. 391-403.

- Holman, J. A., 1978a, Herpetofauna of the Bijou Hills local fauna (Late Miocene: Barstovian) of South Dakota: *Herpetologica*, v. 34, p. 253-257.
- Holman, J. A., 1978b, The late Pleistocene herpetofauna of Devil's Den Sinkhole, Levy County, Florida: *Herpetologica*, v. 34, p. 228-237.
- Holman, J. A., 1986, Butler Spring herpetofauna of Kansas (Pleistocene: Illinoian) and its climatic significance: *Journal of Herpetology*, v. 20, p. 568-570.
- Holman, J. A., 1987a, Climatic significance of a late Illinoian herpetofauna from southwestern Kansas: *Contributions of the Museum of Paleontology University of Michigan*, v. 27, p. 129-141.
- Holman, J. A., 1987b, Herpetofauna of the Egelhoff site (Miocene: Barstovian) of north-central Nebraska: *Journal of Vertebrate Paleontology*, v. 7, p. 109-120.
- Holman, J. A., 1987c, Herpetofauna of the Swanton Morley site (Pleistocene: Ipswichian), Norfolk: *Herpetological Journal*, v. 1, p. 199-201.
- Holman, J. A., and G. R. Case, 1988, Reptiles from the Eocene Tallahatta Formation of Alabama: *Journal of Vertebrate Paleontology*, v. 8, p. 328-333.
- Holman, J. A., and R. G. Corner, 1985, A Miocene terrapene (Testudines: Emydidae) and other Barstovian turtles from south-central Nebraska: *Herpetologica*, v. 41, p. 88-93.
- Holman, J. A., A. J. Stuart, and J. D. Clayden, 1990, A middle Pleistocene herpetofauna from Cudmore Grove, Essex, England, and its paleogeographic and paleoclimatic implications: *Journal of Vertebrate Paleontology*, v. 10, p. 86-94.
- Holman, J. A., and R. M. Sullivan, 1981, A small herpetofauna from the type section of the Valentine Formation (Miocene: Barstovian), Cherry County, Nebraska: *Journal of Paleontology*, v. 55, p. 138-144.
- Holman, J. A., and T. T. Tim, 1987, A new specimen of giant land tortoise (*Geochelone* sp.) from the Wood Mountain Formation (Middle Miocene) of Saskatchewan: *Canadian Journal of Earth Sciences*, v. 24, p. 2572-2574.
- Hooijer, D. A., 1954, Crocodilian remains from the Pleistocene of Celebes: *Copeia*, v. 4, p. 263-266.
- Hooker, J. J., A. N. Insole, R. T. J. Moody, C. A. Walker, and D. J. Ward, 1980, The distribution of cartilaginous fish, turtles, birds and mammals in the British Palaeogene: *Tertiary Research*, v. 3, p. 1-45.
- Hooker, J. J., A. C. Milner, and S. E. K. Sequeira, 1991, An ornithopod dinosaur from the Late Cretaceous of West Antarctica: *Antarctic Science*, v. 3, p. 331-332.
- Hou, L.-H., H.-k. u. Yeh, and X.-j. Zhao, 1975, Fossil reptiles from Fusui, Kwangshi: *Vertebrata Palasiatica*, v. 13, p. 32-33.

- Hsu, C.-H., Y.-H. Li, D.-f. Han, and Q.-w. Lu, 1973, A new Pliocene *Testudo* from Shilou, Shansi: Vertebrata Palasiatica, v. 11, p. 59-63.
- Huang, S. W., 1974, The Geographical Atlas of China.
- Huene, F. v., and I. Nikoloff, 1963, Ein Pliozänes Krokodil in Bulgarien: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 118, p. 266-271.
- Hurst, V. J., 1966, Prehistoric vertebrates of the Georgia coastal plain: Georgia Mineral Newsletter, v.10, p. 77-93.
- Hussain, S. T., J. Munthe, R. M. West, and J. R. Lukacs, 1977, The Daud Khel Local Fauna: a preliminary report on a Neogene vertebrate assemblage from the Trans-Indus Siwaliks, Pakistan: Contributions in Biology and Geology. Milwaukee Public Museum, v. 16, p. 1-17.
- Hutchison, J. H., and J. D. Archibald, 1986, Diversity of turtles across the Cretaceous / Tertiary boundary in northeastern Montana: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 55, p. 1-22.
- Jackson, C. G., and J. M. Kaye, 1974a, The occurrence of Blanding's turtle, *Emydoidea blandingii*, in the Late Pleistocene of Mississippi (Testudines: Testudinidae): Herpetologica, v. 30, p. 417-419.
- Jackson, C. G., and J. M. Kaye, 1974b, Occurrence of box turtles, *Terrapene* (Testudine: Testudinidae) in the Pleistocene of Mississippi: Herpetologica, v. 30, p. 11-13.
- Jackson, C. G., and J. M. Kaye, 1975, Giant tortoises in the Late Pleistocene of Mississippi: Herpetologica, v. 31, p. 421.
- Jackson, D. R., 1975, A Pleistocene *Graptemys* (Reptilia: Testudines) from the Santa Fe river of Florida: Herpetologica, v. 31, p. 213-219.
- Jackson, D. R., 1988, A re-examination of fossil turtles of the genus *Trachemys* (Testudines: Emydidae): Herpetologica, v. 44, p. 317-325.
- Jain, S. L., 1986, New Pelomedusid turtle (Pleurodira: Chelonia) remains from Lameta Formation (Maastrichtian) at Dongarfaon, central India, and a review of Pelomedusids from India.: Journal of the Palaeontological Society of India, v. 31, p. 63-75.
- Jefferson, G. T., H. L. Fierstine, J. R. Wesling, and T.-L. Ku, 1992, Pleistocene terrestrial vertebrates from near Point San Luis, and other localities in San Luis Obispo County, California: Bulletin of the Southern California Academy of Science, v. 91, p. 26-38.
- Jerzykiewicz, T., and D. A. Russell, 1991, Late Mesozoic stratigraphy and vertebrates of the Gobi Basin: Cretaceous Research, v. 12, p. 345-377.

- Jiang, Z. X., and W. Y. Wu, 1978, Pliocene vertebrate fossils from Zhangqiu, Shandong and late Cenozoic strata along central and western parts of Jiao-Ji Railway: *Vertebrata Palasiatica*, v. 16, p. 193-200.
- Johnston, C. S., and D. E. Savage, 1955, A survey of various Late Cenozoic vertebrate faunas of the Panhandle of Texas. Part 1: University of California Publications Geological Sciences, v. 31, p. 27-49.
- Johnston, P. A., and R. C. Fox, 1984, Paleocene and late Cretaceous mammals from Saskatchewan, Canada: *Palaeontographica Abteilung A*, v. 186, p. 163-222.
- Jordan, R. R., and R. V. Smith, 1983, Atlantic Coastal Plain: Correlation of stratigraphic units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Jullien, R., C. Guerin, M. Hugueney, and P. Mein, 1979, Decouverte d'un gisement de mammifères du Miocene Moyen à Collet-Redon, Pres Saint-Cannat (Bouches-du-Rhône, France): liste faunique, implications stratigraphiques et paleogeographiques: *Géobios*, v. 12, p. 297-301.
- Kamei, T., 1971, Pleistocene crocodile from Kinki district, central Japan: *Atlas of Japanese fossils*, v. 17, p. 3.
- Karasawa, H., 1983, Fossil elasmobranch teeth from the Miocene Formations in Noto Peninsula, central Japan: *Bulletin of the Mizunami Fossil Museum*, v. 10, p. 185-191.
- Kent, H. C., E. L. Couch, and R. A. Knepp, 1988, Central and Southern Rockies Region: Correlation of stratigraphic units of North America (COSUNA) project: Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Kerourio, P., 1987, Présence d'oeufs de crocodiliens dans le Rognacien Inférieur (Maastrichtien Supérieur) du Bassin D'Aix-en-Provence (Bouches-du-Rhône, France). Note préliminaire: *Geobios*, v. 20, p. 275-281.
- Khosatzky, L. I., and M. Mlynarski, 1971, Chelonians from the Upper Cretaceous of the Gobi Desert, Mongolia: *Palaeontologia Polonica*, v. 25, p. 131-144.
- Khozatsky, L. I., V. V. Kusnetzov, and A. V. Leonov, 1974, A new species of Miocene Tortoise from south-eastern Kazakhstan: *Akademii Nauk Kazakhskoi SSR, Institut Zoologii*, v. 6, p. 22-30.
- King, J. E., and J. J. Saunders, 1986, *Geochelone* in Illinois and the Illinoian-Sangamonian vegetation of the Type region: *Quaternary Research*, v. 25, p. 89-99.
- King, P. B., and H. M. Beikman, 1974, Geologic map of the United States: United States Geological Survey.
- Kobatake, N., and T. Kamei, 1966, The first discovery of a fossil crocodile from central Honshu, Japan: *Proceedings of the Japan Academy*, v. 42, p. 264-269.

- Kobayakawa, M., and S. Okuyama, 1984, Pliocene *Silurus* from Iga-Aburahi Formation, Kobiwako Group, Central Japan: Bulletin of the Mizunami Fossil Museum, v. 11, p. 107-110.
- Kodera, K., and T. Nomura, 1988, Early Miocene cyprinid fishes collected from the Hachiya Formation, Gifu Prefecture, Japan: Bulletin of the Mizunami Fossil Museum, v. 13, p. 1-13.
- Kohno, N., 1992, An early Miocene enaliarctine pinniped (Carnivora: Otariidae) from the western North Pacific: Bulletin of the Mizunami Fossil Museum, v. 19, p. 273-292.
- Koken, E., 1888, *Thoracosaurus macrorhynchus* BL. aus der Tuffkreide von Maastricht: Zeitschrift der Deutschen Geologischen Gesellschaft, v. 40, p. 754-773.
- Kotsakis, T., 1977, Due nuovi *Trionyx capellinii* Negri (Testudinata, Trionychidae) dell'Eocene di Monte Bolca (Verona, Italia): Bollettino della Società Paleontologica Italiana, v. 16, p. 203-227.
- Kotsakis, T., 1986, Les Trionychidae (Testudinata, Reptilia) fossiles de l'Italie: Bollettino della Società Paleontologica Italiana, v. 24, p. 161-168.
- Kotsakis, T., and L. Gregori, 1985, I resti di *Emys orbicularis* (Linnaeus) (Emydidae, Testudinata) del Pleistocene inferiore di Pietrafitta (Perugia, Italia Centrale): Geologica romana, v. 24, p. 1-12.
- Krause, D. W., and D. Baird, 1979, Late Cretaceous mammals east of the North American Western Interior Seaway: Journal of Paleontology, v. 53, p. 562-565.
- Kusnetzov, V. V., 1976, A freshwater turtle from the Senonian of Northeastern Cisaralia: Paleontological Journal, p. 498-500.
- Langston, W., 1960, The Vertebrate Fauna of the Selma Formation of Alabama. Part VI. The Dinosaurs: Fieldiana: Geological Memoir, v. 3, p. 315-361.
- Langston, W., 1965, Fossil crocodilians from Colombia and the Cenozoic history of the Crocodilia in South America: University of California Publication. Geological Science, v. 52, p. 1-169.
- Langston, W., 1966, *Mourasuchus* Price, *Nettosuchus* Langston, and the family Nettosuchidae (Reptilia: Crocodilia): Copeia, v. 1966, p. 882-885.
- Langston, W., 1967, The thick-headed Ceratopsian dinosaur *Pachyrhinosaurus* (Reptilia: Ornithischia), from the Edmonton Formation near Drumheller, Canada: Canadian Journal of Earth Sciences, v. 4, p. 171-186.
- Langston, W., 1975a, The Ceratopsian dinosaurs and associated lower vertebrates from the St. Mary River Formation (Maestrichtian) at Scabby Butte, southern Alberta: Canadian Journal of Earth Science, v. 12, p. 1576-1608.

- Langston, W., 1975b, Ziphodont crocodiles: *Pristichampsus vorax* (Troxell), new combination, from the Eocene of North America: *Fieldiana. Geology*, v. 33, p. 291-314.
- Langston, W., and H. Rose, 1978, A yearling crocodilian from the middle Eocene Green River Formation of Colorado: *Journal of Paleontology*, v. 52, p. 122-125.
- Lauginiger, E. M., 1984, An upper Campanian vertebrate fauna from the Chesapeake and Delaware Canal, Delaware: *The Mosasaur*, v. 2, p. 141-149.
- Lauginiger, E. M., 1986, An Upper Cretaceous vertebrate assemblage from Big Brook, New Jersey: *The Mosasaur*, v. 3, p. 53-61.
- Lawton, T. F., 1986, Fluvial systems of the Upper Cretaceous Mesaverde Group and Paleocene North Horn Formation, central Utah: A record of transition from thin-skinned to thick-skinned deformation in the foreland region: *AAPG Memoir*, v. 41, *Paleotectonics and Sedimentation in the Rocky Mountain Region, United States*, p. 423-442.
- Lees, T., 1986, Catalogue of type, figured and mentioned fossil fish, amphibians and reptiles held by the Queensland Museum: *Memoirs of the Queensland Museum*, v. 22, p. 265-288.
- Lefeld, J., 1971, Geology of the Djadokhta Formation at Bayn Dzak (Mongolia): *Palaeontologia Plonica*, v. 25, p. 101-116.
- Li, J., 1985, Revision of *Edentosuchus tienshanensis* Young: *Vertebrata Palasiatica*, v. 23, p. 204-206.
- Li, J., 1991a, Fossil reptiles from Hetaoyuan Formation, Xuchuan, Henan: *Vertebrata Palasiatica*, v. 29, p. 190-203.
- Li, J., 1991b, Fossil reptiles from Zhaili Member, Hedi Formation, Yuanqu, Shanxi: *Vertebrata Palasiatica*, v. 29, p. 276-285.
- Li, J., and W. Baozhong, 1987, A new species of *Alligator* from Shanwang, Shandong: *Vertebrata Palasiatica*, v. 25, p. 205-207.
- Li, J. L., 1975, New material of *Tomistoma petrolica* from Momin of Guangdong: *Vertebrata Palasiatica*, v. 13, p. 190-194.
- Linares, O., 1991, Venezuela. Laboratorio de Paleobiología, Universidad Simón Bolívar: *Society of Vertebrate Paleontology News Bulletin*, v. 151, p. 70-71.
- Lingham-Soliar, T., 1991, Mosasaurs from the Upper Cretaceous of Niger: *Palaeontology*, v. 34, p. 653-670.
- Long, D. J., 1993, Late Miocene and Early Pliocene fish assemblages from the north central coast of Chile: *Tertiary Research*, v. 14, p. 117-126.
- Long, J. A., 1991, Dinosaurs of Australia: Balgowiah, NSW, Reed Books Pty Ltd, 87 p.

- Loyal, R. S., 1990, Lithostratigraphy of the basal Subathu Formation (Upper Palaeocene - Middle Eocene) exposed in the stratotype, Kuthur River, Subathu, Himachal Pradesh, India, with introductory notes on physiography and tectonics: *Tertiary Research*, v. 12, p. 1-16.
- Lucas, S. G., 1988, Eocene Crocodilia from the San Jose Formation, San Juan Basin, New Mexico: *New Mexico Journal of Science*, v. 28, p. 93-98.
- Lull, R. S., 1944, Fossil gavials from north India: *American Journal of Science*, v. 242, p. 417-430.
- Lundelius, E., G. Russell W, E. Anderson, J. Guilday, J. A. Holman, D. W. Steadman, and S. D. Webb, 1983, Terrestrial vertebrate faunas, *in* H. E. Wright Jr., ed., Late-Quaternary environments of the United States. Volume 1. The Late Pleistocene, Minneapolis, University of Minnesota Press, p. 311-353.
- Lupton, C., D. Gabriel, and R. M. West, 1980, Paleobiology and depositional setting of a Late Cretaceous vertebrate locality, Hell Creek Formation, McCone County, Montana: *Contributions to Geology*, University of Wyoming, v. 18, p. 117-126.
- MacDonald, J. R., 1949, A new Clarendonian fauna from northeastern Nevada: *University of California Publications Geological Sciences*, v. 28, p. 173-194.
- Macdonald, J. R., 1982, A large and robust alligator skull from the early Oligocene of the White River badlands, South Dakota: *Proceedings of the South Dakota Academy of Science*, v. 61, p. 152-153.
- Madden, C. T., 1972, Miocene mammals, stratigraphy and environment of Muruarot Hill, Kenya: *Paleobios*, v. 14, p. 1-12.
- Madden, C. T., and F. C. Whitmore, 1983, Tertiary vertebrate faunas of Arabian Peninsula: *Geological Society of America Abstracts with Programs*, v. 15, p. 633.
- Made, J. v. d., 1988, *Sus nanus* nov. sp., a Pliocene dwarf pig from capo Figari (Northeastern Sardinia): *Bollettino della Società Paleontologica Italiana*, v. 27, p. 367-378.
- Mahboubi, M., R. Ameur, J.-Y. Crochet, and J.-J. Jaeger, 1984, Implications paléobiogéographiques de la découverte d'une nouvelle localité Éocène à vertébrés continentaux en Afrique nord-occidentale: El Kohol (Sud-Oranais, Algérie): *Geobios*, v. 17, p. 625-629.
- Mahboubi, M., R. Ameur, J. Y. Crochet, and J. J. Jaeger, 1986, El Kohol (Saharan Atlas, Algeria): A new Eocene mammal locality in northwestern Africa.: *Palaeontographica Abteilung A*, v. 192, p. 15-49.
- Malez, M., 1980, Die quartären Vertebraten-Faunen in der SFR Jugoslawien: *Quartärpalaontologie*, v. 6, p. 101-117.

- Mankin, C. J., 1987, Texas-Oklahoma Tectonic Region: Correlation of Stratigraphic Units of North America (COSUNA) Project, Tulsa, Oklahoma, The American Association of Petroleum Geologists.
- Manning, E., 1990, The late Early Miocene Sabine River: Transactions Gulf Coast Association of Geological Societies, v. 40, p. 531-549.
- Marshall, L. G., 1973, Fossil Vertebrate Faunas from the Lake Victoria Region, S.W. New South Wales, Australia: Memoirs of the National Museum of Victoria, v. 34, p. 151-171.
- Marshall, L. G., A. Berta, R. Hoffstetter, R. Pascual, O. A. Reig, M. Bombin, and A. Mones, 1984, Mammals and stratigraphy: geochronology of the continental mammal-bearing Quaternary of South America: Palaeovertebrata, Mémoire Extraordinaire, p. 1-76.
- Marshall, L. G., R. Hoffstetter, and R. Pascual, 1983, Mammals and stratigraphy: geochronology of the continental mammal-bearing Tertiary of South America: Montpellier, Societe Meridionale pour l'Expansion de la Recherche Scientifique Faculte des Sciences, 93 p.
- Marshall, L. G., and B. Patterson, 1979, Geology and Geochronology of the mammal-bearing Tertiary of the Valle De Santa María and Río Corral Quemado, Catamarca Province, Argentina: Fieldiana, New Series, v. 9, p. 1-80.
- Martin, R. A., 1978, A new Pleistocene *Conepatus* and associated vertebrate fauna from Florida: Journal of Paleontology, v. 52, p. 1079-1085.
- Matheron, P., 1869, Note sur les reptiles fossiles des dépôts fluvio-lacustres crétace du bassin à lignite de Fuveau: Bulletin de la Société Géologique France, v. 26, p. 781-795.
- Mathur, U. B., and S. C. Pant, 1986, Sauropod dinosaur humeri from Lameta Group (Upper Cretaceous-?Palaeocene) of Kheda district, Gujarat: Journal of the Palaeontological Society of India, v. 31, p. 22-25.
- Mazo, A. V., A. Perez-Gonzalez, and E. Aguirre, 1990, Las faunas pleistocenas de Fuensanta del Júcar y El Provencio y su significado en la evolución del Cuaternario de la Llanura manchega: Boletín Geológico y Minero, v. 101, p. 404-418.
- Mazza, P., 1986, *Prolagus* (Ochotonidae, Lagomorpha, Mammalia) from Neogene fissure fillings in Gargano (southern Italy): Bollettino della Società Paleontologica Italiana, v. 25, p. 159-185.
- McGrew, P. O., 1944, An early Pleistocene (Blancan) fauna from Nebraska: Fieldiana: Geological Memoir, v. 9, p. 33-66.
- McKenna, M. C., 1960, Fossil mammalia from the early Wasatchian Four Mile fauna, Eocene, of northwest Colorado: University of California Publication. Geological Sciences, v. 37, p. 1-130.

- McKenna, M. C., 1980, Eocene paleolatitude, climate, and mammals of Ellesmere Island: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 30, p. 349-362.
- McKenna, M. C., 1983, Cenozoic paleogeography of North Atlantic land bridges, in M. H. P. Bott, S. Saxov, M. Talwani, and J. Thiede, eds., *Structure and development of the Greenland-Scotland ridge*: NATO Advanced Research Institute, New York, Plenum Press, p. 351-399.
- McKenna, M. C., J. H. Hutchison, and J. H. Hartman, 1987, Paleocene vertebrates and nonmarine mollusca from the Goler Formation, California, in B. F. Cox, ed., *Basin Analysis and Paleontology of the Paleocene and Eocene Goler Formation, El Paso Mountains, California, Los Angeles, California*, The Pacific Section, Society of Economic Paleontologists and Mineralogists, p. 31-41.
- Medina, C. J., 1976, Crocodilians from the Late Tertiary of northwestern Venezuela: *Melanosuchus fisheri* sp. nov.: *Breviora*, v. 438, p. 1-14.
- Megirian, D., 1989, A description of horned-turtle remains (Testudines:Meiolaniidae) from the Mid-Miocene Camfield Beds of Northern Australia: *The Beagle*, v. 6, p. 105-113.
- Mellett, J. S., 1968, The Oligocene Hsand Gol Formation, Mongolia: a revised faunal list: *American Museum Novitates*, v. 2318, p. 1-16.
- Merriam, J. C., 1916, Tertiary vertebrate fauna from the Cedar Mountain Region of western Nevada: University of California Publications Geological Sciences, v. 9, p. 161-198.
- Merriam, J. C., 1919, Tertiary mammalian faunas of the Mohave Desert: University of California Publications Geological Sciences, v. 11, p. 438-585.
- Meylan, P., and W. Auffenberg, 1986, New land tortoises (Testudines: Testudinidae) from the Miocene of Africa: *Zoological Journal of the Linnean Society*, v. 86, p. 279-307.
- Miller, H. W., 1955, A check-list of the Cretaceous and Tertiary vertebrates of New Jersey: *Journal of Paleontology*, v. 29, p. 901-914.
- Miller, W. E., 1980, The late Pliocene Las Tunas Local Fauna from southernmost Baja California, Mexico: *Journal of Paleontology*, v. 54, p. 762-805.
- Mlynarski, M., 1956, On a new species of Emydid-Tortoise from the Pliocene of Poland: *Acta Palaeontologica Polonica*, v. 1, p. 153-162.
- Mlynarski, M., 1959a, *Geomysda eureia* (Wegner), Testudines, Emydidae, from a new locality in Poland: *Acta Palaeontologica Polonica*, v. 4, p. 91-100.
- Mlynarski, M., 1959b, *Glarichelys knorri* (Gray) - A Cheloniid from Carpathian Menilitic Shales (Poland): *Acta Palaeontologica Polonica*, v. 4, p. 177-192.

- Mlynarski, M., 1968, Notes on tortoises (Testudinidae) from the Tertiary of Mongolia: *Palaeontologia Polonica*, v. 19, p. 85-87.
- Mlynarski, M., 1972, *Zangerlia testudinimorpha* n. gen., n. sp., a primitive land tortoise from the Upper Cretaceous of Mongolia: *Palaeontologia Polonica*, v. 27, p. 85-92.
- Mlynarski, M., 1984, Fossil Chelonians of Poland: *Stvdia Geologica Salmanticensis Spec.Vol.*, v. 1, p. 189-203.
- Mlynarski, M., and P. Narmandach, 1972, New turtle remains from the Upper Cretaceous of the Gobi Desert, Mongolia: *Palaeontologia Polonica*, v. 27, p. 95-101.
- Mlynarski, M., Z. Szyndlar, R. Estes, and B. Sanchiz, 1984, Amphibians and reptiles from the Pliocene locality of Weze II near Dzialoszyn (Poland): *Palaeontologia Polonica*, v. 29, p. 209-226.
- Mlynarski, M., and H. Ullrich, 1977, Amphibien- und Reptilienreste aus dem Pleistozän von Taubach: *Quartärpaläontologie*, v. 2, p. 167-170.
- Molnar, R., 1982a, Australian Mesozoic Reptiles, in P. V. Rich, and E. M. Thompson, eds., *The fossil vertebrates of Australia*, Clayton, Victoria, Monash University Offset Printing Unit, p. 169-225.
- Molnar, R. E., 1979, *Crocodylus porosus* from the Pliocene Allingham Formation of north Queensland. Results of the Ray E. Lemley expeditions: *Memoirs of the Queensland Museum*, v. 19, p. 357-365.
- Molnar, R. E., 1980, Procoelous crocodile from Lower Cretaceous of Lightning Ridge: *Memoirs of the Queensland Museum*, v. 20, p. 65-75.
- Molnar, R. E., 1981, Pleistocene ziphodont crocodilians of Queensland: *Records of the Australian Museum*, v. 33, p. 803-834.
- Molnar, R. E., 1982b, A longirostrine crocodilian from Murua (Woodlark), Solomon Sea: *Memoirs of the Queensland Museum*, v. 20, p. 675-685.
- Molnar, R. E., 1982c, *Pallimnarchus* and other Cenozoic crocodiles in Queensland: *Memoirs of the Queensland Museum*, v. 20, p. 657-673.
- Moody, R. T. J., 1968, A turtle, *Eochelys crassicostata* (Owen) from the London Clay of the Isle of Sheppey: *Proceedings of the Geological Association*, v. 79, p. 129-140.
- Moody, R. T. J., 1980, Notes on some European Palaeogene Turtles: *Tertiary Research*, v. 2, p. 161-168.
- Moody, R. T. J., and E. Buffetaut, 1981, Notes on the systematics and palaeoecology of the crocodiles and turtles of the Metlaoui Phosphates (Eocene) of southern Tunisia: *Tertiary Research*, v. 3, p. 125-140.

- Moody, R. T. J., and P. J. C. Sutcliffe, 1991, The Cretaceous deposits of the Iullemmeden Basin of Niger, central West Africa: *Cretaceous Research*, v. 12, p. 137-157.
- Moody, R. T. J., and C. A. Walker, 1970, A new trionychid turtle from the British Lower Eocene: *Palaeontology*, v. 13, p. 503-510.
- Mook, C. C., 1923, A new species of alligator from the Snake Creek Beds: *American Museum Novitates*, v. 73, p. 1-13.
- Mook, C. C., 1927, The skull characters of *Crocodilus megarhinus* Andrews: *American Museum Novitates*, v. 289, p. 1-8.
- Mook, C. C., 1930, A new species of crocodilian from the Torrejon Beds: *American Museum Novitates*, v. 447, p. 1-11.
- Mook, C. C., 1931, New crocodilian remains from the Hornerstown Marls of New Jersey: *American Museum Novitates*, v. 476, p. 1-15.
- Mook, C. C., 1933, A skull with jaws of *Crocodilus sivalensis* Lydekker: *American Museum Novitates*, v. 670, p. 1-10.
- Mook, C. C., 1934, A new species of *Teleorhinus* from the Benton Shales: *American Museum Novitates*, v. 702, p. 1-11.
- Mook, C. C., 1941, A new crocodilian from the Lance Formation: *American Museum Novitates*, v. 1128, p. 1-5.
- Mook, C. C., 1942a, A new crocodilian from the Belly River Beds: *American Museum Novitates*, v. 1202, p. 1-5.
- Mook, C. C., 1942b, A new fossil crocodilian from the Paleocene of New Mexico: *American Museum Novitates*, v. 1189, p. 1-4.
- Mook, C. C., 1946, A new Pliocene alligator from Nebraska: *American Museum Novitates*, v. 1311, p. 1-5.
- Mook, C. C., 1955, Two new genera of Eocene crocodilians: *American Museum Novitates*, v. 1727, p. 1-4.
- Mook, C. C., 1959a, A new Pleistocene crocodilian from Guatemala: *American Museum Novitates*, v. 1975, p. 1-6.
- Mook, C. C., 1959b, A new species of fossil crocodile of the genus *Leidyosuchus* from the Green River Beds: *American Museum Novitates*, v. 1933, p. 1-6.
- Mook, C. C., 1960, *Diplocynodon* remains from the Bridger Beds of Wyoming: *American Museum Novitates*, v. 2007, p. 1-4.
- Mook, C. C., 1961, Notes on the skull characters of *Allognathosuchus polyodon*: *American Museum Novitates*, v. 2072, p. 1-5.

Mook, C. C., 1962, A new species of *Brachyuranochampsia* (Crocodilia) from the Bridger Beds of Wyoming: American Museum Novitates, v. 2079, p. 1-6.

Mooser, O., 1980, Pleistocene fossil turtles from Aguascalientes, state of Aguascalientes: Universidad Nacional Autonoma de Mexico. Instituto de Geologia. Revista, v. 4, p. 63-66.

Morgan, G. S., 1986, The so-called giant Miocene dolphin *Megalodelphis magnidens* Kellogg (Mammalia: Cetacea) is actually a crocodile (Reptilia: Crocodilia): Journal of Paleontology, v. 60, p. 411-417.

Morgan, G. S., R. Franz, and R. I. Crombie, 1993, The cuban crocodile, *Crocodylus rhombifer*, from Late Quaternary fossil deposits on Grand Cayman: Caribbean Journal of Science, v. 29, p. 153-164.

Morgan, G. S., and J. A. Ottenwalder, 1993, A new extinct species of *Solenodon* (Mammalia: Insectivora: Solenodontidae) from the Late Quaternary of Cuba: Annals of Carnegie Museum, v. 62, p. 151-164.

Muizon, C. de, and I. M. Brito, 1993, Le bassin Calcaire de São José de Itaboraí (Rio de Janeiro, Brésil): ses relations fauniques avec le site de Tiupampa (Cochabamba, Bolivie): Annales de Paléontologie, v. 79, p. 233-269.

Muizon, C. de, G. Mireille, A. Lavenu, L. G. Marshall, B. Sige, and C. Villaroel, 1983, Late Cretaceous vertebrates, including mammals, from Tiupampa, southcentral Bolivia: Géobios, v. 16, p. 747-753.

Munthe, J., 1988, Miocene mammals of the Split Rock Area, Granite Mountains Basin, central Wyoming: University of California Publications Geological Sciences, v. 126, p. 1-136.

Mustoe, G. E., and D. R. Pevear, 1982, Vertebrate fossils from the Chuckanut Formation of northwest Washington: Northwest Science, v. 57, p. 119-124.

Nakajima, T., 1984, A new species of cyprinid fish, *Hypophthalmichthys okuyamai*, from the Early Pliocene Iga Formation of the Kobiwako Group: Bulletin of the Mizunami Fossil Museum, v. 11, p. 69-72.

Nakajima, T., 1986, Fossil pharyngeal teeth of cyprinids from the Kusuvara Formation of the Agé Group - A comparison to the cyprinid fauna of the Kobiwako Group: Bulletin of the Mizunami Fossil Museum, v. 13, p. 105-114.

Nakajima, T., 1988, First discovery of a fossil cyprinid pharyngeal tooth from the Himetani Formation of the Miocene Suzuka Group, Mié, Central Japan: Bulletin of the Mizunami Fossil Museum, v. 15, p. 65-67.

Nakajima, T., K. Matsuoka, H. Yoshida, and S. Okuyama, 1983, Fossil pharyngeal teeth of cyprinids from the Ohyamada Clay Member of the Iga Formation of the Kobiwako Group at Nakamura, Ohyamada-mura, Mie Prefecture, Japan: Bulletin of the Mizunami Fossil Museum, v. 10, p. 143-150.

- Nakaya, H., 1989, Upper Cretaceous Elasmosaurid (Reptilia, Plesiosauria) from Hobetsu, Hokkaido, northern Japan: Transactions and Proceedings of the Palaeontological Society of Japan, New Series, v. 154, p. 96-116.
- Narmandakh, P., 1985, A new Chelonian species of the Genus *Adocus* from the Upper Cretaceous in Mongolia: Paleontological Journal, v. 2, p. 85-93.
- Nelms, L. G., 1989, Late Cretaceous dinosaurs from the North Slope of Alaska: Journal of Vertebrate Paleontology, v. 9, p. 34A.
- Nesov, L. A., 1981, Late Cretaceous flying lizards from the Kyzyl-Kumy region: Paleontological Journal, v. 981, p. 104-110.
- Nesov, L. A., 1987, The Paleogene Sea Turtles of southern Kazakhstan and the phylogenetic relationships between the Toxochelyidae and the Cheloniidae: Paleontological Journal, v. 1987, p. 73-84.
- Nesov, L. A., and B. A. Trofimov, 1979, The oldest Cretaceous insectivore from Uzbekistan: Dokaldy Akademii Nauk SSSR, v. 247, p. 237-239.
- Nessov, L. A., 1977, A new genus of pitted-shelled turtle from the Upper Cretaceous of Karakalpakia: Paleontological Journal, v. 1977, p. 96-107.
- Nessov, L. A., 1986, Some Late Mesozoic and Paleocene turtles of Soviet Middle Asia: Stvdia Palæocheloniologica, v. 2, p. 7-22.
- Neto, M. B., S. F. Barcha, F. F. Manzini, and J. M. P. Brighetti, 1991, Nova ocorrência de crocodilianos na região noroeste do Estado de São Paulo: Geociências, São Paulo, v. 10, p. 191-203.
- Newton, R. B., 1914, On some non-marine molluscan remains from the Victoria Nyanza region, associated with Miocene vertebrates: Quarterly Journal of the Geological Society (London), v. 70, p. 187-198.
- Nicholls, E. L., 1992, Note on the occurrence of the marine turtle *Desmatochelys* (Reptilia: Chelonioidea) from the Upper Cretaceous of Vancouver Island: Canadian Journal of Earth Science, v. 29, p. 377-380.
- Nicholls, E. L., T. T. Tokaryk, and L. V. Hills, 1990, Cretaceous marine turtles from the Western Interior Seaway of Canada: Canadian Journal of Earth Sciences, v. 27, p. 1288-1298.
- Nilsen, T. H., 1993, Stratigraphy of the Cretaceous Hornbrook Formation, southern Oregon and northern California: U.S. Geological Survey Professional Paper, v. 1521, p. 1-89.
- Nopsca, F., 1923, On the geological importance of the primitive reptilian fauna in the uppermost Cretaceous of Hungary; with a description of a new tortoise (*Kallokibotion*): Quarterly Journal of the Geological Society of London, v. 79, p. 100-116.

Norton, P., 1954, A new Blancan vertebrate locality: *Journal of Paleontology*, v. 28, p. 487.

Novacek, M. J., A. Wyss, D. Frassinetti, and P. Salinas, 1989, A new ?Eocene Mammal fauna from the Andean Main Range: *Journal of Vertebrate Paleontology*, v. 9, p. 34A.

O'Neill, F. M., S. G. Lucas, and B. S. Kues, 1981, *Acanthosuchus langstoni*, a new crocodilian from the Nacimiento Formation (Paleocene, Torrejonian) of New Mexico: *Journal of Paleontology*, v. 55, p. 340-352.

Oelrich, T. M., 1950, A new *Testudo* from Madison County, Montana: *Contributions of the Museum of Paleontology University of Michigan*, v. 8, p. 43-58.

Oelrich, T. M., 1957, The status of the Upper Pliocene turtle *Testudo turgida* Cope: *Journal of Paleontology*, v. 31, p. 228-241.

Ohe, F., and K. Hayata, 1984, *Coreoperca kaniensis*, a new fossil fish (Family Percichthyidae) from the Hiramaki Formation, the Miocene Mizunami Group, Kani City, Gifu Prefecture, central Japan: *Bulletin of the Mizunami Fossil Museum*, v. 11, p. 1-19.

Ohe, F., H. Nishimoto, Y. Okumura, and Y. Azuma, 1981, Fossil "Acanthocybium" sp. (Scombridae, Pisces) of the Miocene Mizunami Group, Central Japan: *Bulletin of the Mizunami Fossil Museum*, p. 25-46.

Ohe, F., E. Taguchi, Y. Okumura, and H. Nishimoto, 1986, A scomberoid premaxillary (Pisces; *Scomberomorus* sp.) from the Middle Miocene Katsuta Group, Tsuyama City, Okayama Prefecture, Southwest Japan: *Bulletin of the Mizunami Fossil Museum*, v. 13, p. 27-38.

Okazaki, Y., 1992, An occurrence of a fossil sperm whale from the Miocene Mizunami Group, central Japan: *Bulletin of the Mizunami Fossil Museum*, v. 19, p. 295-299.

Olivero, E. B., Z. Gasparini, C. A. Rinaldi, and R. Scasso, 1991, First record of dinosaurs in Antarctica (Upper Cretaceous, James Ross Island): palaeogeographical implications, Cambridge, England, Cambridge University Press, p. 617-622.

Olsen, S. J., 1964a, The stratigraphic importance of a lower Miocene vertebrate fauna from north Florida: *Journal of Paleontology*, v. 38, p. 477-482.

Olsen, S. J., 1964b, Vertebrate correlations and Miocene stratigraphy of North Florida fossil localities: *Journal of Paleontology*, v. 38, p. 600-604.

Orr, W. N., and J. faulhaber, 1975, A middle Tertiary cetacean from Oregon: *Northwest Science*, v. 49, p. 174-181.

Osmólska, H., 1972, Preliminary note on a crocodilian from the Upper Cretaceous of Mongolia: *Palaeontologica Polonia*, v. 27, p. 43-47.

- Packard, E. L., 1940, A new turtle from the marine Miocene of Oregon: Oregon State Monographs, v. 4, p. 1-31.
- Paicheler, J.-C., F. de Broin, J. Gaudant, C. Mourer-Chauvire, J.-C. Rage, and C. Vergnaud-Grazzini, 1978, Le Bassin lacustre Miocène de Bes-Konak (Anatolie-Turquie): géologie et introduction à la paléontologie des vertébrés: Géobios, v. 11, p. 43-65.
- Pakhomov, M. M., and L. L. Bayguzina, 1987, Paleogeographic environment of the time when the Karamaydan Fauna inhabited Tadzhikstan: Transactions (Doklady) of the USSR Academy of Science. Earth Science section, v. 293, p. 92-94.
- Parmalee, P. W., and R. D. Oesch, 1972, Pleistocene and recent faunas from the Brynjulfson caves, Missouri: Illinois State Museum Reports of Investigations, v. 25, p. 1-52.
- Parmalee, P. W., R. D. Oesch, and J. E. Guilday, 1969, Pleistocene and recent vertebrate faunas from Crankshaft Cave, Missouri: Illinois State Museum Reports of Investigations, v. 14, p. 1-37.
- Parmley, D., 1986, Herpetofauna of the Rancholabrean Schulze Cave Local Fauna of Texas: Journal of Herpetology, v. 20, p. 1-10.
- Parmley, D., 1988, Additional Pleistocene amphibians and reptiles from the Seymour Formation, Texas: Journal of Herpetology, v. 22, p. 82-87.
- Parris, D. C., C. D. Temple, and R. C. Benton, 1986, Osteological notes on the fossil turtle *?Dollochelys atlantica* (Zangerl): Mosasaur, v. 3, p. 97-108.
- Patterson, B., 1931, Occurrence of the alligatoroid genus *Allognathosuchus* in the lower Oligocene: Fieldiana. Geological Series, v. 4, p. 223-226.
- Patterson, B., 1936-1940, Caiman latirostris from the Pleistocene of Argentina, and a summary of South American Cenozoic Crocodilia: Herpetologica, v. 1, p. 43-54.
- Patterson, B., 1943, Remarks on South American fossil crocodiles: Copeia, v. 2, p. 123-124.
- Patterson, B., A. K. Behrensmeyer, and W. D. Sill, 1970, Geology and fauna of a new Pliocene locality in north-western Kenya: Nature, v. 226, p. 918-921.
- Patton, T. H., 1969, An Oligocene land vertebrate fauna from Florida: Journal of Paleontology, v. 43, p. 543-546.
- Paunovic, M., 1984, Pisces, amphibia and reptilia of the Upper Pleistocene from Sandalja near Pula (Istria, Croatia): Palaeontologia Jugoslavica, v. 31, p. 5-44.
- Paunovic, M., 1992, Oligocene crocodile from the Coal Pot Novi Golubovec (NW Croatia): Beitraege Paläontologie von Österreich, v. 17, p. 1-3.

- Pearson, D. A., and J. W. Hoganson, 1995, The Medicine Pole Hills Local Fauna: Chadron Formation (Eocene: Chadronian), Bowman County, North Dakota: North Dakota Academy of Science Proceedings, v. 49, p. 65.
- Persson, P. O., 1961, Reptiles from the Senonian (U. Cret.) of Scania (S. Sweden): Arkiv för Mineralogi och Geologi, v. 2, p. 431-478.
- Pickford, M., 1975, Late Miocene sediments and fossils from the northern Kenya rift valley: Nature, v. 256, p. 279-284.
- Pickford, M., 1989, New specimens of *Nyanzachoerus waylandi* (Mammalia, Suidae, Tetraconodontinae) from the type area, Nyaburogo, (Upper Miocene), Lake Albert Rift, Uganda: Géobios, v. 22, p. 641-651.
- Pol, C., A. D. Buscalioni, J. Carballeira, V. Francés, N. L. Martinez, B. Marandat, J. J. Moratalla, J. L. Sanz, B. Sigé, and J. Villatte, 1992, Reptiles and mammals from the Late Cretaceous new locality Quintanilla del Coco (Burgos Province, Spain): Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 184, p. 279-314.
- Porta, J. d., 1969, Les vertébrés fossiles de Colombie et les problèmes posés par l'isolement du continent Sud-American: Palaeovertebrata, v. 1969, p. 77-94.
- Powell, J. E., 1979, Sobre una asociacion de dinosaurios y otras evidencias de vertebrados del Cretacico superior de la Region de la Candelaria, prov. de Salta, Argentina: Ameghiniana, v. 16, p. 191-204
- Prasad, G. V. R., and A. Sahni, 1987, Coastal-plain microvertebrate assemblage from the terminal Cretaceous of Asifabad, peninsular India: Journal of the Palaeontological Society of India, v. 32, p. 5-19.
- Pratt, A. E., 1990, Taphonomy of the large vertebrate fauna from the Thomas Farm locality (Miocene, Hemingfordian), Gilchrist County, Florida: Bulletin of the Florida Museum of Natural History, v. 35, p. 35-130.
- Preston, R. E., 1966, Turtles of the Gilliland Faunule from the Pleistocene of Knox County, Texas: Papers of the Michigan Academy of Sciences, Arts and Letters, v. 51, p. 221-239.
- Preston, R. E., 1979, Late Pleistocene cold-blooded vertebrate faunas from the mid-continent United States: Papers on Paleontology. The Museum of Paleontology University of Michigan, v. 19, p. 1-53.
- Prichinello, K. A., 1971, Earliest Eocene mammalian fossils from the Laramie Basin of southeast Wyoming: Contributions to Geology, University of Wyoming, v. 10, p. 1971.
- Rage, J.-C., 1984, La "Grande Coupure" éocène/oligocène et les herpétofaunes (Amphibiens et Reptiles): problèmes du synchronisme des événements paléogéographiques: Bulletin Societe géologique de France, v. 1984 (7), p. 1251-1257.

- Rage, J.-C., 1988a, The Le Bretou locality (Quercy Phosphorites, Tarn-et-Garonne, France) and its Late Eocene vertebrate fauna: I. Amphibians and Reptiles: *Palaeontographica*. Abteilung A., v. 205, p. 3-27.
- Rage, J.-C., 1988b, The Le Bretou locality (Quercy Phosphorites, Tarn-et-Garonne, France) and its Late Eocene vertebrate fauna: X. General Conclusions: *Palaeontographica*. Abteilung A., v. 205, p. 183-189.
- Rage, J.-C., L. G. Marshall, and M. Gayet, 1993, Enigmatic Caudata (Amphibia) from the Upper Cretaceous of Gondwana: *Geobios*, v. 26, p. 515-519.
- Rage, J. C., and S. Sen, 1976, Les amphibiens et les reptiles du Pliocène supérieur de Çalta (Turquie): *Géologie Méditerranéenne*, v. 3, p. 127-134.
- Remy, J. A., 1985, Nouveaux gisements de Mammifères et Reptiles dans les Grès de Célas (Eocène Sup. du Gard). Étude des Palaeothériidés (Perissodactyla, Mammalia): *Palaeontographica* Abteilung A, v. 189, p. 171-225.
- Repenning, C. A., and J. G. Vedder, 1961, Continental vertebrates and their stratigraphic correlation with marine mollusks, eastern Caliente Range, California: Short Papers in the Geologic and Hydrologic Sciences, v. 235, p. 235-239.
- Reyment, R. A., 1965, Aspects of the geology of Nigeria. The stratigraphy of the Cretaceous and Cenozoic deposits: Ibadan, Ibadan University Press, 145 p.
- Rich, T. H. V., R. E. Molnar, and P. V. Rich, 1983, Fossil vertebrates from the Late Jurassic or early Cretaceous Kirkwood Formation, Algoa Basin, Southern Africa: *Transactions of the Geological Society of South Africa*, v. 86, p. 281-291.
- Richmond, N. D., 1963, Evidence against the existence of crocodiles in Virginia and Maryland during the Pleistocene: *Proceedings of the Biological Society of Washington*, v. 76, p. 65-68.
- Riggs, E. S., 1906, The carapace and plastron of *Basilemys sinuosus*, a new fossil Tortoise from the Laramie Beds of Montana: *Field Museum of Natural History, Geological Series*, v. 110, II, p. 249-256.
- Ringrade, M., and J.-C. Yvard, 1985, Discovery, in the western Aquitaine, of a vertebrate layer from the "La Débruge" zone (Upper Eocene) in the "Molasse du Fronsadais": *Comptes Rendu Academie Sceance, Série II*, v. 300, p. 27-32.
- Roger, J., M. Pickford, H. Thomas, F. D. L. D. Broin, P. Tassy, W. V. Neer, C. Bourdillon-de-Grissac, and S. Al-Busaidi, 1994, Découverte de vertébrés fossiles dans le Miocène de la Région du Huqf au Sultanat D'Oman: *Annales de Paléontologie*, v. 80, p. 253-273.
- Rogers, K. L., 1976, Herpetofauna of the Beck Ranch Local Fauna (Upper Pliocene: Blancan) of Texas: *Publications of the Museum of Michigan State University. Paleontological Series*, v. 1, p. 163-200.

- Rogers, K. L., 1982, Herpetofaunas of the Courland Canal and Hall Ash Local Faunas (Pleistocene: Early Kansas) of Jewell Co., Kansas: *Journal of Herpetology*, v. 16, p. 174-177.
- Russell, D., D. Russell, P. Taquet, and H. Thomas, 1976, Nouvelles récoltes de Vertébrés dans les terrains continentaux du Crétacé supérieur de la région de Majunga (Madagascar): *Bulletin de la Societe Geologique de France*, v. 1976, p. 204-208.
- Russell, D. A., 1967, Cretaceous vertebrates from the Anderson River: *Canadian Journal of Earth Sciences*, v. 4, p. 21-38.
- Russell, D. A., 1984, A check list of the families and genera of North American dinosaurs: *Syllogeus*, v. 53, p. 1-35.
- Russell, D. E., and Z. Ren-jie, 1987, The Paleogene of Asia: mammals and stratigraphy: Mémoires du Muséum National D'Histoire Naturelle. Série C., Sciences de la Terra, v. 52, p. 1-350.
- Russell, L. S., 1929, Paleocene vertebrates from Alberta: *American Journal of Science*, v. 17, p. 162-178.
- Russell, L. S., 1934, Fossil turtles from Saskatchewan and Alberta: *Transactions of the Royal Society of Canada*, v. 28, p. 101-110.
- Russell, L. S., 1935, Fauna of the Upper Milk River Beds, southern Alberta: *Transactions of the Royal Society of Canada*, v. 29, p. 115-128.
- Russell, L. S., 1968a, A dinosaur bone from Willow Creek beds in Montana: *Canadian Journal of Earth Sciences*, v. 5, p. 327-329.
- Russell, L. S., 1968b, A new cetacean from the Oligocene Sooke Formation of Vancouver Island, British Columbia: *Canadian Journal of Earth Science*, v. 5, p. 929-933.
- Russell, L. S., 1974, Fauna and Correlation of the Ravenscrag Formation (Paleocene) of Southwestern Saskatchewan: *Life Sciences Contributions Royal Ontario Museum*, v. 102, p. 1-43.
- Russell, L. S., and R. T. D. Wickenden, 1933, An Upper Eocene vertebrate fauna from Saskatchewan: *Transactions of the Royal Society of Canada*, sect. 4, v. 1933, p. 53-65.
- Sabale, A. B., and G. Vijayasarathi, 1986, Crocodilian remains from the Miocene of Kachchh, India: *Journal of the Geological Society of India*, v. 27, p. 405-410.
- Sadler, P. M., 1988, Geometry and stratification of uppermost Cretaceous and Paleogene units on Seymour Island, northern Antarctic Peninsula: *Geological Society of America Memoir*, v. 169, p. 303-320.
- Saez, M. D. de, 1957, Crocodiloideos fosiles Argentinos un nuevo crocodilo del Mesozoico Argentino: *Ameghiniana*, v. 1, p. 48-50.

- Sah, R. B., and H. H. Schleich, 1990, An Eocene crocodile record from Bhainskati Khola (Dumri area), south Nepal: *Mitteilungen der Bayerischen Staatssammlung für Paläontologie und Historische Geologie*, v. 30, p. 51-56.
- Sahni, A., 1972, The vertebrate fauna of the Judith River Formation, Montana: *Bulletin of the American Museum of Natural History*, v. 147, p. 321-412.
- Sahni, A., S. B. Bhatia, J.-L. Hartenberger, J.-J. Jaeger, K. Kumar, J. Sudre, and M. Vianey-Liaud, 1981, Vertebrates from the Subathu formation and comments on the biogeography of Indian subcontinent during the early Paleogene: *Bulletin de la Société Géologique France*, (7) v. 23, p. 689-695.
- Sahni, A., R. S. Rana, and G. V. R. Prasad, 1984, SEM studies of thin egg shell fragments from the intertrappeans (Cretaceous-Tertiary transition) of Nagpur and Asifabad, Peninsular India: *Journal of the Palaeontological Society of India*, v. 29, p. 26-33.
- Sahni, A., M. C. Srivastava, and R. D'Souza, 1978, Eocene ziphodont crocodilia from northwestern India: *Géobios*, v. 11, p. 779-785.
- Sahni, M. R., and E. Khan, 1988, Pleistocene vertebrate fossils and prehistory of India: New Delhi, Books and Books, 79 p.
- Said, R., 1990, Cenozoic, in R. Said, ed., *The Geology of Egypt*: Rotterdam, A.A. Balkema, p. 451-486.
- Savage, D. E., 1951, Late Cenozoic Vertebrates of the San Francisco Bay Region: University of California Publications Geological Sciences, v. 28, p. 215-314.
- Savage, D. E., and D. E. Russell, 1983, *Mammalian Paleofaunas of the World*: London, Addison-Wesley Publishing Company, 432 p.
- Savage, R. J. G., and W. R. Hamilton, 1973, Introduction to the Miocene mammal faunas of Gebel Zelten, Libya: *Bulletin of the British Museum (Natural History)*, v. 22, p. 515-527.
- Schaal, S., and W. Ziegler, 1992, *Messel. An insight into the history of life and of the Earth*: Oxford, Clarendon Press, 322 p.
- Schiebout, J., 1994, Fossil vertebrates from the Castor Creek Member, Fleming Formation, western Louisiana: *American Association of Petroleum Geologists Bulletin*, v. 78, p. 1477.
- Schleich, H.-H., 1981, Jungtertiäre Schildkröten Süddeutschlands unter besonderer Berücksichtigung der Fundstelle Sandelzhausen: *Courier Forschungsinstitut Senckenberg*, v. 48, p. 372.
- Schleich, H.-H., 1984, Neogene Testudines of Germany. Their stratigraphical and ecological evaluation: *Stvdia Geologica Salmanticensia Spec.Vol.*, v. 1, p. 249-267.

Schleich, H. H., W. Kästle, and M.-C. G.-van Dyck, 1988, Paläogene Eischalenreste von Hainan (Belgien): Paläontologische Zeitschrift, v. 62, p. 133-146.

Schleich, V. H. H., 1990, Neues Material zu *Araripemys barretoi* Price 1973 (Testudines: Pleurodira): Mitteilungen der Bayerischen Staatssammlung für Paläontologie und Historische Geologie, v. 30, p. 39-49.

Schmidt, K. P., 1931, A fossil turtle from Peru: Fieldiana: Geological Memoir, v. 4, p. 251-254.

Schmidt, K. P., 1938, New crocodilians from the Upper Paleocene of western Colorado: Field Museum of Natural History, Geological Series, v. 6, p. 315-321.

Schmidt, K. P., 1940, A new turtle of the Genus *Podocnemis* from the Cretaceous of Arkansas: Fieldiana: Geological Memoir, v. 8, p. 1-12.

Schmidt, K. P., 1941, A new fossil alligator from Nebraska: Fieldiana, v. 8, p. 27-32.

Schmidt, K. P., 1944, Two new Thalassemyd Turtles from the Cretaceous of Arkansas: Fieldiana: Geological Memoir, v. 8, p. 63-74.

Schmidt, K. P., 1945, A new turtle from the Paleocene of Colorado: Fieldiana: Geological Memoir, v. 10, p. 1-4.

Schultz, G. E., 1965, Pleistocene vertebrates from the Butler Spring Local Fauna, Meade County, Kansas: Papers of the Michigan Academy of Sciences, Arts and Letters, v. 50, p. 235-265.

Schultz, G. E., 1990, Stop 5: Blanco Local Fauna and the Blancan land mammal age, in T. C. Gustavson, ed., Tertiary and Quaternary stratigraphy and vertebrate paleontology of parts of northwestern Texas and eastern New Mexico, Austin, Texas, Bureau of Economic Geology. The University of Texas at Austin, p. 44-51.

Schwimmer, D. R., 1981, A distinctive Upper Cretaceous fauna, 3-4 meters below the Blufftown-Cusseta contact in the Chattahoochee River valley, in J. Reinhardt, and T. G. Gibson, eds., Upper Cretaceous and Lower Tertiary Geology of the Chattahoochee River Valley, Western Georgia and Eastern Alabama, Georgia Geological Society, p. 81-88.

Schwimmer, D. R., 1986a, A distinctive biofacies near the Blufftown-Cusseta contact in a downdip exposure, Stewart County, Georgia: Georgia Geological Society, v. 6, p. 1928.

Schwimmer, D. R., 1986b, Late Cretaceous fossils from the Blufftown Formation (Campanian) in western Georgia: The Mosasaur, v. 3, p. 109-123.

Seeley, H. G., 1881, The reptile fauna of the Gosau Formation preserved in the Geological Museum of the University of Vienna: Quarterly Journal of the Geological Society (London), v. 37, p. 620-707.

- Semken, H. A., 1966, Stratigraphy and paleontology of the McPherson Equus Beds (Sandahl Local Fauna), McPherson County, Kansas: Contributions of the Museum of Paleontology University of Michigan, v. 20, p. 121-178.
- Sen, P. K., and M. Banerjee, 1984, On the occurrence of reptilian remains in the peat bed of Barrackpore, 24-Parganas, West Bengal: Journal of the Palaeontological Society of India, v. 29, p. 47-51.
- Sena, A., and T. Thomas, 1989, A giant land tortoise (*Geochelone*) from the Santa Fe Group (Miocene), near Espanola, New Mexico: New Mexico Journal of Science, v. 29, p. 69-78.
- Senut, B., M. Pickford, P. Mein, G. Conroy, and J. V. Couvering, 1992, Discovery of 12 new Late Cainzoic fossiliferous sites in palaeokarsts of the Otavi Mountains, Namibia: Comptes Rendus des Sciences, Paris. Série II, v. 314, p. 727-733.
- Shikama, T., 1972, Fossil Crocodylia from Tsochin, southwestern Taiwan: Science reports of the Yokohama National University, Section II Biology and Geology, v. 19, p. 125-131.
- Shikama, T., and Y. Hasegawa, 1958, On a new *Anourosorex* from the Ryūgashi Formation (fissure deposits) in Japan: Science reports of the Yokohama National University, Section II Biology and Geology, v. 7, p. 105-112.
- Shikama, T., and S. Kanno, 1970, On an elephant found at Ikebukuro Station, Tokyo: Science reports of the Yokohama National University, Section II Biology and Geology, v. 16, p. 51-60.
- Shikama, T., and G. Okafuji, 1958, Quaternary cave and fissure deposits and their fossils in Akiyosi district, Yamaguti Prefecture: Science reports of the Yokohama National University, Section II Biology and Geology, v. 7, p. 43-103.
- Shikama, T., H. Otsuka, and Y. Tomida, 1975a, Fossil Proboscidea from Taiwan (1): Science reports of the Yokohama National University, Section II Biology and Geology, v. 22, p. 13-35.
- Shikama, T., H. Otsuka, and Y. Tomida, 1975b, Fossil Proboscidea from Taiwan (II): Science reports of the Yokohama National University, Section II Biology and Geology, v. 22, p. 37-62.
- Shikama, T., and Y. Takayasu, 1971, Fossil mammals from the Shibikawa Formation in Oga Peninsula, Akita Prefecture: Science reports of the Yokohama National University, Section II Biology and Geology, v. 18, p. 43-47.
- Shikama, T., and I. Yanagisawa, 1971, Fossil proboscidean tooth from Iwaki City, Hukushima Prefecture: Science reports of the Yokohama National University, Section II Biology and Geology, v. 18, p. 37-42.
- Sill, W. D., 1970, Nota preliminar sobre un nuevo gavial del Plioceno de Venezuela y una discusion de los gaviales sudamericanos: Ameghiniana, v. 7, p. 151-159.

- Simpson, G. G., 1930, *Allognathosuchus mooki*, a new crocodile from the Puerco Formation: American Museum Novitates, v. 445, p. 1-16.
- Simpson, G. G., 1937a, An ancient eusuchian crocodile from Patagonia: American Museum Novitates, v. 965, p. 1-20.
- Simpson, G. G., 1937b, New reptiles from the Eocene of South America: American Museum Novitates, v. 927, p. 1-3.
- Simpson, G. G., 1942, A Miocene tortoise from Patagonia: American Museum Novitates, v. 1209, p. 1-6.
- Simpson, G. G., 1959, Fossil mammals from the type area of the Puerco and Nacimiento strata, Paleocene of New Mexico.: American Museum Novitates, v. 1957, p. 1-22.
- Skinner, M. F., Shirley M. Skinner, Raymond J. Gooris, 1977, Stratigraphy and biostratigraphy of Late Cenozoic deposits in central Sioux County, Western Nebraska: Bulletin of the American Museum of Natural History, v. 158, p. 263-370.
- Skinner, M. F., and C. W. Hibbard, 1972, Early Pleistocene pre-glacial and glacial rocks and faunas of north-central Nebraska: Bulletin of the American Museum of Natural History, v. 148, p. 1-148.
- Skinner, M. F., and F. W. Johnson, 1984, Tertiary stratigraphy and the Frick collection of fossil vertebrates from North-Central Nebraska: Bulletin of the American Museum of Natural History, v. 178, p. 215-368.
- Slaughter, B. H., 1966, The Moore Pit Local Fauna; Pleistocene of Texas: Journal of Paleontology, v. 40, p. 78-91.
- Steel, R., 1973, Crocodylia: Handbuch der Paläoherpetologie, v. 16: Stuttgart, Gustav Fischer Verlag, 116 p.
- Steininger, F. F., R. L. Bernor, and V. Fahlbusch, 1990, European Neogene marine/continental chronologic correlations, in E. H. Lindsay, V. Fahlbusch, and P. Mein, eds., European Neogene Mammal Chronology, New York, Plenum Press, p. 15-46.
- Stephens, J. J., 1960, Stratigraphy and paleontology of a Late Pleistocene Basin, Harper County, Oklahoma: Geological Society of America Bulletin, v. 71, p. 1675-1702.
- Stirton, R. A., R. H. Tedford, and M. O. Woodburne, 1968, Australian Tertiary deposits containing terrestrial mammals: University of California Publication. Geological Science, v. 77, p. 1-30.
- Stock, J. M., and K. V. Hodges, 1989, Pre-Pliocene extension around the Gulf of California and the transfer of Baja California to the Pacific Plate: Tectonics, v. 8, p. 99-115.

- Storer, J. E., 1978, Rodents of the Swift Current Creek local fauna (Eocene: Uintan) of Saskatchewan: Canadian Journal of Earth Sciences, v. 15, p. 1673-1674.
- Storer, J. E., 1993, Additions to the Mammalian palaeofauna of Saskatchewan: Modern Geology, v. 18, p. 475-487.
- Strauch, F., 1972, On the climatic link between marine organisms and their geological and palaeontological significance: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 140, p. 82-127.
- Sullivan, R. M., and S. G. Lucas, 1986, Annotated list of lower vertebrates from the Paleocene Nacimiento Formation (Puercan-Torrejonian), San Juan Basin, New Mexico: Journal of Herpetology, v. 20, p. 202-209.
- Suteethorn, V., E. Buffetaut, R. Hemcke-Ingavat, J.-J. Jaeger, and Y. Jongkanjanasooontorn, 1988, Oldest known Tertiary mammals from South East Asia: Middle Eocene primate and anthracotheres from Thailand: Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1988, p. 563-570.
- Szyndlar, Z., 1991a, A review of Neogene and Quaternary snakes of central and eastern Europe. Part I: Scolecophidia, Boidae, Colubrinae: Estudios Geologicos, v. 47, p. 103-126.
- Szyndlar, Z., 1991b, A review of Neogene and Quaternary snakes of central and eastern Europe. Part II: Natricinae, Elapidae, Viperidae: Estudios Geologicos, v. 47, p. 237-266.
- Szyndlar, Z., and G. A. Zerova, 1992, Miocene snake fauna from Cherevichnoie (Ukraine, USSR), with description of a new species of *Vipera*: Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, v. 184, p. 87-99.
- Tabrum, A. R., and R. W. Fields, 1980, Revised mammalian faunal list for the Pipestone Springs Local Fauna (Chadronian, Early Oligocene), Jefferson County, Montana: Northwest Geology, v. 9, p. 45-51.
- Tang, X., and M.-z. Zhou, 1965, The vertebrate-bearing early Tertiary of South China: a review: International Geology Review, v. 7, p. 1338-1352.
- Tao, Q., 1990, A Paleogene section at Erden Obo, Nei Mongol and on the discovery of *Pastoralodon lacustris* (Pantodontia, Mammalia) in that area: Vertebrata Palasiatica, v. 28, p. 25-33.
- Tchernov, E., 1986, Evolution of the crocodiles in east and north Africa: Paris, Centre National de la Recherche Scientifique, 65 p.
- Tchernov, E., and J. V. Couvering, 1978, New crocodiles from the early Miocene of Kenya: Palaeontology, v. 21, p. 857-867.
- Tewari, B. S., and G. L. Badam, 1969, A new species of fossil turtle from the Upper Siwaliks of Pinjore, India: Palaeontology, v. 12, p. 555-558.

- Thackeray, J. F., 1987, Late Quaternary environmental changes inferred from small mammalian fauna, southern Africa: *Climatic Change*, v. 10, p. 285-305.
- Thomas, H., J. Roger, S. Sen, C. Bourdillon-de-Grissac, and Z. Al-Sulaimani, 1989, Découverte de vertébrés fossiles dans l'Oligocène inférieur du Dhofar (Sultanat D' Oman): *Geobios*, v. 22, p. 101-120.
- Thomas, H., S. Sen, M. Khan, B. Battail, and G. Ligabue, 1981, The lower Miocene fauna of Al-Sarrar (Eastern province, Saudi Arabia): *ATLAL*, v. 5, p. 109-136.
- Ting-Pong, K., 1956, Summary on the fossil vertebrates in Taiwan (Formosa): Proceedings of the Eighth Pacific Science Congress of the Pacific Science Association, v. 2, p. 530-535.
- Toerien, M. J., 1955, A sabre-tooth cat from the Makapansgat valley: *Palaeontologia Africana*, v. 3, p. 43-46.
- Tomida, S., 1978, On the Quaternary cave and fissure deposits and vertebrate fossils from Yagé Quarry, near Lake Hamana, central Japan: *Bulletin of the Mizunami Fossil Museum*, v. 5, p. 113-141.
- Tomida, Y., and H. Otsuka, 1993, First discovery of fossil Amami rabbit (*Pentalagus furnessi*) from Tokunoshima, southwestern Japan: *Bulletin of the National Science Museum, Tokyo, Series C*, v. 19, p. 73-79.
- Torres, V., 1985, Stratigraphy of the Eocene Willwood, Aycross, and Wapiti Formations along the North Fork of the Shoshone River, north-central Wyoming: Contributions to Geology. University of Wyoming, v. 23, p. 83-97.
- Tsoukala, E., 1992, Quaternary Faunas of Greece: Courier Forschungs Institut Senckenberg, v. 153, p. 79-92.
- Ujihara, A., and H. Shibata, 1982, Molluscs and elasmobranchs from the Miocene Kumano Group in the southern part of Kii Peninsula, Japan: *Bulletin of the Mizunami Fossil Museum*, v. 9, p. 25-33.
- Vaughn, P. P., 1956, A second specimen of the Cretaceous crocodile *Dakotasuchus* from Kansas: *Transactions of the Kansas Academy of Science*, v. 59, p. 379-381.
- Vindogradov, A. P., V. A. Grossheim, and V. E. Khain, 1967, Atlas of lithological-paleogeographical maps of the USSR. Volume IV. Paleogene, Neogene and Quaternary: Moscow, Ministry of Geology in the USSR and Academy of Sciences of the USSR.
- Vindogradov, A. P., V. N. Vereshchagin, and A. B. Ronov, 1968, Atlas of lithological-paleogeographical maps of the USSR. Volume III. Triassic, Jurassic and Cretaceous: Moscow, Ministry of Geology of the USSR and Academy of Sciences of the USSR.

- Voorhies, M. R., 1971, Paleoclimatic significance of crocodilian remains from the Ogallala Group (Upper Tertiary) in northeastern Nebraska: *Journal of Paleontology*, v. 45, p. 119-121.
- Voorhies, M. R., J. A. Holman, and X. Xiang-Xu, 1987, The Hottell Ranch rhino quarries (basal Ogallala: medial Barstovian), Banner County, Nebraska. Part I: Geologic setting, faunal lists, lower vertebrates: *Contributions to Geology*. University of Wyoming, v. 25, p. 55-69.
- Walker, C. A., 1966, *Podocnemis somaliensis*, a new Pleurodiran turtle from the Middle Eocene of Somalia: *Palaeontology*, v. 9, p. 511-516.
- Walker, C. A., and R. T. J. Moody, 1974, A new trionychid turtle from the Lower Eocene of Kent: *Palaeontology*, v. 17, p. 901-907.
- Walker, C. A., and R. T. J. Moody, 1985, Redescription of *Eurycephalochelys*, a trionychid turtle from the Lower Eocene of England: *Bulletin of the British Museum of Natural History (Geology)*, v. 38, p. 373-380.
- Wang, B., C. Jiang, M. Xianjia, and C. Jinrong, 1981, Stratigraphy of the Upper and Middle Oligocene of Qianlishan district, Nei Mongol (Inner Mongolia): *Vertebrata Palasiatica*, v. 19, p. 33-34.
- Wang, B., and Z. Shiquan, 1982, Late Eocene mammals from Pingchangguan Basin, Henan: *Vertebrata Palasiatica*, v. 20, p. 213-215.
- Wang, B., and Z. Yuping, 1983, New finds of fossils from Paleogene of Qujing, Yunnan: *Vertebrata Palasiatica*, v. 21, p. 127-128.
- Warren, J. K., 1989, Evaporite sedimentology: importance in hydrocarbon accumulation: London, Prentice-Hall International (UK) Limited, 285 p.
- Weems, R. E., 1974, Middle Miocene sea turtles (*Syllumus*, *Procolpochelys*, *Psephophorus*) from the Calvert Formation: *Journal of Paleontology*, v. 48, p. 278-303.
- Weems, R. E., 1988, Paleocene turtles from the Aquia and Brightseat Formations, with a discussion of their bearing on Sea Turtle evolution and phylogeny: *Proceedings of the Biological Society of Washington*, v. 101, p. 109-145.
- Wei, F., W. T. Wu, Xu Y. B., and Zhang M. H., 1975, First discovery of Testudinidae from Zhejiang Province: *Vertebrata Palasiatica*, v. 13, p. 118-121.
- Weimer, P., 1987, Northern Alaska Exploration - The past dozen years, Bakersfield, California & Anchorage, Alaska, Society of Exploration Petrologists and Mineralogists & Alaskan Geological Survey, p. 31-39.
- Weishampel, D. B., P. Dodson, and H. Osmólska, 1990, *The Dinosauria*: Berkeley, University of California Press, 681 p.

- Wells, L. H., and H. B. S. Cooke, 1956, Fossil Bovidae from the Limeworks Quarry, Makapansgat, Potgietersrus: *Palaeontologia Africana*, v. 4, p. 1-55.
- West, R. M., 1973, Geology and mammalian paleontology of the New Fork-Big Sandy area, Sublette County, Wyoming: *Fieldiana. Geology*, v. 29, p. 1-176.
- West, R. M., M. R. Dawson, and J. H. Hutchison, 1977, Fossils from the Paleogene Eureka Sound Formation, N.W.T., Canada: occurrence, climatic and paleogeographic implications, in R. M. West, ed., *Paleontology and Plate Tectonics with Special Reference to the History of the Atlantic Ocean*: Milwaukee Public Museum Special Publications in Biology and Geology, Milwaukee, Milwaukee Public Museum, p. 77-93.
- West, R. M., G. M. S. Dongol, J. Munthe, J. H. Hutchison, and V. J. Gupta, 1988, Late Neogene and Quaternary geology, palaeontology and palaeoenvironment of the Kathmandu valley, central Nepal and the Churia Hills, western Nepal, in P. Whyte, J. S. Aigner, N. G. Jablonski, G. Taylor, D. Walker, W. Pinxian, and S. Chak-Lam, eds., *The Palaeoenvironment of East Asia from the Mid-Tertiary*, Hong Kong, Centre of Asian Studies University of Hong Kong, p. 916-936.
- West, R. M., and J. H. Hutchison, 1981, Geology and paleontology of the Bridger Formation, southern Green River Basin, southwestern Wyoming. Part 6. The fauna and correlation of Bridger E.: Milwaukee Public Museum Contributions in Biology and Geology, v. 46, p. 1-8.
- West, R. M., J. H. Hutchison, and J. Munthe, 1991, Miocene vertebrates from the Siwalik Group, western Nepal: *Journal of Vertebrate Paleontology*, v. 11, p. 108-129.
- West, R. M., and J. R. Lukacs, 1979, Geology and vertebrate-fossil localities, Tertiary continental rocks, Kala Chitta Hills, Attock District, Pakistan: Milwaukee Public Museum Contributions in Biology, v. 26, p. 1-20.
- Westgate, J. W., 1988, Biostratigraphic implications of the first Eocene land-mammal fauna from the North American coastal plain: *Geology*, v. 16, p. 995-998.
- Westgate, J. W., and R. J. Emry, 1985, Land mammals of the Crow Creek Local Fauna, Late Eocene, Jackson Group, St. Francis County, Arkansas: *Journal of Paleontology*, v. 59, p. 242-248.
- Westgate, J. W., and C. T. Gee, 1990, Paleoecology of a middle Eocene mangrove biota (vertebrates, plants, and invertebrates) from southwest Texas: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 78, p. 163-177.
- Wheeler, H. E., 1955, Dermatemidid turtle from the Roslyn Formation of Washington: *Bulletin of the Geological Society of America*, v. 66, p. 1668-1667.
- Whitlock, C., and A. R. Dawson, 1990, Pollen and vertebrates of the Early Neogene Haughton Formation, Devon Island, Arctic Canada: *Arctic*, v. 43, p. 324-330.

- Whybrow, P. J., 1987, Miocene geology and palaeontology of Ad Dabtiyah, Saudi Arabia: Bulletin of the British Museum (Natural History), v. 41, p. 367-369.
- Whybrow, P. J., H. A. McClure, and G. F. Elliott, 1987, Miocene stratigraphy, geology and flora (Algae) of eastern Saudi Arabia and the Ad Dabtiyah vertebrate locality: Bulletin of the British Museum (Natural History). Geology, v. 41, p. 371-382.
- Wiffen, J., 1981, The first Late Cretaceous turtles from New Zealand: New Zealand Journal of Geology and Geophysics, v. 24, p. 293-299.
- Wight, A. W. R., 1980, Palaeogene vertebrate fauna and regressive sediments of Dur at Talhah, southern Sirt Basin, Libya, in M. J. Salem, and M. T. Busrewil, eds., The Geology of Libya, London, Academic Press, p. 308-325.
- Williams, D. L. G., 1980, Catalogue of Pleistocene vertebrate fossils and sites in South Australia: Transactions of the Royal Society of South Australia, v. 104, p. 101-115.
- Williamson, T. E., and S. G. Lucas, 1990, Late Cretaceous vertebrates from the Mulatto Tongue of the Mancos Shale, central New Mexico: New Mexico Journal of Science, v. 30, p. 27-34.
- Willis, P., P. Murray, and D. Megirian, 1990, *Baru darrowi* gen. et sp.nov., A large, broad-snouted Crocodyline (Eusuchia: Crocodylidae) from Mid-Tertiary freshwater limestones in northern Australia: Memoirs of the Queensland Museum, v. 29, p. 521-540.
- Willis, P. M. A., 1993, *Trilophosuchus rackhami* gen. et sp. nov., a new crocodilian from the Early Miocene limestones of Riversleigh, northwestern Queensland: Journal of Vertebrate Paleontology, v. 13, p. 90-98.
- Willis, P. M. A., and R. E. Molnar, 1991a, A longirostrine crocodile from the Early Tertiary of southeastern Queensland: Alcheringa, v. 15, p. 229-233.
- Willis, P. M. A., and R. E. Molnar, 1991b, A new middle Tertiary crocodile from Lake Palankarinna, South Australia: Records of the South Australia Museum, v. 25, p. 39-55.
- Wilson, M. V. H., 1977, Middle Eocene Freshwater Fishes from British Columbia: Life Sciences Contributions Royal Ontario Museum, v. 113, p. 1-61.
- Wilson, R. L., 1967, The Pleistocene vertebrates of Michigan: Papers of the Michigan Academy of Sciences, Arts and Letters, v. 52, p. 197-234.
- Winkler, D. A., 1990, Stop 3: Ogallala Formation (Group) exposed at Janes Quarry, in T. C. Gustavson, ed., Tertiary and Quaternary Stratigraphy and Vertebrate Paleontology of Parts of Northwestern Texas and Eastern New Mexico, p. 38-40.
- Wolberg, D. J., J. P. Hall, D. Bellis, W. X. Chavez, O. Anderson, R. Moro, and A. Gil, 1988, Regional historic, stratigraphic, and paleontologic framework of the Late Cretaceous (Campanian-Maastrichtian) Fossil Forest locality near Split Lip Flats,

- San Juan Basin, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin, v. 122, p. 7-21.
- Wolberg, D. L., 1979, Late Paleocene (Tiffanian) mammalian fauna of two localities in eastern Montana: Northwest Geology, v. 8, p. 83-93.
- Wood, R. C., 1970, A review of the fossil Pelomedusidae (Testudines, Pleurodira) of Asia: Breviora, v. 357, p. 1-24.
- Wood, R. C., 1972, A fossil pelomedusid turtle from Puerto Rico: Breviora, v. 392, p. 1-11.
- Wood, R. C., 1976a, *Stupendemys geographicus*, the world's largest turtle: Breviora, v. 436, p. 1-31.
- Wood, R. C., 1976b, Two new species of *Chelus* (Testudines: Pleurodira) from the Late Tertiary of northern South America: Breviora, v. 435, p. 1-26.
- Wood, R. C., 1979, First record of a fossil trionychid skull from Africa: Herpetologica, v. 35, p. 360-364.
- Wood, R. C., and M. L. D. de Gamero, 1971, *Podocnemis venezuelensis*, a new fossil pelomedusid (Testudines, Pleurodira) from the Pliocene of Venezuela and a review of the history of Podocnemis in South America: Breviora, v. 376, p. 1-23.
- Wood, R. C., and B. Patterson, 1973, A fossil trionychid turtle from South America: Breviora, v. 405, p. 1-10.
- Woodburne, M. O., 1959, A fossil alligator from the lower Pliocene of Oklahoma and its climatic significance: Papers of the Michigan Academy of Sciences, Arts and Letters, v. 44, p. 47-51.
- Woodburne, M. O., 1987, Cenozoic Mammals of North America. Geochronology and Biostratigraphy, Berkeley, University of California Press, p. 336.
- Xu, Q., and H. Chuchien, 1984, Some problems in evolution and distribution of *Alligator*: Vertebrata Palasiatica, v. 22, p. 52-53.
- Yasuno, T., 1982, Fossil pharyngeal teeth of sub-family Cyprinidae fishes collected from the Miocene Mizunami Group in Kani Basin, Gifu Prefecture, Japan: Bulletin of the Mizunami Fossil Museum, v. 9, p. 15-23.
- Yasuno, T., 1984, Fossil pharyngeal teeth of the Rhodeinae fish from the Miocene Katabira Formation of the Kani Group, Gifu Prefecture, Japan: Bulletin of the Mizunami Fossil Museum, v. 11, p. 101-105.
- Yasuno, T., 1989, Fossil cyprinid discovered from the Miocene Hiramaki Formation, Gifu Prefecture, Central Japan: Bulletin of the Mizunami Fossil Museum, v. 16, p. 121-124.

- Yasuno, T., 1992, Miocene cyprinid found from Yoshioka in the Oshima Peninsula, Southwest Hokkaido, Japan: Bulletin of the Mizunami Fossil Museum, v. 19, p. 459-464.
- Ye, X., 1979a, Paleocene turtles from Anhui: Vertebrata Palasiatica, v. 17, p. 49-56.
- Ye, X., 1983, New remains of *Cuora* from Zhejiang: Vertebrata Palasiatica, v. 21, p. 50-51.
- Ye, X., 1985, An early Eocene trionychid from Nanzhang, Hubei: Vertebrata Palasiatica, v. 23, p. 26.
- Ye, X.-k., 1979b, Fossil testudinids from Jiyuan, Henan: Vertebrata Palasiatica, v. 17, p. 317.
- Yeh, H.-k. u., 1958, A new crocodile from Maoming Kwangtung: Vertebrata Palasiatica, v. 2, p. 241-242.
- Yeh, H.-k. u., 1961, The first discovery of a box-turtle in China: Vertebrata Palasiatica, v. 1, p. 62-64.
- Yeh, H.-k. u., 1962, Note on two fossil Trionchid turtles from Shantung and Chekiang: Vertebrata Palasiatica, v. 6, p. 387-388.
- Yeh, H.-k. u., 1963, A new Quaternary Testudo from Gigantopithecus Cave, Liucheng, Kwangsi: Vertebrata Palasiatica, v. 7, p. 226-228.
- Yeh, H.-k. u., 1965, New materials of fossil turtles of Inner Mongolia: Vertebrata Palasiatica, v. 9, p. 62-69.
- Yeh, H.-K. u., 1966, A new Cretaceous turtle of Nanhsiung, Northern Kwangtung: Vertebrata Palasiatica, v. 10, p. 197-200.
- Yeh, H.-k. u., 1974a, Cenozoic chelonian fossils from Nanhsiung, Kwangtung: Vertebrata Palasiatica, v. 12, p. 35-37.
- Yeh, H.-k. u., 1974b, A new fossil Dermatemydid from Sinkiang: Vertebrata Palasiatica, v. 12, p. 260.
- Yeh, H.-k. u., 1981, New fossil *Cuora* (Emydidae) from Early Pliocene of Yunnan: Vertebrata Palasiatica, v. 19, p. 245.
- Young, C.-C., 1944, Note on the first Eocene mammal from South China: American Museum Novitates, v. 1268, p. 3.
- Young, C.-c., 1964, New fossil crocodiles from China: Vertebrata Palasiatica, v. 8, p. 199-208.
- Young, C.-c., and M. Chow, 1962, Some reptilian fossils from the "Red Beds" of Kwangtung and Chekiang: Vertebrata Palasiatica, v. 6, p. 134-135.

- Yu, G., 1976, Eocene vertebrate localities and horizons of Wucheng and Xichuan Basins, Henan: *Vertebrata Palasiatica*, v. 14, p. 26-34.
- Zangerl, R., 1945, Fossil specimens of *Macrochelys* from the Tertiary of the Plains: *Fieldiana: Geological Memoir*, v. 10, p. 5-12.
- Zangerl, R., 1947a, A new Anosteirine turtle from Manchuria: *Fieldiana: Geological Memoir*, v. 10, p. 13-21.
- Zangerl, R., 1947b, Redescription of *Taphrosphys olsoni* A fossil turtle from Peru: *Fieldiana: Geological Memoir*, v. 10, p. 29-40.
- Zangerl, R., 1948, The Vertebrate Fauna of the Selma Formation of Alabama. Part II. The Pleurodiran Turtles: *Fieldiana: Geological Memoir*, v. 3, p. 19-56.
- Zangerl, R., 1953a, The Vertebrate Fauna of the Selma Formation of Alabama. Part III The Turtles of the Family Protostegidae: *Fieldiana: Geological Memoir*, v. 3, p. 59-133.
- Zangerl, R., 1953b, The Vertebrate Fauna of the Selma Formation of Alabama. Part IV The Turtles of the Family Toxochelyidae: *Fieldiana: Geological Memoir*, v. 3, p. 137-277.
- Zangerl, R., and R. E. Sloan, 1960, A new specimen of *Desmatochelys lowi* Williston a primitive Cheloniid sea Turtle from the Cretaceous of South Dakota: *Fieldiana: Geological Memoir*, v. 14, p. 7-40.
- Zbyszewski, G., 1954, L'Aquitaniens supérieur de Lisbonne et du Ribatejo: *Comunicacoes Serviços Geológicos Portugal*, v. 35, p. 99-149.
- Zbyszewski, G., 1957, Le Burdigalien de Lisbonne: *Comunicacoes Serviços Geológicos Portugal*, v. 38, p. 91-226.
- Zerova, G. A., 1992, *Vipera (Daboia) ukrainica* - a new viper (Serpentes; Viperidae) from the Middle Sarmatian (Upper Miocene) of the Ukraine: *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, v. 184, p. 235-249.
- Zhang, F., 1981, A fossil crocodile from Anhui Province: *Vertebrata Palasiatica*, v. 19, p. 206-207.
- Zhang, M., 1984, A fauna from Huayan Cave, Xitianmu Mountain, Zhejiang: *Vertebrata Palasiatica*, v. 22, p. 144.
- Zhao, Z., 1981, The vertebrate fossils and lower Tertiary from Nanning Basin, Guangxi: *Vertebrata Palasiatica*, v. 19, p. 227.
- Zinsmeister, W. J., 1982, Review of the Upper Cretaceous-Lower Tertiary sequence on Seymour Island, Antarctica: *Quarterly Journal of the Geological Society (London)*, v. 139, p. 779-785.